Centre No.			Paper Reference					Surname	Initial(s)		
Candidate No.			6	1	0	4	/	0	2	Signature	

6104/02	
Edexcel	GCE
Biology	

# **Biology (Human)**

Advanced

Unit 4B Core and Option Food Science

Wednesday 23 January 2008 - Morning

Time: 1 hour 30 minutes

Materials required for examination	Items included with question papers
Ruler	Nil

#### **Instructions to Candidates**

In the boxes above, write your centre number, candidate number, your surname, initial(s) and signature. The paper reference is shown above. Check that you have the correct question paper. Answer ALL questions. Write your answers in the spaces provided in this question paper. Show all the steps in any calculations and state the units. Calculators may be used. Include diagrams in your answers where these are helpful.

#### **Information for Candidates**

The marks for the individual questions and parts of questions are shown in round brackets: e.g. (2). There are 9 questions in this question paper. The total mark for this question paper is 70.

### **Advice to Candidates**


You will be assessed on your ability to organise and present information, ideas, descriptions and arguments clearly and logically, taking into account your use of grammar, punctuation and spelling.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy. ©2008 Edexcel Limited.

W850/R6104/57570 7/8/7/4/4/1400








Question Number	Leave Blank
	Blank
1	
2	
3	
4	
5	
Paper 21 Total	
6	
7	
8	
9	
Paper 22 Total	
'	
Total	


Turn over





# Answer ALL questions in the spaces provided.

1. The diagram below shows a human brain seen from the side.



(a) Name the parts labelled  ${\bf B}$  and  ${\bf C}$ .

B	
C	
	(2)

(b) Give two functions of the part labelled A.


1	 	 	
2			
			(2)

Q1

(Total 4 marks)

**(3)** 

**2.** Cortisol is a hormone secreted by the adrenal gland and has many functions in the body. The diagram below shows how the secretion of cortisol is controlled.




(a)	Using the information in the diagram, explain how the control of cortisol secretion illustrates the principle of negative feedback.

				(1)
(c) State three v	ways in which hormon	al control differs fr	rom nervous control.	
1				
2				
3				
J				•••••
•••••				•••••
•••••			•••••	(3)
			(Tota	l 7 marks)

**(3)** 

3.	(a)	When	an	action	potential	arrives	at	a	synaptic	knob,	acetyl choline	is	released.
		Descri	be h	now ace	etvlcholine	is relea	sed	in	to the syr	antic c	left.		

(b) The graph below shows a recording of an action potential produced after the binding of acetylcholine to receptors on a post-synaptic membrane.



(i) Use the graph to state the time at which the sodium channels open to allow an increased flow of sodium ions into the neurone.


..... ms

**(1)** 

(iii) Calculate the number of action potentials that could occur in one second	(1) I if the
stimulus is maintained. Show your working.	
Answer action potentials per s	econd.
	(2)
When a transmitter substance called gamma-aminobutyric acid (GABA) is reat a synapse, it causes chloride ion (Cl <sup>-</sup> ) channels and potassium ion (K <sup>+</sup> ) channels in the post-synaptic membrane. This results in chloride ions moving it post-synaptic neurone and potassium ions moving out.	annels
Explain why an action potential is less likely to develop when GABA is releated the same time as acetylcholine.	ased at
	(2)

Leave blank

**4.** (a) The diagram below shows an outline of anaerobic respiration in a yeast cell.



(i) Name substance X.

	(1)

(ii) Explain why it is necessary for the cell to convert ethanal to ethanol.



Leave blank

(b) A student carried out an investigation into the effect of glucose and sucrose on the rate of respiration of yeast cells. Triphenyl tetrazolium chloride (TTC) is an artificial hydrogen acceptor, which is colourless in the oxidised form and red when reduced. A colorimeter is an instrument used to measure the percentage of light transmitted through a liquid. In this investigation, when the TTC is fully oxidised 100% of the light is transmitted through the liquid. The darker the red colour of the TTC solution becomes, the lower the percentage of light transmitted.

Yeast cells were suspended in 0.5% glucose solution. The student set up a tube containing 10 cm<sup>3</sup> of this suspension and 1 cm<sup>3</sup> of TTC solution. The tube was covered and placed in a water bath for 20 minutes. During this time, the percentage of light transmitted through the solution was measured at two-minute intervals.

The experiment was repeated using yeast cells suspended in 0.5% sucrose solution.

The results of the investigation are shown in the graph below.



(i)	Describe the rate of respiration of yeast in the glucose solution during the 20 minutes of this investigation.
	innutes of this investigation.
(ii)	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution
(ii)	
(ii)	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution
(ii)	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution
	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution differs from the rate in the glucose solution.  (1)
	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution differs from the rate in the glucose solution.
	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution differs from the rate in the glucose solution.  (1)
	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution differs from the rate in the glucose solution.  (1)
	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution differs from the rate in the glucose solution.  (1)
	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution differs from the rate in the glucose solution.  (1)
	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution differs from the rate in the glucose solution.  (1)
	State <b>one</b> way in which the rate of respiration of yeast in the sucrose solution differs from the rate in the glucose solution.  (1)

**(2)** 

(Total II marks)	(iv) Explain why the student placed the tubes in a water bath.	Leave blank
(2) Q4		
(Ittal II marks)		Q4
	(10tai 11 marks)	

a) Des	scribe and explain the process of ultrafiltration.
••••	
••••	
	(4)

(5)
(Total 9 marks)

## **Option B: Food Science**

**6.** The table below refers to the industrial uses of enzymes in the processing of food. Complete the table by writing the most appropriate word or words in the boxes.


Enzyme	Enzyme substrate	Product(s) of the reaction	Industrial use
Glucose isomerase	Glucose		
Amyloglucosidase		Glucose	
Lactase	Lactose		

**Q6** 

(Total 6 marks)

The graph below shows the percentage of men and women in each age group affected by diabetes mellitus.

> ■ Men ☐ Women



(a) Describe the effect of age and gender on the percentage of diabetes mellitus in the population.

**(3)** 

(b) State two causes of diabetes mellitus.


(Total 5 marks)

**(2)** 

Leave blank The flow diagram below shows some of the stages in the production of soy sauce. Soya beans soaked in Stage A water then boiled and drained Wheat added and the Stage B mixture spread on trays Starter culture added Stage C and fermented for 1 week Brine (salt solution) Stage D added and fermented for several months Soy sauce filtered Stage E and pasteurised (a) Suggest why wheat is added at stage B. **(1)** (b) Name the types of microorganisms in the starter culture added at stage C. **(2)** 

(Total 9 marks)

**9.** The graph below shows the effect of storage temperature on the vitamin C (ascorbic acid) content of vegetables.



— Frozen

--- Chilled

···· Room temperature

(a) (i) Compare the vitamin C content of the chilled vegetables with the vitamin C content of the vegetables kept at room temperature during the first 20 days.

 	 	 •••••
 	 	 •••••
 	 	 •••••

Leave blank

W
ur

...
...
...

vegetables that are to be consumed within 2 days should be stored. Explain you answer.
PIP can be used to estimate the concentration of ascorbic acid of vegetable
plain why DCPIP can be used in this estimation.

**QUESTION 9 CONTINUES OVERLEAF** 

(2) (Total 10 marks) TOTAL FOR PAPER: 70 MARKS END	(c) Explain the use of ascorbic acid as a food ac	dditive.
(2) (Total 10 marks) TOTAL FOR PAPER: 70 MARKS		
(2) (Total 10 marks) TOTAL FOR PAPER: 70 MARKS		
(2) (Total 10 marks) TOTAL FOR PAPER: 70 MARKS		
(2) (Total 10 marks) TOTAL FOR PAPER: 70 MARKS		
(2) (Total 10 marks) TOTAL FOR PAPER: 70 MARKS		
(2) (Total 10 marks) TOTAL FOR PAPER: 70 MARKS		
(2) (Total 10 marks) TOTAL FOR PAPER: 70 MARKS		
(Total 10 marks)  TOTAL FOR PAPER: 70 MARKS		
TOTAL FOR PAPER: 70 MARKS		(2)
TOTAL FOR PAPER: 70 MARKS		(Total 10 marks)
END		
	END	