		A	W-1
re	Paper Reference (complete below) Surname	Init	ial(s)
lidate	Signature		
	Paper Reference(s)	Examiner	's use
	6241/P.01		
	Edexcel GCE	Team Leade	
	Chemistry	Team Eclad	1 37 43.40
	Advanced/Advanced Subsidiary	<u> </u>	
	Unit Test 1		estion
	Friday 11 January 2002 – Afternoon		1
	Time: 1 hour 20 minutes		2
	Materials required for examination Items included with question papers		3
	Materials required for examination Nil Items included with question papers Nil	:	4
			5
			6
		┛┌	7
		-	8
	s above, write your centre number, candidate number, your surname and	_	+
initials, the	paper reference and your signature. The paper reference is shown above. If		\dashv
more than of the been entered	one paper reference is shown, you should write the one for which you have d.		
	L questions in the spaces provided in this question paper.	ļ	$\overline{}$
Show all th	e steps in any calculations and state the units. Calculators may be used.		
	on for Candidates	_	\dashv
	table is printed on the back cover of this question paper. for individual questions and the parts of questions are shown in round		
brackets: e.	g. (2).		
	ight questions in this question paper. ark for this paper is 75.	\vdash	\dashv
	1 1		
43 * 4	Class did adve	ļ	
Advice to	Candidates	1	1

Turn over

Total



and spelling.

You are reminded of the need to organise and present information, ideas, descriptions

and arguments clearly and logically, taking account of your use of grammar, punctuation

(a)	Sod	lium reacts with cold water.	Lea
	(i)	What would you see as the reaction proceeds?	bla
			:
		(2)	
	(ii)	Write the balanced chemical equation for this reaction.	
		(2)	
(b)	Cale wate	culate the volume of gas produced if 3.0 g of sodium reacts with an excess of er.	
		ne mole of any gas at the temperature and pressure of the experiment occupies dm ³ .)	
		(3)	Q1
		(Total 7 marks)	

N9354 2

(ii) Define the term relative atomic mass.	(1)
(iii) What are isotopes?	(2)
	(2)
Magnesium has three isotopes. The mass spectrum of magnesium sh <i>m/e</i> 24 (78.60%), 25 (10.11%), and 26 (11.29%). Calculate the rel mass of magnesium to 4 significant figures.	ovia manten et
m/e 24 (78.00%), 25 (10.11%), and 26 (11.29%). Calculate the rel	ovia manten et
m/e 24 (78.00%), 25 (10.11%), and 26 (11.29%). Calculate the rel	ovia manten et
m/e 24 (78.00%), 25 (10.11%), and 26 (11.29%). Calculate the rel	ows peaks at lative atomic
m/e 24 (78.00%), 25 (10.11%), and 26 (11.29%). Calculate the rel	ovia manten et

3

Leave blank

(3)

4

(c)	(i)	Give the full electronic configuration of magnesium using the s,p,d notation.	$\begin{bmatrix} L_0 \\ b_1 \end{bmatrix}$	eav lan
	(ii)	(1) Explain why all isotopes of magnesium have the same chemical properties.		
		(2)	Q3	
		(Total 9 marks)	ı	I

4.	(a)	Hydi acid.	rogen chloride can be made from sodium chloride and concentrated sulphuric. Write a balanced chemical equation to represent this reaction.	Leave blank
	(b)	(i)	How would you confirm that a solution said to be HCl(aq) contained chloride ions?	
		(ii)	Hydrogen chloride is soluble in water. Explain why the solution is acidic.	
		()		•
			(2)	
	(c)	(i)	Give a chemical test for chlorine, stating what you would do and what you would see.	
			(2)	
		(ii)	Hydrogen chloride can be oxidised to chlorine by lead(IV) oxide, PbO ₂ . Write the oxidation numbers of lead and of chlorine in the boxes provided.	
			$PbO_2 + 4HCl \longrightarrow PbCl_2 + Cl_2 + 2H_2O$	
			$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
	(d) Sociod	dium iodide reacts with concentrated sulphuric acid to give iodine, not hydrogen dide. Explain why iodides react differently from chlorides in this case.	
		•••	(2)	Q4
			(Total 12 marks)	

5.	(a)	Bore	on forms the chloride BCl ₃ . Draw a dot-and-cross diagram for BCl ₃ .		Leave blank
	(b)	(i)	Draw the shape of the BCl ₃ molecule.	(1)	
		(ii)	Explain why BCl ₃ has this shape.		
	(c)	(i)	The B—Cl bond is polar due to the different electronegativity of the at Explain what is meant by the term electronegativity .	(2)	
		(ii)	The B—Cl bond is polar. Explain why BCl ₃ is not a polar molecule.	(2)	
			(Total 8 ma	(2)	Q5

(a)		ompound of sodium, chlorine and oxygen contains, by mass, 21.6% Na, 2% Cl and 45.1% O. Show that this is consistent with the formula NaClO ₃ .	Leave blank
d >	N. 6	(2)	
(b)	heat	ClO ₃ can be obtained from NaOCl(aq) by a disproportionation reaction on ing.	
	(i)	Give the ionic equation for this disproportionation reaction.	
		(2)	
	(ii)	By a consideration of the oxidation numbers of the chlorine in the various species, show why the reaction in (i) is disproportionation.	
		(4)	
(c)	Chle	orine is used in the extraction of bromine from seawater.	
	(i)	Give the half-equation for the reduction of chlorine.	
	(ii)	Give the half-equation for the oxidation that is occurring given that the overall equation for the reaction is:	
		$Cl_2(aq) + 2Br^-(aq) \longrightarrow Br_2(aq) + 2Cl^-(aq)$	
			Q6
		(1)	***
		(Total 10 marks)	

8

7. The table below shows the melting temperatures of the elements of period 3.

Leave blank

	Na	Mg	Al	Si	P	S	Cl	Ar
m.p./°C:	98	650	660	1410	44	119	-101	-189
Structural type								

l	pe	rai		_				1
(a)	Writ	e in 1	the spaces in the table the	structura	al type for	these eleme	ents.	(2)
(b)			why the melting temperature on or of aluminium.	re of sod	ium is so	much lowe	r than t	(2) hat of
	•••••	•••••				•••••		
(c)	(i)	Expl	ain the very low melting te	mperatur	re of argon			(3)
				443444444444444444444444444444444444444				
	(ii)		phorus exists as P ₄ , sulphur erature of these substances		Explain the	difference	in the m	(1) clting
		******		*************	•••••••	••••••	************	*******
		******	•••••••••••••••••••••••••••••••••••••••	***************************************	••••••	••••••	•••••	
		******		***********	••••••			

(Total 8 marks)

Q7

(a)	(i)	State how a flame test would distinguish between samples of calcium na Ca(NO ₃) ₂ and barium nitrate, Ba(NO ₃) ₂ .	itrate,
			••••••
	(ii)	Explain the origin of the flame colour	(2)
	` /		
			••••••
(b)	Writ	te the equation for the action of heat on barium nitrate.	(3)
(c)	 (i)	What is meant by the term polarising power as applied to cations?	(2)
		Politicing power as applied to cations:	•••••

	(ii)	Give two factors which affect the polarising power of autient	(2)
	()		
			(2)
	(b) (c)	(b) Wri (c) (i)	(ii) Explain the origin of the flame colour. (b) Write the equation for the action of heat on barium nitrate. (c) (i) What is meant by the term polarising power as applied to cations?

Leave blank

(iii) Use this information to explain why it is easier to decompose magnesium nitrate than barium nitrate by heating.	Leave blank
(3)	Q8
(Total 14 marks)	

TOTAL FOR PAPER: 75 MARKS

END

N9354

THE PERIODIC TABLE

	_	7					Ū	Group					6 0	4	w	9	7	•
Period																		
,	I Hydrogen						Molar	Key Molar mass g mol-										Helium
7	$\frac{7}{\text{Lihium}}$	9 Beryllium					Atom	Name Atomic number					II Boron	Carbon	N. Witrogen	Oxygen	19 F	Neon Neon
60	3 23 Na Sodium	4 24 Magnesium											Aluminium	Silicon	7 31 Phosphorus	Sulphur	S S S Chlorine	Argon
4	39 K	12 40 Calcium	Sc Scandium		51 V Vanadium	Cr Chromium	55 Manganese		Cobalt	S9 Nickel	63.5 Cu Copper	Zn Zinc	Gallium	Germanium	Arsenic	Selenium	80 Bromine	Krypton
w	85 Rubidium	Sr Strontium	89 Y Yttrium 139	91 Zr Zirconium	Niobium	Mo Molybdenun	Technetium	Ruthenium	Rhodium	106 Pd Palladium	Ag Silver	Cadmium	II5 In Indium 49	Sn Tin	Sb Antimony	128 Te Tellurium	127 I Iodine 53	Xe Xenon
9	CS Caesium	Barium	139 La Lanthanum 57		Ta Tantalum	184 W Tungsten	186 Renium		192 Ir Iridium 77	Platinum	197 Au Gold	201 Hg Mercury 80	204 	207 Pb Lead 82	209 Bismuth 83	210 Po Polonium 84	At Astatine 85	Radon 86
L	223 Francium 87	Radium	AC Actinium 89	1														

	Lu		\dashv			Ľ	_	_
[7]	Х Р	Ytterbiur	70		(254)	å	Nobeliur 102	
169	Tm	Thulium	69		(256)	Мd	Mendelevium	5
167	臣	Егвіхт	. 68		(253)	Fm	Fermium 100	3
165	Но	Holmium			ĺ	$\mathbf{E}\mathbf{s}$	ш	
163	Dy	Dysprosium	8		(251)	Ct	Californium	
189	Tb	Terbium	99		(245)	Bk	Berkelium	<u>`</u>
157	РŊ	Gadolinium	64			Cm		
152	En	Europium	63		(243)	Am	Americium	3
150	Sm	Samanum	62		(242)	Pu	Plutonium	3.
(147)	Pm	Promethium	19		(237)	ď	Neptunium	56
144	PZ	Neodymium	3	İ	238	\supset	Uranium	'n
141	Pr	Praseodymium	59		(231)	Pa	Protactinium	<u> </u>
140	ပ်	Cenum	88		232	L	Thorium	20