

# OXFORD CAMBRIDGE AND RSA EXAMINATIONS Advanced Subsidiary GCE

**CHEMISTRY** 

2813/01

How Far, How Fast?

Wednesday

8 JUNE 2005

Morning

45 minutes

Candidates answer on the question paper.
Additional materials:

Data Sheet for Chemistry
Scientific calculator

Candidate Name	Centre Number	Candidate Number

### TIME 45 minutes

### **INSTRUCTIONS TO CANDIDATES**

- Write your name in the space above.
- Write your Centre number and Candidate number in the boxes above.
- Answer all the questions.
- Write your answers, in the spaces provided on the question paper.
- Read each question carefully and make sure you know what you have to do before starting your answer.

### **INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
- You may use a scientific calculator.
- You may use the Data Sheet for Chemistry.
- You are advised to show all the steps in any calculations.

FOR EXAMINER'S USE		
Qu.	Max.	Mark
1	10	
2	15	
3	11	
4	9	-
TOTAL	45	-

### Answer all the questions.

- 1 This question is about hydrazine, N<sub>2</sub>H<sub>4</sub>, and ammonia, NH<sub>3</sub>. These are both compounds of nitrogen and hydrogen.
  - (a) Hydrazine can be oxidised and used as a rocket fuel. The equation for one possible reaction taking place is shown below.

Some average bond enthalpies are given below.

bond	bond enthalpy / kJ mol <sup>-1</sup>
N-N	+163
N≡N	+945
N-H	+390
O=O	+497
0-Н	+463

Table 1.1

(i) Use these data to calculate the enthalpy change for the reaction of hydrazine with oxygen, as shown.

answer ...... kJ mol<sup>-1</sup> [4]

(ii) Calculate the enthalpy change for one gram of hydrazine in this reaction.

answer ...... kJ [1]

For Examiner's Use

(b) Ammonia reacts with oxygen in a very similar way to that shown for hydra enthalpy change for one gram of ammonia is approximately the same as th gram of hydrazine.		monia reacts with oxygen in a very similar way to that shown for hydrazine. The halpy change for one gram of ammonia is approximately the same as that for one m of hydrazine.
	Usi is n	ng <b>Table 1.1</b> , suggest a reason why hydrazine is used as a rocket fuel and ammonia ot.
		[1]
(c)		monia reacts with sulphuric acid, as shown in the equation below.
		$2NH_3(g) + H_2SO_4(aq) \rightarrow (NH_4)_2SO_4(aq)$
	(i)	Complete the statement below to describe how ammonia is behaving in this reaction.
		Ammonia is behaving as a because
		[2]
	(ii)	State <b>one</b> important use for the compound $(NH_4)_2SO_4$ .
(	(iii)	Apart from the manufacture of $(NH_4)_2SO_4$ , state <b>one other</b> large-scale use of ammonia.
		[1]
		[Total: 10]

[Turn over

For
Examiner's
Lico

inis	s que	estion is concerned with equilibria that exist between oxides of hitrogen.
(a)	Stat	te le Chatelier's principle.
		[2]
(b)		rogen dioxide, $NO_2$ , is a brown gas whilst dinitrogen tetroxide, $N_2O_4$ , is a colourless . The following equilibrium between these two gases was set up.
		$2NO_2(g) \rightleftharpoons N_2O_4(g)$ $\Delta H = -58 \text{ kJ mol}^{-1}$
		scribe, and explain, what you would <b>see</b> after the following changes have been made I the system allowed to reach equilibrium again.
	(i)	The temperature is increased.
		[3]
	(ii)	The pressure is increased.
		[3]


For Examiner's Use

(c)	NO	2 is an atmospheric pollutant that reacts with water according to the equation below.
		$2NO_2(g) + H_2O(I) \rightarrow HNO_3(aq) + HNO_2(aq)$ equation 2.1
	(i)	Use oxidation numbers of nitrogen to explain why equation 2.1 represents a redox reaction.
		[2]
	(ii)	State a likely source of NO <sub>2</sub> as an atmospheric pollutant.
		[1]
(d)	The conf	reaction of $\mathrm{NO}_2$ with water, in equation 2.1, occurs when rain falls through air taining $\mathrm{NO}_2$ .
	Both	n HNO <sub>3</sub> and HNO <sub>2</sub> are acids.
	Lim	estone contains calcium carbonate, CaCO <sub>3</sub> .
	(i)	Which ion is responsible for the acid properties of HNO <sub>3</sub> and HNO <sub>2</sub> ?
		[1]
	(ii)	Write the ionic equation for the reaction between calcium carbonate and HNO <sub>3</sub> .
		[2]
(	iii)	Norwich cathedral is built from limestone. What will happen to Norwich cathedral over a period of years if significant amounts of NO <sub>2</sub> are present in the atmosphere around Norwich?
		[1]
		[Total: 15]

6

For Examiner's Use

3 In an experiment to determine the standard enthalpy change of combustion of propan-1-ol, C<sub>3</sub>H<sub>7</sub>OH, a student used the apparatus shown below.



(a)	Define the term enthalpy change of combustion.		
	[2]		
(b)	Write the equation for the standard enthalpy change of combustion of propan-1-ol, $\mathrm{C_3H_7OH}$ .		
	[2]		

For Examiner's Use

(c)	tem	e student measured 50.0 cm <sup>3</sup> of water into the beaker and lit the burner. When the perature of the water had gone up by 12.8 °C, he found that 0.100 g of propan-1-ol been burnt.
	(i)	Calculate the energy, in kJ, produced by burning 0.100 g of propan-1-ol. The specific heat capacity of water is $4.18Jg^{-1}K^{-1}$ .
	(ii)	energy = kJ [2]  Calculate the number of moles of propan-1-ol in 0.100 g.
	(iii)	number of moles =
		enthalpy changekJ mol <sup>-1</sup> [1]
(d)	entr	student looked in a text book and found that the actual value for the standard alpy change of combustion of propan-1-ol was more exothermic than the erimental value.
	Sug <sub>e</sub>	gest <b>two</b> reasons for the difference between this value and the one he obtained rimentally.
	1	
	•••••	
	•••••	[2]
		[Total: 11]

8	
•	

For Examiner : Use

(a)	What is a catalyst?
	[2]
(b)	Explain the terms heterogeneous catalyst and homogeneous catalyst. In your explanation you should
	include an example of a reaction for each type of catalyst
	include an equation for <b>one</b> of your reactions
	describe how a heterogeneous catalyst works.
	***************************************
	[7]
	[Total: 9]

**END OF QUESTION PAPER**