



Data Sheet for Chemistry A

(version 2.2)

GCE Advanced Level and Advanced Subsidiary

Chemistry A (H034, H434)

Chemistry A units F321–F326


The information in this sheet is for the use of candidates following Chemistry A (H034 and H434). Copies of this sheet may be used for teaching.

Instructions to Exams Officer/Invigilator


- **Do not send this Data Sheet for marking; it should be retained in the centre or destroyed.**

A copy of this Data Sheet will be included as an insert with each question paper. This should be given up to the Invigilator at the end of the examination.

¹H NMR chemical shifts relative to TMS



¹³C NMR chemical shifts relative to TMS



Chemical shifts are typical values and can vary slightly depending on the solvent, concentration and substituents.

*OH and NH chemical shifts are very variable (sometimes outside these limits) and are often broad. Signals are not usually seen as split peaks.

The Periodic Table of the Elements

	1	2	3	4	5	6	7	0									
	6.9 Li lithium 3	9.0 Be beryllium 4	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 1.0 H hydrogen 1 </div>					10.8 B boron 5	12.0 C carbon 6	14.0 N nitrogen 7	16.0 O oxygen 8	19.0 F fluorine 9	4.0 He helium 2				
	23.0 Na sodium 11	24.3 Mg magnesium 12	<div style="border: 1px solid black; padding: 5px; display: inline-block;"> relative atomic mass atomic symbol name atomic (proton) number </div>					27.0 Al aluminium 13	28.1 Si silicon 14	31.0 P phosphorus 15	32.1 S sulfur 16	35.5 Cl chlorine 17	39.9 Ar argon 18				
	39.1 K potassium 19	40.1 Ca calcium 20	45.0 Sc scandium 21	47.9 Ti titanium 22	50.9 V vanadium 23	52.0 Cr chromium 24	54.9 Mn manganese 25	55.8 Fe iron 26	58.9 Co cobalt 27	58.7 Ni nickel 28	63.5 Cu copper 29	65.4 Zn zinc 30	72.6 Ge germanium 32	74.9 As arsenic 33	79.0 Se selenium 34	79.9 Br bromine 35	83.8 Kr krypton 36
	85.5 Rb rubidium 37	87.6 Sr strontium 38	88.9 Y yttrium 39	91.2 Zr zirconium 40	92.9 Nb niobium 41	95.9 Mo molybdenum 42	[98] Tc technetium 43	101.1 Ru ruthenium 44	102.9 Rh rhodium 45	106.4 Pd palladium 46	107.9 Ag silver 47	112.4 Cd cadmium 48	114.8 In indium 49	118.7 Sn tin 50	121.8 Sb antimony 51	126.9 I iodine 53	131.3 Xe xenon 54
	132.9 Cs caesium 55	137.3 Ba barium 56	138.9 La* lanthanum 57	178.5 Hf hafnium 72	180.9 Ta tantalum 73	183.8 W tungsten 74	186.2 Re rhenium 75	190.2 Os osmium 76	192.2 Ir iridium 77	195.1 Pt platinum 78	197.0 Au gold 79	200.6 Hg mercury 80	204.4 Tl thallium 81	207.2 Pb lead 82	209.0 Bi bismuth 83	[210] At astatine 85	[222] Rn radon 86
	[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112–116 have been reported but not fully authenticated					
	140.1 Ce cerium 58	140.9 Pr praseodymium 59	144.2 Nd neodymium 60	144.9 Pm promethium 61	150.4 Sm samarium 62	152.0 Eu europium 63	157.2 Gd gadolinium 64	158.9 Tb terbium 65	162.5 Dy dysprosium 66	164.9 Ho holmium 67	167.3 Er erbium 68	168.9 Tm thulium 69	173.0 Yb ytterbium 70	175.0 Lu lutetium 71	[254] No nobelium 102	[256] Md mendelevium 101	[255] Lr lawrencium 103
	232.0 Th thorium 90	[231] Pa protactinium 91	238.1 U uranium 92	[237] Np neptunium 93	[242] Pu plutonium 94	[243] Am americium 95	[247] Cm curium 96	[245] Bk berkelium 97	[251] Cf californium 98	[254] Es einsteinium 99	[253] Fm fermium 100	[256] Md mendelevium 101	[254] No nobelium 102	[257] Lr lawrencium 103			

General Information

- 1 mol of gas molecules occupies 24.0 dm^3 at room temperature and pressure, RTP.
- Avogadro constant, $N_A = 6.02 \times 10^{23} \text{ mol}^{-1}$.
- Ionic product of water, $K_w = 1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$.

Characteristic infrared absorptions in organic molecules

bond	location	wavenumber/ cm^{-1}
C—O	alcohols, esters, carboxylic acids	1000–1300
C=O	aldehydes, ketones, carboxylic acids, esters, amides	1640–1750
C—H	organic compound with a C—H bond	2850–3100
O—H	carboxylic acids	2500–3300 (very broad)
N—H	amines, amides	3200–3500
O—H	alcohols, phenols	3200–3550 (broad)

OCR
Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.