Centre Number			Candidate Number		
Surname					
Other Names					
Candidate Signature					



General Certificate of Education Advanced Subsidiary Examination January 2010

Design and Technology: Product Design (Textiles)

TEXT1

Unit 1 Materials, Components and Application

Wednesday 20 January 2010 9.00 am to 11.00 am

For this paper you must have:

- normal writing and drawing instruments
- an Insert Sheet (enclosed).

Time allowed

• 2 hours

Instructions

- Use black ink or black ball-point pen.
- Use pencil and coloured pencils only for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in Section A.
- Answer one question from Section B, either Question 10 or Question 11.
- Answer Question 12 in Section C.
- You must answer the questions in the spaces provided. Answers written in margins or on blank pages will not be marked.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.
- There are 20 marks for each of Sections A and B and 40 marks for Section C.
- You will be marked on your ability to
 - use good English,
 - organise information clearly
 - use specialist vocabulary where appropriate.

Advice

- Illustrate your answers with sketches and/or diagrams wherever you feel it is appropriate.
- You are advised to spend approximately 30 minutes on Section A, 30 minutes on Section B and one hour on Section C.



	iner's Use
Examine	r's Initials
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
TOTAL	

SECTION A

Answer **all** the questions in this section. You are advised to spend about 30 minutes on this section.

	Tou are advised to spend about 50 minutes on this section	11.
1 (a	a) Explain what is meant by the term <i>regenerated fibres</i> .	
		(2 marks)
(b	b) List two different regenerated fibres.	
	1	
	2	(2 marks)
		(2 marks)
	any modern fabrics are <i>laminated</i> . Explain what is meant by a laminated fabric.	
		(2 marks)



When developing pattern templates to make a product the designer will use a basic	c block.
What is meant by a basic block?	
	•••••
	(2 marks)
Give two reasons why <i>notches</i> are used on pattern templates.	
1	
2	
	(2 marks)
Identify two different safety standards related to the design of children's clothes.	
dentity two different safety standards related to the design of emidien's clothes.	
I	
2	
	(2 marks)
	(2 marks)
	(2 marks)



ive two reasons why <i>piping</i> might be used on a cushion cover.	
	(2 marks)
hat effect will calendering have on a fabric?	
	(1 mark)
vera is a brand name for which type of fibre?	
vera is a orang name for which type of flore.	
LYCRA _®	
	(1 mark)



9	(a)	Identify two different environmental problems associated with the growing of cotton fibres.
		1
		2
		(2 marks)
9	(b)	Identify two different environmental problems associated specifically with the finishing of fabrics.
		1
		2
		(2 marks)

Turn over for the next question



SECTION B

Answer **one** question in this section, **either** Question 10 **or** Question 11. You are advised to spend about 30 minutes on this section.

EIT.	EITHER					
10	Study	the 1	photographs of the table runner (Figures 1 and 2) on the Insert Sheet.			
	The r	nain 1	fabric used is 100% cotton. It is constructed with a satin weave.			
10	(a)	(i)	Describe the structure of the satin weave. You may use a diagram.			
			(3 marks)			



10	(a)	(ii)	Critically evaluate the use of the satin weave cotton fabric for the table	e runner.
				(6 marks)
10	(b)	Look	at the photograph showing the decoration used on the table runner (Fig.	gure 2).
10	(b)	(i)	Analyse the ways in which stitches have been used in the decoration.	
				(3 marks)
			Question 10 continues on the next page	(3 marks)
			Question 10 continues on the next page	



10	(b)	(ii)	Analyse the ways in which components have been used in the decoration.
		_	(3 marks)
10	(c)		of the trees is made from a spotted fabric. The spots were put on the fabric using parge printing.
		Expl	ain how this method of printing achieved the spot pattern.
			(2 marks)
10	(d)	The	consumer is advised only to dry clean the table runner.
		Expl	ain the reasons for this care advice.
		•••••	(3 marks)



20

OR			
11	Study	the 1	photographs of the hat (Figures 3 and 4) on the Insert Sheet.
	The r	nain 1	fabric used for the hat is 100% wool constructed with a weft knit.
11	(a)	(i)	Describe the structure of the weft knit. You may use a diagram.

(3 marks)



11	(a)	(ii)	Critically evaluate the use of the weft knitted wool fabric for the hat.	
11	(b)	\		(marks)
11	(b)	THE.	hat is partially lined with a polyester fleece fabric (Figure 4).	
		Expl	lain the reasons for using this fabric to line the hat.	
		Expl		
		Expl	lain the reasons for using this fabric to line the hat.	
		Expl	lain the reasons for using this fabric to line the hat.	
		Expl	lain the reasons for using this fabric to line the hat.	
		Expl	lain the reasons for using this fabric to line the hat.	
		Expl	lain the reasons for using this fabric to line the hat.	
		Expl	lain the reasons for using this fabric to line the hat.	
		Expl	lain the reasons for using this fabric to line the hat.	



11	(c)	Explain how the ties on the hat have been constructed.
		(2 marks)
11	(d)	The hat has been hand knitted for commercial sale.
		Compare and contrast the craft manufacture of this product with industrial batch manufacture of a similar product.
		(5 marks)

20



SECTION C

You must answer this question. You are advised to spend about one hour on this section.

2	~ *****	y the photograph of the fashion top (Figure 5) on the Insert Shee	
12	(a)	The fabric is made from a blend containing 75% cotton and 259 produced in filament form and cotton fibres are in staple form.	% silk. Silk fibres are
		Explain how these two types of fibre can be combined to make	a fibre blend.
			(3 marks)
12	(b)	The label shown below is attached to the fashion top.	(3 marks)
12	(b)		(3 marks)
12	(b)	The crinkled effect in this garment is not	(3 marks)
12	(b)		(3 marks)
12	(b)	The crinkled effect in this garment is not permanent. It is achieved during drying. To keep the crinkled look Twist the garment	(3 marks)
12	(b)	The crinkled effect in this garment is not permanent. It is achieved during drying. To keep the crinkled look	(3 marks)
12	(b)	The crinkled effect in this garment is not permanent. It is achieved during drying. To keep the crinkled look Twist the garment	(3 marks)



12	(b)	(i)	What qualities of the cotton and silk blend allow the fabric to keep its crinkled look?
12	(b)	(ii)	(3 marks) How could the fibre content of the fabric be modified to make the crinkle effect permanent?
			(3 marks)

Question 12 continues on the next page



12	(c)	Disc	uss the choice and use of interfacing in the manufacture of this top.	
				(6 marks)
12	(d)	(i)	The top will be manufactured using a sub-assembly system.	(o mans)
12	(u)	(1)	Explain the reasons why sub-assembly systems are used in industrial manufacture.	
				(4 marks)



12	(d)	(ii)	Identify two different sections of the top which could be made as a sub-assembly.
			1
			1
			2
			(2 marks)
12	(e)		can new technologies be used to ensure that manufacturers and retailers are able spond quickly to changing consumer demand for this product?
		•••••	
		•••••	
		•••••	
		•••••	
		•••••	
		•••••	(6 marks)



12	(f)	The fashion top is part of a limited edition collection.
		Explain the reasons why many retailers have developed premium product ranges.
		(5 marks)
		(5 marks)



12	(g)	In what ways will textile products sold as part of a premium product range differ from the retailer's standard range?
		(8 marks)

40

END OF QUESTIONS













