
Surname						Names			
Centre Number						Candida	ate Number		
Candidate Signatur	re								



General Certificate of Education June 2003 Advanced Level Examination



BIOLOGY/HUMAN BIOLOGY (SPECIFICATION A) BYA5 Unit 5 Inheritance, Evolution and Ecosystems

Monday 16 June 2003 Morning Session

No additional materials are required.

You may use a calculator.

Time allowed: 1 hour 30 minutes

Instructions

- Use blue or black ink or ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided. All working must be shown.
- Do all rough work in this book. Cross through any work you do not want marked.

Information

- The maximum mark for this paper is 75.
- Mark allocations are shown in brackets.
- You will be assessed on your ability to use an appropriate form and style of writing, to organise relevant information clearly and coherently, and to use specialist vocabulary, where appropriate.
- The degree of legibility of your handwriting and the level of accuracy of your spelling, punctuation and grammar will also be taken into account.

	For Exam	niner's Use			
Number	Mark	Number	Mark		
1					
2					
3					
4					
5					
6					
7					
8					
9					
Total (Column	1)	\rightarrow			
Total (Column	2)	\rightarrow			
TOTAL	TOTAL				
Examine	r's Initials				

Copyright © 2003 AQA and its licensors. All rights reserved.

Answer all questions in the spaces provided.

1	(a)	ATP is sometimes described as an <i>immediate</i> source of energy. Explain why.
		(1 mark)
	(b)	Plants produce ATP in the light-dependent reaction of photosynthesis. Explain why plants cannot use this as their only source of ATP.
		(2 marks)
	(c)	Red blood cells do not contain mitochondria but they use ATP. By what process do red blood cells produce ATP? Suggest a reason for your answer.
		Process
		Reason
		(2 marks)



	(i)			non broomrape which it si isms in other kingdoms.	hares with all other plants
		out does	s not share with organ	isins in other kingdoms.	
		••••••			
		••••••			(1 mark)
	(ii)	Comple	te the table to show th	ne classification of the con	nmon broomrape.
			Kingdom		
				Angiospermophyta	
				Dicotyledoneae	
				Scrophulariales	
				Orobanchaceae	
			Genus		
			Species		
					(2 marks)
b)	cond	itions the d find ou	ey sometimes cross to	form hybrids between th	ar plants. Under natural he two. Suggest how you eaded poppy are different
	•••••				



with	femal	e flowers only, an	d hermaphrodite pla			
	\mathbf{A}^{+} is	s the allele for he	rmaphrodite. It is d	ominant (over allele $\mathbf{A}^{\mathbf{d}}$.	
(a)	(i)	Give the genoty	pe of a female squir	ting cucu	ımber.	
				••••••		(1 mark)
	(ii)	Explain why a r	nale squirting cucun	nber cann	not have the genotype	$\mathbf{A}^{\mathbf{D}}\mathbf{A}^{\mathbf{D}}$.
				•••••		
				•••••		
		•••••		•••••		•••••••••••••••••••••••••••••••••••••••
				••••••		(2 marks)
(b)			_		-	s between two
			hermaphrodite	X	hermaphrodite	
	Gam	etes:				
	Offs	pring genotypes:				
	with deter	with femal determined A ^D i A ⁺ is A ^d is (a) (i) (b) Comment Pare Pare Game	with female flowers only, and determined by a single general AD is the allele for material AD is the allele for he AD is the allele for fermand is the allele for fermand (i) Give the genoty (ii) Explain why a remainder of the following statement of the following	with female flowers only, and hermaphrodite pladetermined by a single gene with three alleles. A ^D is the allele for male. It is dominant of A ⁺ is the allele for hermaphrodite. It is down at the allele for female. It is recessive (a) (i) Give the genotype of a female squire (ii) Explain why a male squirting cucum (iii) Explain why a male squirting cucum (b) Complete the genetic diagram to show how hermaphrodite plants to produce female of Parent phenotypes: hermaphrodite Parent genotypes: Gametes:	with female flowers only, and hermaphrodite plants with determined by a single gene with three alleles. A ^D is the allele for male. It is dominant over the content of the single state allele for hermaphrodite. It is dominant that is the allele for female. It is recessive to the other of the content of the single state and the single state are content of the single state. It is recessive to the other of the single state and the single state are content of the single state and the single state are content of the single state and the single state are content of the single state and the single state are content of the single state and the single state are content of the single state are content of the single state are content of the single state and the single state are content of the sing	A ^D is the allele for male. It is dominant over the other two alleles. A ⁺ is the allele for hermaphrodite. It is dominant over allele A ^d . A ^d is the allele for female. It is recessive to the other two alleles. (a) (i) Give the genotype of a female squirting cucumber. (ii) Explain why a male squirting cucumber cannot have the genotype and genotype and the genotype and the genotype and the genotype and

(2 marks)




4	(a)	Expl	ain what is meant by a gene pool.
		•••••	(2 marks)
	(b)	cont	ater willow herb is a common plant found in damp places. It usually has red flowers rolled by the allele R . Plants with the genotype rr , however, have white flowers. sample of plants growing beside a ditch, 17 had white flowers and 327 had red ers.
		(i)	Calculate the frequency of the ${\bf r}$ allele in this sample. Show your working.
			Frequency of \mathbf{r} allele =
		(ii)	The Hardy-Weinberg equation could be used to find the frequencies of the different genotypes in the population from which this sample was taken. Give one assumption that must be made if the equation is to be applied.
			(1 mark)



TURN OVER FOR THE NEXT QUESTION

5 The diagram summarises the five main stages in respiration in an animal cell. The boxes show the number of carbon atoms in various molecules or ions.



- (a) Complete the diagram by filling in the three empty boxes with the relevant number of carbon atoms. (1 mark)
- (b) Name

(i)	substance X ;	
		(1 mark)


(11)	two stages shown in the diagram in which carbon dioxide is produced.
	1
	2

(2	During glycolysis, NAD is reduced. Explain what happens to this reduced NAD when ne cell is respiring anaerobically.	
(2		
(2		
(2		
,	(2 marks)	



TURN OVER FOR THE NEXT QUESTION

6 The graph shows variation in the number of spots on the wing-cases of a species of ladybird.



The number of spots on the wing cases of this species of ladybird is determined by gene. What does the graph suggest about the genetic control of spot number in this species?	
(1 mark	 :)


b)	Give one piece of evidence from the graph that variation in the number of normally distributed.	of spots is
		(1 mark)

(c)	The population of ladybirds from which this sample was taken is undergoing stabilising selection. Describe how stabilising selection will affect the mean and standard deviation. Give the reason for your answer.
	Mean
	Standard deviation
	Reason
	(3 marks)
	(3 marks)

 $\left(\begin{array}{c} \\ \hline 5 \end{array}\right)$

TURN OVER FOR THE NEXT QUESTION

7 In an investigation, leaf cells were supplied with ¹⁴CO₂, carbon dioxide labelled with a radioactive isotope of carbon. These cells were kept in the light and allowed to photosynthesise. After a period of time, the light was switched off and the cells were left in the dark. The graph shows the concentration of radioactively-labelled glycerate 3-phosphate (GP) over the course of the investigation.



(a)	(i)	Describe how GP is formed from carbon dioxide in photosynthesis.
		(2 marks)
	(ii)	In this investigation, the $^{14}\mathrm{CO}_2$ was supplied in excess. Explain why the concentration of radioactively-labelled GP remained the same between times \mathbf{A} and \mathbf{B} on the graph.
		(1 mark)

(b)	Explain the change in the concentration of radioactive GP after the light was switched off.
	(3 marks)

The table shows some results from an investigation of the concentration of carbon dioxide in samples of air taken from among the leaves in a potato crop.

Date	Mean carbon dioxide concentration in parts per million between		
	8 pm and 4 am	8 am and 4 pm	
10 July	328	309	
20 July	328	299	
30 July	326	284	
10 Aug	322	282	


(c)	(i)	The figures in columns 2 and 3 of the table were calculated from readings obtained at different times of the day. Explain why the figures in column 3 are lower than those in column 2.
		(2 marks)

QUESTION 7 CONTINUES ON THE NEXT PAGE

	(ii)	How would you expect the mean carbon dioxide concentration between 8 am and 4 pm to have differed if the air samples had been collected at soil level? Give a
		reason for your answer.
		(2 marks)
(d)	Sugg	gest why, in this investigation, the investigators recorded the wind speed.
	••••	
	•••••	
	•••••	(2 marks)
(e)		e of the leaves from this crop die and fall to the ground. Describe how the carbon ained in the dead leaves becomes available and can be taken up by plants.
	•••••	
	•••••	
	•••••	
	•••••	
	•••••	
	•••••	(3 marks)



8 Cyanide is a poisonous substance. Cyanogenic clover plants produce cyanide when their tissues are damaged. The ability to produce cyanide is controlled by genes at loci on two different chromosomes. The dominant allele, A, of one gene controls the production of an enzyme which converts a precursor to linamarin. The dominant allele, L, of the second gene controls the production of an enzyme which converts linamarin to cyanide. This is summarised in the diagram.



(a)		anogenic clover plants cannot produce cyanide. Explain why a plant with the type aaLl cannot produce cyanide.
		(1 mark)
(b)	A clo	over plant has the genotype AaLl .
	(i)	Give the genotypes of the male gametes which this plant can produce.
		(1 mark)
	(ii)	Explain how meiosis results in this plant producing gametes with these genotypes.
		(2 marks)

(c)	Two plants, heterozygous for both of these pairs of alleles, were crossed.	What
	proportion of the plants produced from this cross would you expect to be acyan	ogenic
	but able to produce linamarin? Use a genetic diagram to explain your answer.	

(3 marks)

In an investigation, cyanogenic and acyanogenic plants were grown together in pots. Slugs were placed in each pot and records were kept of the number of leaves damaged by the feeding of the slugs over a period of 7 days. The results are shown in the table.

	Undamaged	Damaged
Cyanogenic	160	120
Acyanogenic	88	192

(d) A χ^2 test was carried out on the results.

(i)	Suggest the null hypothesis that was tested.
	(1 mark)
(ii)	χ^2 was calculated. When this value was looked up in a table, it was found to correspond to a probability of less than 0.05. What conclusion can you draw from this?
	(3 marks)

QUESTION 8 CONTINUES ON THE NEXT PAGE

Turn over


A second investigation was carried out in a field of grass which had been undisturbed for many years. The table shows the population density of slugs and the numbers of cyanogenic and acyanogenic clover plants at various places in the field.

Population density of slugs	Number of acyanogenic clover plants per m ²	Number of cyanogenic clover plants per m ²
Very low	26	10
Low	17	26
High	0	10
Very high	0	5

(e)	Explain the proportions of the two types of clover plant in different parts of the field.
	(4 marks)



9 Some ways of clearing forest for agriculture are described as sustainable. The diagram shows one way in which agriculture can continue indefinitely on infertile forest soils.



(a) One way to catch flying insects is to trap them on a sticky surface.

	Describe how you could use sticky traps to compare the diversity of flying insects in the primary forest and in a cultivated field.	
•		
•		
•	(4 marks)	

	(ii)	Describe and explain how the diversity of insects in the primary forest would differ from the diversity of insects in the cultivated field.
		(4 marks)
(b)	Use	your knowledge of nitrogen cycling to explain
	(i)	why crops can be grown in the cleared field for only two or three years;
		(2 marks)
	(ii)	how the concentration of nitrates in the soil is restored 8 - 10 years after cultivation is abandoned.
		(5 marks)

