Centre No.					Pape	r Refer	ence			Surname	Initial(s)
Candidate No.			6	1	1	2	/	0	1	Signature	

Paper Reference(s)

6112/01

Edexcel GCE

Biology (Human)

Advanced Subsidiary

Unit Test 2H

Monday 6 June 2005 – Morning

Time: 1 hour

Materials required for examination

Items included with question papers

Ruler

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initial(s) and signature.

Check that you have the correct question paper.

Answer ALL EIGHT questions in the spaces provided in this booklet.

Show all the steps in any calculations and state the units. Calculators may be used.

Include diagrams in your answers where these are helpful.

Information for Candidates

The marks for individual questions and parts of questions are shown in round brackets: e.g. (2). The total mark for this paper is 60.

Advice to Candidates


You will be assessed on your ability to organise and present information, ideas, descriptions and arguments clearly and logically, taking account of your use of grammar, punctuation and spelling.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.

©2005 Edexcel Limited.

 $\begin{array}{c} {\rm Printer's\ Log.\ No.} \\ N21435A \\ {\rm W850/R6112/57570} \\ \end{array} \\ {\rm 8/7/7/7/} \end{array}$





Examiner's use only

Team Leader's use only

2

3

4

5

6

8

Turn over



	Answer ALL questions in the spaces provided.	blank
1.	Read through the following passage on blood cells, and complete the passage by writing the most appropriate word or words in the spaces provided.	
	Leucocytes (white blood cells) include neutrophils, lymphocytes and	
	anucleus.	
	The function of neutrophils is to engulf pathogens in a process known as	
	Lymphocytes secrete in	
	response to antigens.	Q1
	(Total 4 marks)	
		1

			Leave blank
2.	(a)	Describe three properties of haemoglobin that enable it to function efficiently as a respiratory pigment.	Dialik
		(3)	
	(b)	Myoglobin is a pigment found in muscle cells. Explain the role of this pigment in muscle cells.	
		(3)	Q2
		(Total 6 marks)	
		(10tai v marks)	

Leave blank

3. The diagram below represents the sequence of stages during one complete cardiac cycle.

START

Atrial systole

Complete cardiac diastole

Stage B

(a)	Name Stage B.
	(1)
(b)	Describe what is happening in the heart during complete cardiac diastole.

(2)


(c) Describe how cardiac muscle is supplied with oxygen.	Lea bla	nk
	(3) Q	3
(Tota	al 6 marks)	



Leave blank

(3)

4. The diagram below shows absorption of glucose into an epithelial cell lining the ileum and the movement of glucose into a blood vessel.



(a) Name the cell structure labelled A and the type of blood vessel labelled B. In each case explain how they function to assist in glucose absorption.

Cell structure A

Name	
Function	
	(3)
Blood vessel B	
Name	
Function	

6




Leave (b) An investigation was carried out into the uptake of glucose by the epithelial cells of the ileum. A small piece of the wall of the ileum was placed in a solution of glucose. The concentration of glucose in this solution was lower than the concentration of glucose inside the epithelial cells. The results of this investigation are shown in the graph below. Concentration of glucose in the epithelial cells /arbitrary units 2 Initial concentration of glucose in the solution 0 20 10 30 Time / min With reference to the graph, explain how glucose is absorbed into the epithelial cells. Q4 **(4)** (Total 10 marks)

5. An investigation was carried out into body temperature regulation in humans. A healthy volunteer was immersed in a bath of water at 10 °C. During the investigation he kept one hand in the air and one hand submerged in water. The temperature of the hand in air and the temperature of the hand in water were recorded immediately after he got into the bath, and then every minute for seven minutes. His core (internal) temperature was also recorded and found to remain at almost exactly 37 °C. The air temperature in the room remained at 26 °C during the investigation.

The results are shown in the graph below.




/ °C




	(2)
b)	Suggest reasons for the differences you have described in (a).
	(2)
- ``	(2)
c)	Suggest why the volunteer's core temperature remained almost constant during this investigation.
c)	Suggest why the volunteer's core temperature remained almost constant during this
c)	Suggest why the volunteer's core temperature remained almost constant during this
c)	Suggest why the volunteer's core temperature remained almost constant during this
c)	Suggest why the volunteer's core temperature remained almost constant during this
c)	Suggest why the volunteer's core temperature remained almost constant during this
c)	Suggest why the volunteer's core temperature remained almost constant during this
c)	Suggest why the volunteer's core temperature remained almost constant during this
c)	Suggest why the volunteer's core temperature remained almost constant during this






Leave	
hlank	

6. Cell A in the diagram below has two pairs of chromosomes. Cell B is one of four cells that were produced from cell A by cell division.





Cell B

(a) State the type of cell division which has occurred to produce cell B, and give a reason for your answer.

Type of cell division

Keason

(2)

(b) Explain what happened during this cell division which resulted in the different appearance of chromosome P.

(3)

(1)

(c) Give the exact location in a human male where this type of cell division occurs.

Q6

(Total 6 marks)




•••••			
			(1)
1 \ 701	. 1 1 1 1 1 1 1		
		ry ventilation rate (volume of air by walking at four different speeds.	reathed in or
	Walking speed/km hour ⁻¹	Pulmonary ventilation rate / dm³ min ⁻¹	
	0 (rest)	11	
	3.2	19	
	4.8	25	
	6.4	37	
	8.0	60	
	Describe the relationship betwee rate.	en walking speed and the pulmonar	

		••••••
		(3)
air, using a gas burette. A persor which was then closed. The insaturated potassium hydroxide s	to determine the composition of a sample in breathed out as far as possible through a guitial gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorbed.	gas burette, volume of ette and the
air, using a gas burette. A persor which was then closed. The insaturated potassium hydroxide s final gas volume was recorded dioxide. The results are shown in the tab	itial gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorble below.	gas burette, volume of ette and the
air, using a gas burette. A person which was then closed. The insaturated potassium hydroxide s final gas volume was recorded dioxide. The results are shown in the tab	n breathed out as far as possible through a guital gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorble below. Solution Wolume/cm ³	gas burette, volume of ette and the
air, using a gas burette. A persor which was then closed. The insaturated potassium hydroxide s final gas volume was recorded dioxide. The results are shown in the tab Gas burette reading Initial volume	n breathed out as far as possible through a guital gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorbed below. Solume Cm ³ 75.0	gas burette, volume of ette and the
air, using a gas burette. A persor which was then closed. The insaturated potassium hydroxide s final gas volume was recorded dioxide. The results are shown in the tab Gas burette reading Initial volume Final volume	n breathed out as far as possible through a guital gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorble below. Solution Wolume/cm ³	gas burette, volume of ette and the rbs carbon
air, using a gas burette. A persor which was then closed. The insaturated potassium hydroxide s final gas volume was recorded dioxide. The results are shown in the tab Gas burette reading Initial volume Final volume	n breathed out as far as possible through a guitial gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorble below. Volume/cm³ 75.0 72.0	gas burette, volume of ette and the rbs carbon
air, using a gas burette. A persor which was then closed. The insaturated potassium hydroxide s final gas volume was recorded dioxide. The results are shown in the tab Gas burette reading Initial volume Final volume	n breathed out as far as possible through a guitial gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorble below. Volume/cm³ 75.0 72.0	gas burette, volume of ette and the rbs carbon
air, using a gas burette. A persor which was then closed. The insaturated potassium hydroxide s final gas volume was recorded dioxide. The results are shown in the tab Gas burette reading Initial volume Final volume	n breathed out as far as possible through a guitial gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorble below. Volume/cm³ 75.0 72.0	gas burette, volume of ette and the rbs carbon
air, using a gas burette. A persor which was then closed. The insaturated potassium hydroxide s final gas volume was recorded dioxide. The results are shown in the tab Gas burette reading Initial volume Final volume	n breathed out as far as possible through a guitial gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorble below. Volume/cm³ 75.0 72.0	gas burette, volume of ette and the rbs carbon
air, using a gas burette. A persor which was then closed. The insaturated potassium hydroxide s final gas volume was recorded dioxide. The results are shown in the tab Gas burette reading Initial volume Final volume	n breathed out as far as possible through a guitial gas volume was recorded. A small olution was then injected into the gas bured. Potassium hydroxide solution absorble below. Volume/cm³ 75.0 72.0	gas burette, volume of ette and the rbs carbon

Leave

8. (a) The diagram below shows some of the stages during the development of a human ovum.



(i) On the diagram, write the letter M to show when the first division of meiosis is complete.

(1)

(ii) Name structure Q, shown in the diagram.

(1)

(iii) After ovulation, structure Q develops to form a corpus luteum. Name **two** hormones that are secreted by the corpus luteum.

(b)	Describe the process of fertilisation in humans.	
(0)	Describe the process of fertilisation in numans.	
	(3)	
(c)	After fertilisation, the blastocyst implants in the endometrium. By the fourth week	
	of pregnancy a placenta has developed. Describe the functions of the placenta.	
	(5)	ŀ
	(Total 12 marks)	
	TOTAL FOR PAPER: 60 MARKS	



