

Friday 13 June 2014 – Afternoon

A2 GCE HUMAN BIOLOGY

F224/01 Energy, Reproduction and Populations

Candidates answer on the Question Paper.

OCR supplied materials:

Insert (inserted)

Other materials required:

- Electronic calculator
- Ruler (cm/mm)

Duration: 1 hour 15 minutes



Candidate forename				Candidate surname			
Centre numb			Candidate nu	ımber			

INSTRUCTIONS TO CANDIDATES

- The Insert will be found inside this document.
- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do not write in the bar codes.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 60.



Where you see this icon you will be awarded marks for the quality of written communication in your answer.

- You may use an electronic calculator.
- You are advised to show all the steps in any calculations.
- This document consists of 20 pages. Any blank pages are indicated.



Answer all the questions.

The human placenta can be considered unique amongst the many human organs in that, unlike

othe	er organs, it is a temporary structure.
	er implantation, it is essential that the placenta develops correctly so that pregnancy is cessful.
(a)	Using the placenta as an example, explain what you understand by the term organ.
	[2]
(b)	Fig. 1.1, on the insert , shows some of the stages that follow fertilisation and the early events in the development of the embryo and the placenta. The diagrams are not drawn to scale.
	The following passage describes some of these events.
	Complete the passage by inserting the most appropriate term.
	Immediately following fertilisation, the divides rapidly by
	Within three to four days, a ball of cells known as the morula has been formed. The formation
	of the morula occurs as it travels down the
	The morula develops into the blastocyst. The blastocyst implants into the
	of the uterus approximately seven days after fertilisation.
	Some of the dividing cells in the blastocyst to form
	structures in the early embryo. Other cells will eventually become part of the structures that
	protect the developing embryo, such as the amnion and the chorion. These are known as the
	extra-embryonic membranes.

[5]

1

(c)	One role of the trophoblast cells shown in Fig. 1.1(b), on the insert , is to secrete the hormone human chorionic gonadotrophin (HCG).
	State the role of HCG in pregnancy.
	[1]
	[']
(d)	It is important that clinicians identify that a mother is carrying twins.
	State the term that is given to the condition where twins are known to be present in the uterus.
	[1]
(e)	Identical twins may or may not share some of the extra-embryonic membranes that develop in early pregnancy. This depends on the stage at which the embryonic cells split into two separate groups of cells.
	The three possible types of identical twin are shown in Table 1.1.

Description	Name of twin type
Each twin has a separate chorion and amnion	Dichorionic-diamniotic or DiDi
Both twins share the same chorion and amnion	Monochorionic-monoamniotic or MoMo
Both twins share the same chorion but each has a separate amnion	Monochorionic-diamniotic or MoDi

Table 1.1

(i)	Using the information in Fig. 1.1 and Table 1.1, suggest which type of identical twin will form if the embryonic cells split between 5 and 6 days after fertilisation.
	[1]
(ii)	Using the information in Table 1.1, state which of the three types of twins could also be non-identical twins.
	[1]

© OCR 2014 Turn over

(111)	same chorion and amnion) are at a higher risk of experiencing oxygen deprivation in the later stages of pregnancy.
	[1]
(iv)	How does a clinician identify that a mother is carrying twins?
	[1]
	[Total: 13]

5 BLANK PAGE

Question 2 begins on page 6

PLEASE DO NOT WRITE ON THIS PAGE

© OCR 2014 Turn over

2 Many towns and cities have areas of wasteland such as sites where car parks or buildings have been abandoned or demolished. Such sites are referred to as 'brownfield sites'.

There is disagreement between some environmentalists and developers regarding the use of the term 'brownfield site'.

- Some environmentalists use the term to refer to recently abandoned land.
- Some developers use the term to refer to previously developed land that has been re-colonised by vegetation.


(a)	State the term used to describe the sequence through which vegetation re-colonises an area of wasteland such as an abandoned car park.
	[1]
(b)	Some of the earliest forms of vegetation to colonise brownfield sites are mosses and lichens. Over time, as these organisms die and decay, the concentration of soil nutrients such as nitrates increases.
	Describe how the death and decay of mosses and lichens leads to an increase in the availability of nitrates.
	In your answer, you should use the appropriate technical terms spelled correctly.
	[4]

(c)	Some brownfield sites in large cities have become urban wildlife parks. One such example is Gillespie Park in Islington, London.
	Many other brownfield sites are at increasing risk of being acquired by developers for building.
	Suggest why more brownfield sites are at risk of being lost due to development and suggest one consequence of this loss to the urban ecosystem.
	[2]
(d)	In another part of Islington, Caledonian Park, a community orchard has been planted by a group called the London Orchard Project.
	The passage below is an extract from their website.
	'In an era of climate change and peak oil prices, planting trees, which will provide a large yield year after year for decades to come, is a logical move, helping to build food security.'
	Outline how the planting of a community orchard can help to reduce the carbon footprint of communities such as those in Islington.
	[2]
	[Total: 9]

3 All living organisms respire in order to produce ATP, which is essential for a variety of biological processes.

Respiration in both plant cells and animal cells depends on the products of photosynthesis.

Fig. 3.1 shows some of the exchanges that take place in plant cells during bright sunlight.



Key

P_i = inorganic phosphate

Fig. 3.1

(a)	In v four	which tissue in a plant leaf would a cell containing the organelles shown in Fig. 3.1 be and?
		[1]
(b)	Usir	ng Fig. 3.1, name the following:
	(i)	gas X
		gas Z [1]
	(ii)	substance Y[1]
	(iii)	substance W[1]
(c)		groups of enzymes, carboxylases and decarboxylases , are essential to the exchanges happen within the plant cell.
		Fig. 3.1, write the letter C exactly where a carboxylase is located in the cell and write the er D exactly where a decarboxylase is located.
	The	e answers to this question should be written on Fig. 3.1. [2]
(d)		ntify one substance in addition to those shown in Fig. 3.1 that is produced in nway ${f V}$, and which will enter the mitochondrion.
		[1]
(e)	ATF	e is often referred to as 'the universal energy currency'.
	Stat	te one advantage of using ATP to provide energy for biological processes.
		[1]
		[Total: 8]

4 The contraction and relaxation of human muscles relies on interactions between different proteins within muscle cells.

In skeletal muscles, the proteins are arranged in bundles known as myofibrils.

Fig. 4.1 shows simplified diagrams of some of the proteins present in muscle myofibrils.




Fig. 4.1

(a)	Using the letters A , B or C , identify the following proteins on Fig. 4.1.
	tropomyosin

troponin

[2]

(b)		he muscle contracts, the pattern changes.
	Des	cribe how the pattern within a myofibril changes when skeletal muscle contracts.
	Ø	In your answer, you should use the appropriate technical terms spelled correctly.
		[3]
(c)	Duc	chenne's muscular dystrophy (DMD) is an inherited disease.
		 It is caused by a mutation in a gene that codes for a protein called dystrophin. Dystrophin is present and functioning in normal muscle cells. The malfunctioning or absence of this protein causes muscle weakness that progresses over time.
	(i)	Explain how a gene mutation can lead to a protein malfunctioning.
		[5]

	(ii) Suggest why DMD cannot be detected by amniocentesis or chorionic villus sampling.
	[1]
(d)	The role of dystrophin is to protect the membranes such as the sarcoplasmic reticulum from damage during muscle contraction.
	The sarcoplasmic reticulum stores calcium ions in the relaxed muscle cells.
	An early sign of DMD in muscles is a delay in muscle relaxation following a contraction.
	Suggest why muscle cells fail to relax following a contraction if dystrophin is not functioning correctly or is absent.
	[2]
	[Total: 13]

5 The energy necessary for carrying out any form of activity comes from the breakdown of the carbohydrates and fats, which are consumed in the diet.

A balanced diet contains enough of these substances, along with protein and the essential minerals and vitamins, to meet the needs of an individual.

(a) Carbohydrates and fats can both be respiratory substrates.

(b) The type of respiratory substrate being utilised by organisms can be deduced from calculating the RQ value.

Table 5.1 shows RQ values obtained for different combinations of carbohydrates and fats.

RQ value	Percentage contribution of respiratory substrate		
RQ value	Carbohydrate (%)	Fat (%)	
0.70	0.0	100.0	
0.75	14.7	85.3	
0.80	31.7	68.3	
0.85	48.8	51.2	
0.90	65.9	34.1	
0.95	82.9	17.1	
		0.0	

Table 5.1

Complete Table 5.1 by inserting the correct figures into the final row. One has already been inserted for you.

The answers to this question should be written in Table 5.1.

[2]

Question 5(c) begins on page 14

© OCR 2014 Turn over

(c) RQ values can be determined from measurements made on humans using sophisticated electronic equipment.

Historically, several pieces of apparatus were required to determine RQ values experimentally. The steps required and some of the apparatus used are as follows:

- exhaled air is collected in a gas-proof bag
- exhaled and inhaled air is analysed using a gas analyser
- breathing rate and volume are measured.

From calculating the RQ value, the relative percentage of carbohydrate and fat being used as respiratory substrates by a person can be deduced.

(i)	What apparatus could be used for measuring both breathing rate and volume?	
		[1]
(ii)	Suggest two variables that should be taken into account during an investigation into effect of exercise intensity on RQ values in 18-year-old males.	the
	1	
	2	
		[2]
(iii)	Suggest a biological reason why the results will only provide an estimate of percentage contribution of fat and carbohydrate as respiratory substrates.	the
		[1]

(d) Fats can only be used as a respiratory substrate if conditions within the muscles remain aerobic **and** if some carbohydrate is available.

This is often summarised by fitness trainers in the saying:

'Fats burn in a carbohydrate flame'.

(i)	Suggest why fats can only be broken down in aerobic respiration.
	[2]
(ii)	Name the carbohydrate compound stored in muscle cells and briefly describe one method used by athletes to increase this store.
	carbohydrate compound
	method
	[3]
	[Total: 12]

6 Storage of sperm by cryopreservation is not limited to human sperm samples.

The maintenance of the dairy cow population in the United Kingdom also relies on being able to store semen from bulls. These bulls have been bred to father offspring with a high milk yield. Their semen is used to inseminate cows that have also been bred to produce a high milk yield.

(a) Sperm cells may become damaged during cryopreservation or during the thawing process.

Most of the damage that occurs is due to the disruption of the cell surface membranes or intracellular membranes, such as the nuclear envelope.

In addition to the nuclear envelope, identify two further **intracellular** membranes that may be damaged during the cryopreservation or thawing of sperm cells.

1	
2	
_	[2]

(b) Following cryopreservation and thawing, it is important to be able to assess the viability of the sperm before the sample is used.

Since many samples have to be assessed, techniques have been developed that can be automated.

A technique that can be used is flow cytometry.

- Sperm cells are labelled with two different fluorescent molecules.
- A molecule that fluoresces green, labels only undamaged, viable sperm.
- A molecule that fluoresces red, labels only sperm with membrane damage.
- Samples containing approximately 10 000 sperm cells are analysed in a flow cytometer.
- The flow cytometer counts the numbers of green and red cells.

Semen from six different bulls was stored using cryopreservation and then thawed. The thawed semen was analysed using the technique described above.

Table 6.1 on page 17 shows the results obtained.

Results:

	Sperm fluorescing green		Sperm fluorescing red	
Semen sample	Mean percentage	Standard deviation	Mean percentage	Standard deviation
1	47.6	2.5	49.3	2.6
2	56.0	1.2	37.0	1.5
3	47.3	1.5	48.7	1.7
4	50.4	1.1	45.5	1.2
5	52.8	2.7	40.9	2.9
6	47.7	2.8	49.2	2.8

Table 6.1

(i)	Using the information in Table 6.1, describe the effect of cryopreservation on the viability of the sperm in the semen samples.
	[2]
(ii)	The standard deviation is a measure of the spread of data around the calculated mean.
	The investigators concluded that there was no significant difference between the numbers of red fluorescing sperm cells in semen samples 2 and 5.
	Does the evidence in Table 6.1 support this conclusion?
	Explain your answer.
	[1]
	[Total: 5]

18

ADDITIONAL ANSWER SPACE

number(s)	nal answer space is required, you should use the must be clearly shown in the margins.	following lined page(s).	The question

• • • • • • • • • • • • • • • • • • • •	

• • • • • • • • • • • • • • • • • • • •	
• • • • • • • • • • • • • • • • • • • •	



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.