

General Certificate of Education  
June 2006  
Advanced Subsidiary Examination



**MATHEMATICS**  
**Unit Pure Core 2**

**MPC2**

Monday 22 May 2006 9.00 am to 10.30 am

**For this paper you must have:**

- an 8-page answer book
- the **blue** AQA booklet of formulae and statistical tables

You may use a graphics calculator.

Time allowed: 1 hour 30 minutes

**Instructions**

- Use blue or black ink or ball-point pen. Pencil should only be used for drawing.
- Write the information required on the front of your answer book. The *Examining Body* for this paper is AQA. The *Paper Reference* is MPC2.
- Answer **all** questions.
- Show all necessary working; otherwise marks for method may be lost.

**Information**

- The maximum mark for this paper is 75.
- The marks for questions are shown in brackets.

**Advice**


- Unless stated otherwise, you may quote formulae, without proof, from the booklet.

---

Answer **all** questions.

---


- 1 The diagram shows a sector of a circle of radius 5 cm and angle  $\theta$  radians.



The area of the sector is  $8.1 \text{ cm}^2$ .

- (a) Show that  $\theta = 0.648$ . (2 marks)
- (b) Find the perimeter of the sector. (3 marks)

- 2 The diagram shows a triangle  $ABC$ .



The lengths of  $AC$  and  $BC$  are 4.8 cm and 12 cm respectively.

The size of the angle  $BAC$  is  $100^\circ$ .

- (a) Show that angle  $ABC = 23.2^\circ$ , correct to the nearest  $0.1^\circ$ . (3 marks)
- (b) Calculate the area of triangle  $ABC$ , giving your answer in  $\text{cm}^2$  to three significant figures. (3 marks)

3 The first term of an arithmetic series is 1. The common difference of the series is 6.

(a) Find the tenth term of the series. *(2 marks)*

(b) The sum of the first  $n$  terms of the series is 7400.

(i) Show that  $3n^2 - 2n - 7400 = 0$ . *(3 marks)*

(ii) Find the value of  $n$ . *(2 marks)*

4 (a) The expression  $(1 - 2x)^4$  can be written in the form

$$1 + px + qx^2 - 32x^3 + 16x^4$$

By using the binomial expansion, or otherwise, find the values of the integers  $p$  and  $q$ .  
*(3 marks)*

(b) Find the coefficient of  $x$  in the expansion of  $(2 + x)^9$ . *(2 marks)*

(c) Find the coefficient of  $x$  in the expansion of  $(1 - 2x)^4(2 + x)^9$ . *(3 marks)*

5 (a) Given that

$$\log_a x = 2 \log_a 6 - \log_a 3$$


show that  $x = 12$ . *(3 marks)*

(b) Given that

$$\log_a y + \log_a 5 = 7$$

express  $y$  in terms of  $a$ , giving your answer in a form not involving logarithms.  
*(3 marks)*

- 6 The diagram shows a sketch of the curve with equation  $y = 27 - 3^x$ .



The curve  $y = 27 - 3^x$  intersects the  $y$ -axis at the point  $A$  and the  $x$ -axis at the point  $B$ .

- (a) (i) Find the  $y$ -coordinate of point  $A$ . (2 marks)
- (ii) Verify that the  $x$ -coordinate of point  $B$  is 3. (1 mark)
- (b) The region,  $R$ , bounded by the curve  $y = 27 - 3^x$  and the coordinate axes is shaded. Use the trapezium rule with four ordinates (three strips) to find an approximate value for the area of  $R$ . (4 marks)
- (c) (i) Use logarithms to solve the equation  $3^x = 13$ , giving your answer to four decimal places. (3 marks)
- (ii) The line  $y = k$  intersects the curve  $y = 27 - 3^x$  at the point where  $3^x = 13$ . Find the value of  $k$ . (1 mark)
- (d) (i) Describe the single geometrical transformation by which the curve with equation  $y = -3^x$  can be obtained **from** the curve  $y = 27 - 3^x$ . (2 marks)
- (ii) Sketch the curve  $y = -3^x$ . (2 marks)

7 At the point  $(x, y)$ , where  $x > 0$ , the gradient of a curve is given by

$$\frac{dy}{dx} = 3x^{\frac{1}{2}} + \frac{16}{x^2} - 7$$

(a) (i) Verify that  $\frac{dy}{dx} = 0$  when  $x = 4$ . (1 mark)

(ii) Write  $\frac{16}{x^2}$  in the form  $16x^k$ , where  $k$  is an integer. (1 mark)

(iii) Find  $\frac{d^2y}{dx^2}$ . (3 marks)

(iv) Hence determine whether the point where  $x = 4$  is a maximum or a minimum, giving a reason for your answer. (2 marks)

(b) The point  $P(1, 8)$  lies on the curve.

(i) Show that the gradient of the curve at the point  $P$  is 12. (1 mark)

(ii) Find an equation of the normal to the curve at  $P$ . (3 marks)

(c) (i) Find  $\int (3x^{\frac{1}{2}} + \frac{16}{x^2} - 7) dx$ . (3 marks)

(ii) Hence find the equation of the curve which passes through the point  $P(1, 8)$ . (3 marks)

8 (a) Describe the single geometrical transformation by which the curve with equation  $y = \tan \frac{1}{2}x$  can be obtained from the curve  $y = \tan x$ . (2 marks)

(b) Solve the equation  $\tan \frac{1}{2}x = 3$  in the interval  $0 < x < 4\pi$ , giving your answers in radians to three significant figures. (4 marks)

(c) Solve the equation

$$\cos \theta (\sin \theta - 3 \cos \theta) = 0$$

in the interval  $0 < \theta < 2\pi$ , giving your answers in radians to three significant figures. (5 marks)

**END OF QUESTIONS**

**There are no questions printed on this page**

**There are no questions printed on this page**

**There are no questions printed on this page**