



General Certificate of Education  
Advanced Level Examination  
January 2010

# Mathematics

# MFP4

## Unit Further Pure 4

Monday 25 January 2010 9.00 am to 10.30 am

**For this paper you must have:**

- a 12-page answer book
  - the blue AQA booklet of formulae and statistical tables.
- You may use a graphics calculator.

**Time allowed**

- 1 hour 30 minutes

**Instructions**

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Write the information required on the front of your answer book. The **Examining Body** for this paper is AQA. The **Paper Reference** is MFP4.
- Answer **all** questions.
- Show all necessary working; otherwise marks for method may be lost.

**Information**

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.

**Advice**

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.

---

Answer **all** questions.


---

1 The  $2 \times 2$  matrix  $\mathbf{M}$  represents the plane transformation  $T$ . Write down the value of  $\det \mathbf{M}$  in each of the following cases:

- (a)  $T$  is a rotation;
- (b)  $T$  is a reflection;
- (c)  $T$  is a shear;
- (d)  $T$  is an enlargement with scale factor 3.

(4 marks)

2 The diagram shows the parallelepiped  $ABCDEFGH$ .



The position vectors of  $A$ ,  $B$ ,  $C$ ,  $D$  and  $E$  are, respectively,

$$\mathbf{a} = \begin{bmatrix} 1 \\ 3 \\ 4 \end{bmatrix}, \quad \mathbf{b} = \begin{bmatrix} 5 \\ 3 \\ 1 \end{bmatrix}, \quad \mathbf{c} = \begin{bmatrix} -3 \\ 10 \\ 4 \end{bmatrix}, \quad \mathbf{d} = \begin{bmatrix} -7 \\ 10 \\ 7 \end{bmatrix} \quad \text{and} \quad \mathbf{e} = \begin{bmatrix} 3 \\ 4 \\ 10 \end{bmatrix}$$

- (a) Show that the area of  $ABCD$  is 37. (4 marks)
- (b) Find the volume of  $ABCDEFGH$ . (2 marks)
- (c) Deduce the distance between the planes  $ABCD$  and  $EFGH$ . (2 marks)

3 The matrices  $\mathbf{A}$  and  $\mathbf{B}$  are defined in terms of a real parameter  $t$  by

$$\mathbf{A} = \begin{bmatrix} 1 & 2 & 1 \\ 2 & t & 4 \\ 3 & 2 & -1 \end{bmatrix} \quad \text{and} \quad \mathbf{B} = \begin{bmatrix} 15 & -4 & -1 \\ -2t & 4 & 2 \\ 17 & -4 & -3 \end{bmatrix}$$

- (a) Find, in terms of  $t$ , the matrix  $\mathbf{AB}$  and deduce that there exists a value of  $t$  such that  $\mathbf{AB}$  is a scalar multiple of the  $3 \times 3$  identity matrix  $\mathbf{I}$ . (5 marks)
- (b) For this value of  $t$ , deduce  $\mathbf{A}^{-1}$ . (2 marks)

4 (a) Determine the two values of  $k$  for which the system of equations

$$\begin{aligned} x - 2y + kz &= 5 \\ (k+1)x + 3y &= k \\ 2x + y + (k-1)z &= 3 \end{aligned}$$

does not have a unique solution. (4 marks)

- (b) Show that this system of equations is consistent for one of these values of  $k$ , but is inconsistent for the other.

(You are not required to find any solutions to this system of equations.) (8 marks)

5 The plane transformations  $T_A$  and  $T_B$  are represented by the matrices  $\mathbf{A}$  and  $\mathbf{B}$  respectively,

where  $\mathbf{A} = \begin{bmatrix} 3 & -1 \\ -5 & 2 \end{bmatrix}$  and  $\mathbf{B} = \begin{bmatrix} 2 & 5 \\ 5 & 13 \end{bmatrix}$ .

- (a) Find the equation of the line which is the image of  $y = 2x + 1$  under  $T_A$ . (3 marks)
- (b) The rectangle  $PQRS$ , with area  $4.5 \text{ cm}^2$ , is mapped onto the parallelogram  $P'Q'R'S'$  under  $T_B$ . Determine the area of  $P'Q'R'S'$ . (2 marks)
- (c) The transformation  $T_C$  is the composition

‘ $T_B$  followed by  $T_A$ ’

By finding the matrix which represents  $T_C$ , give a full geometrical description of  $T_C$ . (5 marks)

**Turn over for the next question**

**Turn over ►**

- 6 (a) Find the value of  $p$  for which the planes with equations

$$\mathbf{r} \cdot \begin{bmatrix} 6 \\ -3 \\ 2 \end{bmatrix} = 42 \quad \text{and} \quad \mathbf{r} \cdot \begin{bmatrix} 4p + 1 \\ p - 2 \\ 1 \end{bmatrix} = -7$$

- (i) are perpendicular; (3 marks)
- (ii) are parallel. (3 marks)
- (b) In the case when  $p = 4$ :
- (i) write down a cartesian equation for each plane; (2 marks)
- (ii) find, in the form  $\mathbf{r} = \mathbf{a} + \lambda \mathbf{d}$ , an equation for  $l$ , the line of intersection of the planes. (6 marks)
- (c) Determine a vector equation, in the form  $\mathbf{r} = \mathbf{u} + \beta \mathbf{v} + \gamma \mathbf{w}$ , for the plane which contains  $l$  and which passes through the point  $(30, 7, 30)$ . (2 marks)

7 (a) It is given that  $\Delta = \begin{vmatrix} 16 - q & 5 & 7 \\ -12 & -1 - q & -7 \\ 6 & 6 & 10 - q \end{vmatrix}$ .

- (i) By using row operations on the first two rows of  $\Delta$ , show that  $(4 - q)$  is a factor of  $\Delta$ . (2 marks)
- (ii) Express  $\Delta$  as the product of three linear factors. (4 marks)
- (b) It is given that  $\mathbf{M} = \begin{bmatrix} 16 & 5 & 7 \\ -12 & -1 & -7 \\ 6 & 6 & 10 \end{bmatrix}$ .
- (i) Verify that  $\begin{bmatrix} 2 \\ 5 \\ -7 \end{bmatrix}$  is an eigenvector of  $\mathbf{M}$  and state its corresponding eigenvalue. (3 marks)
- (ii) For each of the other two eigenvalues of  $\mathbf{M}$ , find a corresponding eigenvector. (7 marks)
- (c) The transformation  $T$  has matrix  $\mathbf{M}$ . Write down cartesian equations for any one of the invariant lines of  $T$ . (2 marks)

**END OF QUESTIONS**