Centre No.					Pape	r Refer	ence	Surname	Initial(s)		
Candidate No.			6	6	8	3	/	0	1	Signature	

Paper Reference(s)

6683/01

Edexcel GCE

Statistics S1

Advanced/Advanced Subsidiary

Thursday 9 June 2005 – Morning

Time: 1 hour 30 minutes

Materials required for examination
Mathematical Formulae (Lilac or Green)

Mil

Candidates may use any calculator EXCEPT those with the facility for symbolic algebra, differentiation and/or integration. Thus candidates may NOT use calculators such as the Texas Instruments TI 89, TI 92, Casio CFX 9970G, Hewlett Packard HP 48G.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initial(s) and signature.

Check that you have the correct question paper.

You must write your answer for each question in the space following the question.

Values from the statistical tables should be quoted in full. When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2). There are 7 questions in this question paper.

The total for this question paper is 75.

There are 20 pages in this question paper. Any blank pages are indicated.

Advice to Candidates


You must ensure that your answers to parts of questions are clearly labelled.

You must show sufficient working to make your methods clear to the examiner. Answers without working may gain no credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy. ©2005 Edexcel Limited.

 $\begin{array}{c} {\rm Printer's\ Log.\ No.} \\ N20910A \\ {\rm W850/R6683/57570} \\ \end{array} \\ {\rm 4/7/3/2/6/3/2} \end{array}$





Examiner's use only


Team Leader's use only

Turn over



Leave blank

1. The scatter diagrams below were drawn by a student.



The student calculated the value of the product moment correlation coefficient for each of the sets of data.

The values were

$$0.68 \quad -0.79 \quad 0.08$$

Write down, with a reason, which value corresponds to which scatter diagram.

(6)

Question 1 continued		Le bl
		Q1
		Y
	(Total 6 marks)	

Leave

2. The following table summarises the distances, to the nearest km, that 134 examiners travelled to attend a meeting in London.

Distance (km)	Number of examiners
41–45	4
46–50	19
51–60	53
61–70	37
71–90	15
91–150	6

(a) Give a reason to justify the use of a histogram to represent these data.

(1)

(b) Calculate the frequency densities needed to draw a histogram for these data.

(2)

(c) Use interpolation to estimate the median Q_2 , the lower quartile Q_1 , and the upper quartile Q_3 of these data.

(4)

The mid-point of each class is represented by x and the corresponding frequency by f. Calculations then give the following values

$$\Sigma fx = 8379.5$$
 and $\Sigma fx^2 = 557489.75$

(d) Calculate an estimate of the mean and an estimate of the standard deviation for these data.

(4)

One coefficient of skewness is given by

$$\frac{Q_3 - 2Q_2 + Q_1}{Q_3 - Q_1}$$

(e) Evaluate this coefficient and comment on the skewness of these data.

(4)

(f) Give another justification of your comment in part (e).

(1)

Question 2 continued	Leav blan



		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_

	Leave blank
Question 2 continued	
	Q2
(Total 16 marks)	

3. A long distance lorry driver recorded the distance travelled, <i>m</i> miles, and the fuel used, <i>f</i> litres, each day. Summarised below are data from the driver's reandom sample of 8 days.	
The data are coded such that $x = m - 250$ and $y = f - 100$.	
$\Sigma x = 130$ $\Sigma y = 48$ $\Sigma xy = 8880$ $S_{xx} = 20487.5$	
(a) Find the equation of the regression line of y on x in the form $y = a + bx$.	(6)
(b) Hence find the equation of the regression line of f on m .	(3)
(c) Predict the amount of fuel used on a journey of 235 miles.	(1)

	Leave blank
Question 3 continued	
	Q3
(Total 10 marks)	

4.	Aeroplanes fly from City A to City B. Over a long period of time the number of minuted delay in take-off from City A was recorded. The minimum delay was 5 minutes and to maximum delay was 63 minutes. A quarter of all delays were at most 12 minutes, he were at most 17 minutes and 75% were at most 28 minutes. Only one of the delays we longer than 45 minutes.	he alf
	An outlier is an observation that falls either 1.5× (interquartile range) above the upp quartile or 1.5× (interquartile range) below the lower quartile.	oer
	(a) On the graph paper opposite draw a box plot to represent these data.	(7)
	(b) Comment on the distribution of delays. Justify your answer.	(2)
	(c) Suggest how the distribution might be interpreted by a passenger who frequently flift from City <i>A</i> to City <i>B</i> .	ies (1)



\vdash	П	H	Ŧ		Ħ	Ħ	\exists	F	Ħ		H	Н	П	Ŧ		П	П	T	H	П	Н				H		Ŧ		H	П		H					Ŧ	H	П		+	
#	H	H	Ŧ		Ħ	#	\exists	Ħ	\exists		Ħ			Ŧ		H				H		H			H		#				Ŧ				H		#				\pm	
	Ħ				Ħ	\pm	\exists	Ħ	\sharp		H		Ħ							\parallel					Ħ		#							Ħ	\parallel							
+			+		Ħ	\pm	#		\pm		H		\Box									\pm			H		\pm										\pm					
+	H	+	+		Ħ	#	\sharp	H	#		H	H	\parallel	+	+		\parallel		H	\parallel	\parallel	H	+		H	+	+	H	H	H	+	+		H	\parallel	\parallel	+		H	+	+	
Ŧ	H	H	Ŧ	H	Ħ	\mp	\exists	Ħ	Ħ		H	H	H	\mp	+		H	Ŧ	H	H	\blacksquare	H	Ŧ	H	H	\blacksquare	Ŧ		H	H	Ŧ	H	H	H	H		Ŧ		Н		+	
Ŧ	H	H	Ŧ		Ħ	\mp	\exists	F	Ħ		H			Ŧ		H			H	H		H			H		Ŧ	Ħ	H			H			H		Ŧ					
Ŧ	Ħ	Ħ	Ŧ		Ħ	#	\exists	Ħ	Ħ		Ħ	Ħ	Ħ	Ŧ	Ŧ	Ħ			Ħ	Ħ		Ħ			Ħ		Ŧ	Ħ	Ħ		Ŧ	Ħ		Ħ	Ħ		Ŧ	Ħ	Ħ			
-					Ħ	\pm	\exists		\sharp		H			\pm											H		#															
#	Ħ				Ħ	\pm	\exists	Ħ	\exists		Ħ			\pm											Ħ		#										#		H			
+	H		÷		Ħ	\pm	\exists	H	\exists		Ħ		H			H				H					H		+			H					H	\blacksquare			H		\blacksquare	
#	Ħ	\sharp	\pm	Ħ	\sharp	#	\sharp	H	\sharp		Ħ		\sharp							#							#	Ħ			\pm				#		#				\parallel	
+					Ħ	\mp	\exists	H	\exists		H								H	H					H							H			H		+					
Ŧ	Ħ	Ħ	Ŧ	Ħ	Ħ	Ħ	\exists	Ħ	Ħ	Ŧ	Ħ	Ħ	Ħ	F	\mp	Ħ	Ħ		Ħ	Ħ	H	H		Ħ	H	\blacksquare	Ŧ	Ħ	Ħ	H	Ŧ	Ħ	Ħ	H	Ħ	H	+	Ħ	H	H	Ħ	
Ŧ	Ħ	Ħ	Ť		Ħ	#	\exists	Ħ	Ħ		Ħ	Ħ	Ħ	Ŧ		Ħ	Ħ		Ħ	Ħ		Ħ			Ħ		Ŧ	Ħ	Ħ	Ħ	Ŧ	Ħ	Ħ	Ħ	Ħ		Ŧ	Ħ	Ħ		\parallel	
‡	Ħ	Ħ	+	Ħ	Ħ	#	\sharp	Ħ	#		Ħ	Ħ	Ħ	Ŧ		Ħ	Ħ			Ħ	\parallel			Ħ	Ħ	\parallel	#	Ħ	Ħ		ļ	Ħ		Ħ	Ħ	\parallel	#	Ħ	Ħ		\parallel	
‡	Ħ				Ħ	\pm	\exists	Ħ	\exists		Ħ			\pm											Ħ		#										#		H			
+	H				Ħ	\pm	\exists	H	\exists		H		H												H		+			H									H		\pm	
+					#	\pm	\pm	Ħ	\pm					\pm						\parallel					\parallel		\pm								\parallel		\pm					
\pm			+		Ħ	\pm	#	Ħ	\pm		H		\parallel	\pm					H	\parallel					H		\pm					\pm			\parallel							
+					Ħ	\mp	\exists	H	\exists					+						\parallel					H		+					H			\parallel						\blacksquare	
								—																																		



Leave

5	The	random	variable	X has	probability	function
J.	1 110	Tanuoni	variable	A Has	probability	Tunction

$$P(X = x) = \begin{cases} kx, & x = 1, 2, 3, \\ k(x+1), & x = 4, 5, \end{cases}$$

where k is a constant.

(a) Find the value of k.

(2)

(b) Find the exact value of E(X).

(2)

(c) Show that, to 3 significant figures, Var(X) = 1.47.

(4)

(d) Find, to 1 decimal place, Var(4 - 3X).

(2)

Question 5 continued		
		_
		_
		_
		_
		_
		_
		_
		_
		_

		.
		.
		-
		-
		-
		.
		.
		-
		.
		.
		.
		-
		.
		.
		.
		.

	Leave blank
Question 5 continued	
	Q5
(Total 10 marks)	Ť

 (b) P(150 ≤ M ≤ 157). (4) (c) the value of m, to 1 decimal place, such that P(M ≤ m) = 0.30. 		
Find (a) $P(M > 160)$. (b) $P(150 \le M \le 157)$. (c) the value of m , to 1 decimal place, such that $P(M \le m) = 0.30$.	modelled by a normal random variable with mean 155 minutes and stand	
 (a) P(M > 160). (b) P(150 ≤ M ≤ 157). (c) the value of m, to 1 decimal place, such that P(M ≤ m) = 0.30. 		
 (a) (b) P(150 ≤ M ≤ 157). (4) (c) the value of m, to 1 decimal place, such that P(M ≤ m) = 0.30. 	FIIId	
 (b) P(150 ≤ M ≤ 157). (4) (c) the value of m, to 1 decimal place, such that P(M ≤ m) = 0.30. 	(a) $P(M > 160)$.	(3)
(c) the value of m , to 1 decimal place, such that $P(M \le m) = 0.30$.	(I) P(150 c H c 157)	` ,
	(b) $P(150 \leqslant M \leqslant 157)$.	(4)
	(c) the value of m, to 1 decimal place, such that $P(M \le m) = 0.30$.	(4)

	Leave blank
Question 6 continued	
	Q6
(Total 11 marks)	

7.	In a school there are 148 students in Years 12 and 13 studying Science, Humanities or Arts subjects. Of these students, 89 wear glasses and the others do not. There are 30 Science students of whom 18 wear glasses. The corresponding figures for the Humanities students are 68 and 44 respectively.	Leave blank
	A student is chosen at random.	
	Find the probability that this student	
	(a) is studying Arts subjects, (4)	
	(b) does not wear glasses, given that the student is studying Arts subjects. (2)	
	Amongst the Science students, 80% are right-handed. Corresponding percentages for Humanities and Arts students are 75% and 70% respectively.	
	A student is again chosen at random.	
	(c) Find the probability that this student is right-handed. (3)	
	(d) Given that this student is right-handed, find the probability that the student is studying Science subjects.	
	(3)	



Question 7 continued	Lo bl



	Q
(Total 12 marks) TOTAL FOR PAPER: 75 MARKS	
TOTAL FOR PAPER: 75 MARKS	