OCR
RECOGNISING ACHIEVEMENT

ADVANCED SUBSIDIARY GCE **4722/01**

MATHEMATICS

Core Mathematics 2

WEDNESDAY 9 JANUARY 2008 Afternoon

Time: 1 hour 30 minutes

Additional materials: Answer Booklet (8 pages)
List of Formulae (MF1)

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the spaces provided on the answer booklet.
- Read each question carefully and make sure you know what you have to do before starting your answer.
- Answer **all** the questions.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.
- You are permitted to use a graphical calculator in this paper.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is 72.
- **You are reminded of the need for clear presentation in your answers.**

This document consists of **4** printed pages.

[Turn over

1



The diagram shows a sector AOB of a circle with centre O and radius 11 cm. The angle AOB is 0.7 radians. Find the area of the segment shaded in the diagram. [4]

2 Use the trapezium rule, with 3 strips each of width 2, to estimate the value of

$$\int_1^7 \sqrt{x^2 + 3}\,\mathrm{d}x.$$ [4]

3 Express each of the following as a single logarithm:

(i) $\log_a 2 + \log_a 3$, [1]

(ii) $2\log_{10} x - 3\log_{10} y$. [3]

4



In the diagram, angle $BDC = 50°$ and angle $BCD = 62°$. It is given that $AB = 10$ cm, $AD = 20$ cm and $BC = 16$ cm.

(i) Find the length of BD. [2]

(ii) Find angle BAD. [3]

5 The gradient of a curve is given by $\frac{\mathrm{d}y}{\mathrm{d}x} = 12\sqrt{x}$. The curve passes through the point (4, 50). Find the equation of the curve. [6]

6 A sequence of terms $u_1, u_2, u_3, \ldots$ is defined by

$$u_n = 2n + 5, \quad \text{for } n \geqslant 1.$$

(i) Write down the values of u_1, u_2 and u_3. [2]

(ii) State what type of sequence it is. [1]

(iii) Given that $\sum_{n=1}^{N} u_n = 2200$, find the value of N. [5]

7



The diagram shows part of the curve $y = x^2 - 3x$ and the line $x = 5$.

(i) Explain why $\int_0^5 (x^2 - 3x)\,\mathrm{d}x$ does not give the total area of the regions shaded in the diagram. [1]

(ii) Use integration to find the exact total area of the shaded regions. [7]

8 The first term of a geometric progression is 10 and the common ratio is 0.8.

(i) Find the fourth term. [2]

(ii) Find the sum of the first 20 terms, giving your answer correct to 3 significant figures. [2]

(iii) The sum of the first N terms is denoted by S_N, and the sum to infinity is denoted by S_∞.

Show that the inequality $S_\infty - S_N < 0.01$ can be written as

$$0.8^N < 0.0002,$$

and use logarithms to find the smallest possible value of N. [7]

9 **(i)**



Fig. 1

Fig. 1 shows the curve $y = 2\sin x$ for values of x such that $-180^\circ \leqslant x \leqslant 180^\circ$. State the coordinates of the maximum and minimum points on this part of the curve. [2]

(ii)



Fig. 2

Fig. 2 shows the curve $y = 2\sin x$ and the line $y = k$. The smallest positive solution of the equation $2\sin x = k$ is denoted by α. State, in terms of α, and in the range $-180^\circ \leqslant x \leqslant 180^\circ$,

(a) another solution of the equation $2\sin x = k$, [1]

(b) one solution of the equation $2\sin x = -k$. [1]

(iii) Find the x-coordinates of the points where the curve $y = 2\sin x$ intersects the curve $y = 2 - 3\cos^2 x$, for values of x such that $-180^\circ \leqslant x \leqslant 180^\circ$. [6]

10 **(i)** Find the binomial expansion of $(2x + 5)^4$, simplifying the terms. [4]

(ii) Hence show that $(2x + 5)^4 - (2x - 5)^4$ can be written as

$$320x^3 + kx,$$

where the value of the constant k is to be stated. [2]

(iii) Verify that $x = 2$ is a root of the equation

$$(2x + 5)^4 - (2x - 5)^4 = 3680x - 800,$$

and find the other possible values of x. [6]