

# GCE AS/A level

0978/01

# MATHEMATICS – FP2 Further Pure Mathematics

A.M. TUESDAY, 18 June 2013 1½ hours

#### ADDITIONAL MATERIALS

In addition to this examination paper, you will need:

- a 12 page answer book;
- a Formula Booklet;
- a calculator.

### INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen.

Answer all questions.

Sufficient working must be shown to demonstrate the mathematical method employed.

## INFORMATION FOR CANDIDATES

The number of marks is given in brackets at the end of each question or part-question.

You are reminded of the necessity for good English and orderly presentation in your answers.

Using the substitution  $u = x^2$ , evaluate the integral 1.

$$\int_1^2 \frac{x}{\sqrt{25 - x^4}} \, \mathrm{d}x.$$

Give your answer correct to three significant figures.

[5]

Consider the equation

$$\sin\theta + 3\cos\theta = 2.$$

(a) Putting  $t = \tan\left(\frac{\theta}{2}\right)$ , show that

$$5t^2 - 2t - 1 = 0. ag{3}$$

- Hence find the general solution of the above trigonometric equation, giving your answers *(b)* in radians.
- 3. (a) Find the four fourth roots of -1, giving your answers in the form x + iy. [6]
  - *(b)* Plot the points corresponding to these roots on an Argand diagram.
    - (ii) The points are joined up to form a square. Find the area of the square. [3]
- The function f is defined on the domain x > 1 by

$$f(x) = \frac{2x+3}{x-1}$$
.

- (a) Show that f is a strictly decreasing function.
- [3]
- *(b)* Given that S = [4, 5], determine
  - (i) f(S),
  - (ii)  $f^{-1}(S)$ . [6]

5.	The	ellipse	E has	equation
		4111		0 0 00000000000000000000000000000000000

$$x^2 + 2v^2 - 4x + 4v + 2 = 0.$$

- (a) Find
  - (i) the coordinates of the centre,
  - (ii) the eccentricity,
  - (iii) the coordinates of the foci,
  - (iv) the equations of the directrices.

[9]

- (b) (i) Show that the y-axis is a tangent to E.
  - (ii) Find the gradient of the tangent, other than the y-axis, from the origin to E. [7]
- **6.** (a) Express

$$\frac{4x^2-2x+9}{x(x^2+3)}$$

in partial fractions.

[4]

(b) Hence evaluate

$$\int_{1}^{3} \frac{4x^{2} - 2x + 9}{x(x^{2} + 3)} \, \mathrm{d}x,$$

giving your answer correct to three significant figures.

[6]

[3]

7. The function f is defined by

$$f(x) = \frac{(2x^2 + 1)^2}{x^3}$$
.

- (a) Determine whether f is even, odd or neither even nor odd.
- (b) Find the x-coordinates of the stationary points on the graph of f. [4]
- (c) State the equation of each of the asymptotes on the graph of f. [2]
- (d) Sketch the graph of f and its asymptotes. [2]
- **8.** Using de Moivre's Theorem, show that

$$\cos 5\theta = a\cos^5\theta + b\cos^3\theta + c\cos\theta$$
.

where a, b, c are constants whose values are to be determined.

[6]