

**MARK SCHEME for the October/November 2009 question paper  
for the guidance of teachers**

**9702 PHYSICS**

**9702/22**

Paper 22 (AS Structured Questions), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE A/AS LEVEL – October/November 2009	9702	22

- 1 (a) (i) *either* 1.55% *or* 1.6% ...(not 1.5 or 2) ..... A1 [1]  
(ii) *either* 1.09% *or* 1.1% ...(not 1.0 or 1) ..... A1 [1]
- (b) answer of {(ii) + 2 × (i)} to any number of sig. fig.  
*either* 4.2% *or* 4.3% ..... A1 [1]
- (c) (i) *either* the value has more significant figures than the data  
*or* uncertainty of  $\pm 0.4$  renders more than 2 s.f. meaningless) ..... B1 [1]
- (ii) uncertainty in  $g = \pm 0.41 / \pm 0.42$  to any number of s.f. .... C1  
 $g = (9.8 \pm 0.4) \text{ m s}^{-2}$  ..... A1 [2]

[Total: 6]

- 2 (a) (i) e.g. (phase) change from liquid to gas / vapour  
thermal energy required to maintain constant temperature ..... B1 [1]  
(*do not allow 'convert water to steam'*)
- (ii) e.g. evaporation takes place at surface ..... B1  
boiling takes place in body of the liquid ..... B1  
e.g. evaporation occurs at all temperatures ..... B1  
boiling occurs at one temperature ..... B1 [4]
- (b) (i) volume =  $(\frac{48}{4.5} =) 10.7 \text{ cm}^3$  ..... A1 [1]
- (ii) 1 volume =  $10.7 / (6.0 \times 10^{23})$   
=  $1.8 \times 10^{-23} \text{ cm}^3$  ..... A1 [1]  
2 separation =  $\sqrt[3]{(1.8 \times 10^{-23})}$   
=  $2.6 \times 10^{-8} \text{ cm}$  ..... A1 [1]

[Total: 8]

- 3 (a) (i) speed =  $4.0 \text{ m s}^{-1}$  ...(allow 1 s.f.) ..... A1 [1]
- (ii)  $v^2 = 2gh$   
=  $2 \times 9.8 \times 1.96$  ..... M1  
 $v = 6.2 \text{ m s}^{-1}$  ..... A0 [1]  
(*use of  $g = 10 \text{ m s}^{-2}$  loses the mark*)
- (b) correct basic shape with correct directions for vectors ..... M1  
speed =  $(7.4 \pm 0.2) \text{ m s}^{-1}$  ..... A1  
at  $(33 \pm 2)^\circ$  to the vertical ..... A1 [3]  
(*for credit to be awarded, speed and angle must be correct on the diagram – not calculated*)



Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE A/AS LEVEL – October/November 2009	9702	22

- 5 (a) (i) frequency  $f$  ..... B1 [1]  
(ii) amplitude  $A$  ..... B1 [1]
- (b)  $\pi$  rad or  $180^\circ$  .....(unit necessary) ..... B1 [1]
- (c) (i) speed =  $f \times L$  ..... B1 [1]  
(ii) wave is reflected at end / at P ..... B1  
either incident and reflected waves interfere ..... M1  
or two waves travelling in opposite directions interfere ..... M1  
speed is the speed of incident or reflected wave / one of these waves ..... A1 [3]

[Total: 7]

- 6 (a) total resistance in series =  $2R$   
total resistance in parallel =  $\frac{1}{2}R$  ..... M1  
ratio is  $2R / \frac{1}{2}R = 4$  .....(allow mark if clear numbers in the ratio) ..... A0 [1]
- (b) at 1.5 V, current is 0.10 A ..... C1  
resistance =  $V/I = \frac{1.5}{0.1}$   
=  $15 \Omega$  ..... A1 [2]  
(use of tangent or any other current scores no marks)

(c)

	p.d. across each lamp / V	resistance of each lamp / $\Omega$	combined resistance / $\Omega$
series	1.5	15	30
parallel	3.0	20	10

- column 1 ..... A1  
columns 2 and 3: max 3 marks with -1 mark for each error or omission ..... A3 [4]
- (d) (i) ratio is 3 .....(allow e.c.f.) ..... A1 [1]  
(ii) resistance increases as potential difference increases ..... B1  
increasing p.d. increases current ..... B1  
current increases non-linearly so resistance increases ..... B1 [3]

[Total: 11]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE A/AS LEVEL – October/November 2009	9702	22

- 7 (a) *either* forms of same element  
*or* atoms / nuclei with same number of protons .....M1  
atoms / nuclei contain different numbers of neutrons ..... A1 [2]  
*(use of 'element' rather than atoms / nuclei scores max 1 mark)*
- (b) (i) decay is not affected by environmental factors ..... B1 [1]  
*(allow two named factors)*
- (ii) *either* time of decay (of a nucleus) cannot be predicted  
*or* nucleus has constant probability in a given time ..... B1 [1]
- (c)  ${}^{185}_{75}\text{Re}$  ..... B1  
*either*  ${}^0_{-1}\text{e}$  *or*  ${}^0_{-1}\beta$  ..... B1 [2]

[Total: 6]