




1. (a) (i) Write the word equation that defines potential difference.

.....  
(1)

(ii) The unit of potential difference is the volt. Express the volt in terms of base units only.

.....  
 .....  
 .....  
 .....  
 .....  
(3)

(b) A 6.0 V battery of negligible internal resistance is connected to a filament lamp. The current in the lamp is 2.0 A.



Calculate how much energy is transferred in the filament when the battery is connected for 2.0 minutes.

.....  
 .....  
 .....  
 .....

Energy transferred = .....  
(3)

Q1

**(Total 7 marks)**



2. The current  $I$  in a conductor of cross-sectional area  $A$  is given by the formula

$$I = nAQv$$

where  $Q$  is the charge on a charge carrier.

(a) What quantities do  $n$  and  $v$  represent?

$n$  .....

$v$  .....

(2)

(b) A student has a metal conductor and a plastic insulator of the same dimensions. He applies the same potential difference across each. Explain how the relative values of  $n$  for the metal conductor and plastic insulator affect the current in each.

.....  
.....  
.....  
.....

(2)

(c) The student connects two pieces of copper wire, A and B, in series with each other and a battery. The diameter of wire A is twice that of wire B. Calculate the ratio of the drift velocity in wire A to the drift velocity in wire B and explain your answer.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....


(3)

Q2

(Total 7 marks)



3. The circuit shows a battery of negligible internal resistance connected to three resistors.



(a) Calculate the potential difference across the  $15\ \Omega$  resistor.

.....

Potential difference = .....

**(1)**

(b) Calculate the current  $I_1$  in the  $4.0\ \Omega$  resistor.

.....  
 .....  
 .....

$I_1 =$  .....

**(3)**

(c) Calculate the current  $I_2$  and the resistance  $R$ .

.....  
 .....  
 .....

$I_2 =$  .....

$R =$  .....

**(3)**

**Q3**

**(Total 7 marks)**




N 2 2 3 6 3 A 0 4 1 6

**BLANK PAGE**



4. Graph A shows how the potential difference across a battery varies with the current supplied. Graph B shows how the current in a filament lamp varies with the p.d. across it.



- (a) (i) Use graph A to determine the internal resistance and the e.m.f. of the battery.

.....  
 .....

Internal resistance = .....

e.m.f. = .....

(2)

- (ii) The lamp is connected to the battery. Determine the current in the lamp.

.....

(1)



(iii) Calculate the resistance of the filament lamp when it is connected to the battery.

.....  
.....  
.....

Resistance = .....

(2)

(b) (i) Draw a diagram of a circuit that would enable graph A to be plotted.

(2)

(ii) Describe how you would use this circuit to obtain the data for the graph.

.....  
.....  
.....  
.....

(2)

Q4

(Total 9 marks)



5. The equation for an ideal gas is

$$pV = nRT$$

(a) For each of these symbols, state the physical quantity and its S.I. unit. One has been done as an example for you.

Symbol	Physical quantity	S.I. unit
<i>p</i>		
<i>V</i>		
<i>n</i>		
<i>R</i>	Molar gas constant	$\text{J K}^{-1} \text{mol}^{-1}$
<i>T</i>		

(4)

(b) An ideal gas of volume  $1.0 \times 10^{-4} \text{m}^3$  is trapped by a movable piston in a cylinder. The initial temperature of the gas is  $20^\circ\text{C}$ .

The gas is heated and its volume increases by  $5.0 \times 10^{-5} \text{m}^3$  at a constant pressure. Calculate the new temperature of the gas in  $^\circ\text{C}$ .

.....

.....

.....

.....

.....

Temperature of gas = ..... $^\circ\text{C}$

(4)

Q5

(Total 8 marks)






6. (a) Define the term **specific latent heat of fusion**.

.....  
 .....  
 .....

(3)

(b) (i) Aluminium has a melting point of  $660\text{ }^{\circ}\text{C}$ . A sample of aluminium at  $600\text{ }^{\circ}\text{C}$  is heated steadily until its temperature reaches  $700\text{ }^{\circ}\text{C}$ . Sketch a graph to show how the temperature of the aluminium varies with time.



(3)

(ii) Explain the shape of your graph with reference to the potential energy and kinetic energy of the molecules.

.....  
 .....  
 .....  
 .....  
 .....  
 .....


(4)

(Total 10 marks)

Q6



7. A freezer contains a heat pump which pumps energy from the inside of the freezer to the outside. The diagram shows the energy flow for one day of use.



(a) (i) How much energy is transferred into the room?

.....

Energy = .....

What principle have you applied to do this calculation?

.....

(2)

(ii) Why do you need an energy source to pump energy from the inside of the freezer to the outside?

.....

.....

(1)

(iii) Assuming the inside of the freezer remains at a constant temperature, calculate the rate at which energy is flowing in through the walls of the freezer.

.....

.....

Rate of flow of energy = .....

(2)



(b) An ice cube tray is filled with 0.35 kg of water at 20 °C and placed in the freezer. The specific heat capacity of water is  $4.2 \times 10^3 \text{ J kg}^{-1} \text{ K}^{-1}$  and the specific latent heat of fusion of water is  $3.3 \times 10^5 \text{ J kg}^{-1}$ . Calculate the minimum amount of additional energy the heat pump has to pump out of the freezer in order to freeze the water.

.....  
.....  
.....  
.....  
.....  
.....

Energy = .....

(3)

(c) Inside the freezer there are cooling fins towards the top but not at the bottom. Explain how these fins cool the air in the freezer and why there are no fins at the bottom. You may be awarded a mark for the clarity of your answer.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

(4)

Q7

(Total 12 marks)

**TOTAL FOR PAPER: 60 MARKS**

**END**



## List of data, formulae and relationships

### Data

Speed of light in vacuum	$c = 3.00 \times 10^8 \text{ m s}^{-1}$	
Acceleration of free fall	$g = 9.81 \text{ m s}^{-2}$	(close to the Earth)
Gravitational field strength	$g = 9.81 \text{ N kg}^{-1}$	(close to the Earth)
Elementary (proton) charge	$e = 1.60 \times 10^{-19} \text{ C}$	
Electronic mass	$m_e = 9.11 \times 10^{-31} \text{ kg}$	
Electronvolt	$1 \text{ eV} = 1.60 \times 10^{-19} \text{ J}$	
Molar gas constant	$R = 8.31 \text{ J K}^{-1} \text{ mol}^{-1}$	

### Rectilinear motion

For uniformly accelerated motion:

$$v = u + at$$

$$x = ut + \frac{1}{2}at^2$$

$$v^2 = u^2 + 2ax$$

### Forces and moments

Moment of  $F$  about  $O = F \times$  (Perpendicular distance from  $F$  to  $O$ )

Sum of clockwise moments about any point in a plane = Sum of anticlockwise moments about that point

### Dynamics

Force  $F = m \frac{\Delta v}{\Delta t} = \frac{\Delta p}{\Delta t}$

Impulse  $F \Delta t = \Delta p$

### Mechanical energy

Power  $P = Fv$

### Radioactive decay and the nuclear atom

Activity  $A = \lambda N$  (Decay constant  $\lambda$ )

Half-life  $\lambda t_{\frac{1}{2}} = 0.69$



### Electrical current and potential difference

Electric current  $I = nAQv$

Electric power  $P = I^2R$

### Electrical circuits

Terminal potential difference  $V = \mathcal{E} - Ir$  (E.m.f.  $\mathcal{E}$ ; Internal resistance  $r$ )

Circuit e.m.f.  $\Sigma \mathcal{E} = \Sigma IR$

Resistors in series  $R = R_1 + R_2 + R_3$

Resistors in parallel  $\frac{1}{R} = \frac{1}{R_1} + \frac{1}{R_2} + \frac{1}{R_3}$

### Heating matter

Change of state: energy transfer  $= l\Delta m$  (Specific latent heat or specific enthalpy change  $l$ )

Heating and cooling: energy transfer  $= mc\Delta T$  (Specific heat capacity  $c$ ; Temperature change  $\Delta T$ )

Celsius temperature  $\theta/^\circ\text{C} = T/\text{K} - 273$

### Kinetic theory of matter

$T \propto$  Average kinetic energy of molecules

Kinetic theory  $p = \frac{1}{3}\rho\langle c^2 \rangle$

### Conservation of energy

Change of internal energy  $\Delta U = \Delta Q + \Delta W$  (Energy transferred thermally  $\Delta Q$ ; Work done on body  $\Delta W$ )

Efficiency of energy transfer  $= \frac{\text{Useful output}}{\text{Input}}$

For a heat engine, maximum efficiency  $= \frac{T_1 - T_2}{T_1}$

### Mathematics

$\sin(90^\circ - \theta) = \cos \theta$

Equation of a straight line  $y = mx + c$

Surface area cylinder  $= 2\pi rh + 2\pi r^2$

sphere  $= 4\pi r^2$

Volume cylinder  $= \pi r^2 h$

sphere  $= \frac{4}{3}\pi r^3$

For small angles:  $\sin \theta \approx \tan \theta \approx \theta$  (in radians)

$\cos \theta \approx 1$

### Experimental physics

Percentage uncertainty  $= \frac{\text{Estimated uncertainty} \times 100\%}{\text{Average value}}$



**BLANK PAGE**

