Please check the examination details bel	ow before ente	ring your candidate information		
Candidate surname		Other names		
Centre Number Candidate N	umber			
Pearson Edexcel Inter	nation	al Advanced Level		
Time 2 hours Paper reference WPS02/01				
Psychology				
International Advanced Su	ıhsidiarı	v		
	•	·		
PAPER 2: Biological Psychology, Learning Theories				
and Development				
Calculators may be used. Total Marks				
Calculators may be used.		Total Marks		
		J		

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- The list of formulae and statistical value tables are printed at the start of this paper.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





FORMULAE AND STATISTICAL TABLES

Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum (x-\bar{x})^2}{n-1}\right)}$$

Spearman's rank correlation coefficient

$$1 - \frac{6\sum d^2}{n(n^2 - 1)}$$

Critical values for Spearman's rank

Level of significance for a one-tailed test

	Level of significance for a one-tailed test				
	0.05	0.025	0.01	0.005	0.0025
	Level of significance for a two-tailed test				est
Ν	0.10	0.05	0.025	0.01	0.005
5	0.900	1.000	1.000	1.000	1.000
6	0.829	0.886	0.943	1.000	1.000
7	0.714	0.786	0.893	0.929	0.964
8	0.643	0.738	0.833	0.881	0.905
9	0.600	0.700	0.783	0.833	0.867
10	0.564	0.648	0.745	0.794	0.830
11	0.536	0.618	0.709	0.755	0.800
12	0.503	0.587	0.678	0.727	0.769
13	0.484	0.560	0.648	0.703	0.747
14	0.464	0.538	0.626	0.679	0.723
15	0.446	0.521	0.604	0.654	0.700
16	0.429	0.503	0.582	0.635	0.679
17	0.414	0.485	0.566	0.615	0.662
18	0.401	0.472	0.550	0.600	0.643
19	0.391	0.460	0.535	0.584	0.628
20	0.380	0.447	0.520	0.570	0.612
21	0.370	0.435	0.508	0.556	0.599
22	0.361	0.425	0.496	0.544	0.586
23	0.353	0.415	0.486	0.532	0.573
24	0.344	0.406	0.476	0.521	0.562
25	0.337	0.398	0.466	0.511	0.551
26	0.331	0.390	0.457	0.501	0.541
27	0.324	0.382	0.448	0.491	0.531
28	0.317	0.375	0.440	0.483	0.522
29	0.312	0.368	0.433	0.475	0.513
30	0.306	0.362	0.425	0.467	0.504

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Chi-squared distribution formula

$$X^{2} = \sum_{E} \frac{(O-E)^{2}}{E}$$
 $df = (r-1)(c-1)$

Critical values for chi-squared distribution

Level	of	significance f	or a one-tai	led test
-------	----	----------------	--------------	----------

	0.10	0.05	0.025	0.01	0.005	0.0005
		Level of s	ignificance	for a two-	tailed test	
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Wilcoxon Signed Ranks test process

- · Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- · Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

Critical values for the Wilcoxon Signed Ranks test

Level of significance for a one-tailed test

	0.05	0.025	0.01	
	Level of signif	ficance for a two-	tailed test	
n	0.1	0.05	0.02	
N=5	0	-	-	
6	2	0	-	
7	3	2	0	
8	5	3	1	
9	8	5	3	
10	11	8	5	
11	13	10	7	
12	17	13	9	

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



SECTION A

BIOLOGICAL PSYCHOLOGY

Answer ALL questions in this section. Write your answers in the spaces provided.

1	(a) Define what is meant by the term 'external zeitgeber'.	(1)
1	(b) Explain two strengths of the role of external zeitgebers in explaining the regulation of the sleep-wake cycle.	(4)
2		
	(Total for Question 1 = 5	5 marks)
	•	-



- 2 Harrison conducted an experiment into the effect of antidepressants on people who had seasonal affective disorder. He allocated his participants into one of two different conditions.
 - Condition A: Given antidepressants.
 - Condition B: Not given antidepressants.

Harrison asked all the participants to record their mood in a daily diary for a month. He used a rating scale from 1 (happy mood) to 7 (low mood). When he had collected the data, Harrison then calculated an average mood score for each participant over the month.

(a) State a fully operationalised null hypothesis for Harrison's experiment.	(2)

Harrison's results are shown in **Table 1**.

Condition A: Participants were given antidepressants	Average mood score for the month from 1 to 7	Condition B: Participants were not given antidepressants	Average mood score for the month from 1 to 7
A	2	G	4
В	4	Н	5
С	1	I	3
D	3	J	5
E	2	К	6
F	2	L	3

Table 1

(b) Calculate the mean score for **Condition B**. You **must** give your answer to **two** decimal places.

(1)

Space for calculations

Mean score for **Condition B**



(c) Calculate the median score for **Condition A**.

(1)

Space for calculations

Median score for **Condition A**

(d) Harrison calculated the standard deviation for both conditions. The standard deviations are shown in **Table 2**.

Standard deviation for condition A: Participants were given antidepressants	Standard deviation for condition B: Participants were not given antidepressants
1.03	1.21

Table 2

Explain what the standard deviations snow about Harrison's results.	(2)

(e) Explain one weakness of Harrison's experiment.	
(e) Explain one weakness of Harrison's expening	(2)
	(Tatal face Occasion 2 - Occasion)
	(Total for Question 2 = 8 marks)

3	In your studies of biological psychology you will have learned about the following classic study in detail: Raine et al. (1997).		
	 Raine et al. (1997). (a) Describe the results of the classic study by Raine et al. (1997). 	(3)	

((b) Explain one strength and one weakness of the classic study by Rai	ne et al. (1997). (4)
	Strength	
	Weakness	
	(Total for Que	estion 3 = 7 marks)



4	Meryl has decided to carry out an investigation to determine whether there is a relationship between hormones and aggression. She gathered 13 participants through volunteer sampling. Meryl measured the participants' cortisol levels and how aggressive they had been over the past week.	
	(a) Describe the procedure Meryl could have used for her investigation.	(4)

(Total for Question 4 = 6 ma	arks)
	(=)
The statistical tables can be found at the front of the paper.	(2)
Explain whether Meryl found a significant correlation for a two-tailed (non-directional) test at $p \le 0.05$.	
(b) After she had carried out her investigation Meryl conducted a Spearman's rank test on her data. She found a calculated value of 0.569.	

5	Sylvester has lost his job as a security guard at a shop due to his aggression. He had previously been verbally aggressive to customers, and in the latest incident kicked a customer after he had thrown them out of the shop.	
	Sylvester is currently single. His last relationship ended after he shouted at his partner. He has been banned from watching his local football team after he was involved in a fight with supporters of a rival team.	
	Discuss how brain functioning could account for Sylvester's aggression.	
	You must make reference to the context in your answer.	
		(8)



TOTAL FOR SECTION A = 34 MARKS



SECTION B

LEARNING THEORIES AND DEVELOPMENT

Answer ALL questions in this section. Write your answers in the spaces provided.

6	(a)	Describe what is meant by the 'role of the unconscious' according to Freud.	(2)



(b)	Explain one strength and one weakness of Freud's psychosexual stages of development.	(4)
	Strength	(4)
	Weakness	
	Wednitess	
	(Total for Question 6	5 = 6 marks)



- 7 Sigourney conducted an observation to see if positive reinforcement led to children reading more at home. She used a random sampling technique to collect her participants from one village. Sigourney allocated the parents and children into one of two different conditions.
 - Condition A: The parents praised the children every time they sat down and read silently.
 - Condition B: The parents did not praise the children when they sat down and read silently.

She recorded parents and children interacting during their reading time at home for a week. Sigourney then watched the recordings at a later date.

(a) Describe how Sigourney could use a random sampling technique for her observation.	
	(2)
(b) Explain one strength of Sigourney using a random sampling technique.	(2)
(b) Explain one strength of Sigourney using a random sampling technique.	(2)
(b) Explain one strength of Sigourney using a random sampling technique.	(2)
(b) Explain one strength of Sigourney using a random sampling technique.	(2)
(b) Explain one strength of Sigourney using a random sampling technique.	(2)



(c) Explain one improvement Sigourney could make to her sample.	(2)
Sigourney also collected qualitative data. She wrote down what the parents said to their children when they praised them for reading. Sigourney did not collect any data from other sources.	
(d) Explain one weakness of Sigourney using qualitative data for her observation.	(2)
(e) Explain one improvement Sigourney could make to how she collected her qualitative data.	
	(2)
(Total for Question 7 = 10 ma	rks)



8	Patricia is scared of beards. Her new boss has a beard and it is affecting her ability to do her job. She has decided to try systematic desensitisation to reduce her fear of beards. Patricia goes to a local therapist.	
	(a) Describe how systematic desensitisation could be used with Patricia to reduce he fear of beards.	er
		(4)
	(b) Explain one weakness of using systematic desensitisation to treat Patricia's fear of beards.	
		(2)
	(Total for Question 8 = 6 m	arks)

9	In your studies of learning theories and development you will have learned about the
	following classic study in detail:
	Watson and Rayner (1920).
	Describe the results of the classic study by Watson and Rayner (1920).
•••••	
•••••	
	(Total for Ouestion 9 = 4 marks)



10 Assess how far social learning theory explains human behaviour.	(8)



(Total for Question 10 = 8 marks)

TOTAL FOR SECTION B = 34 MARKS



SECTION C

Answer ALL questions in this section. Write your answers in the spaces provided.

11	Michelle is scared of fireworks due to the loud noise they make. She has attended
	several parties at her friend's house where they had fireworks. Michelle has now
	developed a fear of her friend's house. She has also developed a fear of going to her grandparents' house as they live in a similarly designed house to her friend.
	Evaluate classical conditioning as an explanation of Michelle's fear.

You must make reference to the context in your answer.	
	(12)






(Total for Question 11 = 12 marks)



12 In your studies of biological psychology and learning theories and development you will have learned about the following studies in detail:	ı
Brendgen et al. (2005)	
Skinner (1948) Superstition in the pigeon.	
Evaluate Brendgen et al. (2005) and Skinner (1948) in terms of ethical considerations	5
and reliability.	(16)
	(10)







89		
		\bowtie
$\Diamond \Diamond$		\times
88	0	X
\otimes		
83		X
\otimes		\bowtie
\otimes	\approx	
88	\otimes	\otimes
		\otimes
88	V.,	
\otimes	3.	XX
88	\approx	$\times \times$
	0.0	\times
88		\otimes
\otimes		\otimes
\otimes	×	X
\otimes	\times	X
\otimes	40	
\otimes	×	\otimes
**	Þ	
88	J	X
93		
∞i	Þ	X
\bowtie	\times	~~
\otimes		\times
\otimes		\otimes
\otimes	\otimes	\otimes
$\overset{\times}{\otimes}$		\approx
88		88
$\langle \rangle$		X
\otimes		\approx
$\times\!\!\times$	\propto	\times
$\times\!\!\times$		
\otimes	$\times\!\!\times$	\otimes
	\otimes	\times
\otimes	\otimes	$\overset{\times}{\times}$
\otimes	\approx	\approx
\otimes		\otimes
\otimes	\otimes	
X	W,	\otimes
\otimes		
88	×	\otimes
紁	Ž	S
88		
	0	$\Diamond \Diamond$
88	\approx	\otimes
\otimes	\otimes	$\times \times$
⋘		\otimes
\otimes		\otimes
88	\approx	\otimes
\propto	δâ	X
\otimes	\times	\otimes
\otimes		
₩		\otimes
\bigotimes		\bowtie
		\otimes
		\otimes
\otimes		$\overset{\otimes}{\times}$
92		$\overset{\otimes}{\times}$
\otimes		
\otimes		
\otimes		
	TEIS ARBA	
	THIS AREA	
	TEIS AREA DO NOT W	
	THIS AREA	

/= . 1 <i>(</i>	
(Total for Question 12 = 16 marks)	
TOTAL FOR SECTION C. 20 MARKS	
TOTAL FOR SECTION C = 28 MARKS TOTAL FOR PAPER = 96 MARKS	



BLANK PAGE



BLANK PAGE

