Centre Number			Candidate Number		
Surname					
Other Names					
Candidate Signature					

A	Q	A	
/7	W	/7	

General Certificate of Education Advanced Level Examination June 2014

Applied Science

SC11

Unit 11 Controlling Chemical Processes

Monday 9 June 2014 1.30 pm to 3.00 pm

For this paper you must have:

- a pencil
- a ruler
- a calculator.

Time allowed


1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show the working of your calculations.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.
- You will be marked on your ability to
 - use good English
 - organise information clearly
 - use specialist vocabulary where appropriate.
- You are expected to use a calculator where appropriate.






	Answer all questions in the spaces provided.
1	Aluminium and its alloys have many different uses including aircraft construction and making drinks cans and overhead power cables.
1 (a)	The extraction of aluminium is a continuous process. Many continuous processes are more economical than batch processes.
1 (a) (i)	What is meant by a continuous process? [2 marks]
1 (a) (ii)	What is meant by a batch process? [2 marks]
1 (a) (iii)	Give one example of a situation where a batch process would be considered more useful than a continuous process. Explain the reason for your choice. [2 marks]
	Example
	Reason



1 (b) Aluminium is extracted from its ore using electrolysis. A diagram of one type of cell used is shown in **Figure 1**.

Figure 1



	Explain what electrolysis is and what it does. [2 marks]
	[2 marks]
1 (c) (i)	Chemical engineers consider costs when developing industrial processes. Electricity is a direct cost in the extraction of aluminium.
	Explain what is meant by a direct cost .
	[2 marks]
	Ougstion 4 continues on the next ness
	Question 1 continues on the next page



Indirect cost Capital cost Capital cost (d) (i) Balance this half equation for the reaction that occurs at the carbon anode in Figure 1: [2 marks] C(s) + O²⁻(l) → CO₂(g) + e⁻ (d) (ii) The electrolysis reaction involves reactants and products in different states. What term describes a reaction of this type? [1 mark] (d) (iii) The carbon anodes have to be replaced periodically. Suggest why. [1 mark] (1 (d) (iv) Give the oxidation states of carbon in carbon dioxide and in carbon. [2 marks] carbon dioxide carbon	1 (c) (ii)	Identify one indirect cost and one capital cost in the extraction of aluminium.	[2 marks]
1 (d) (i) Balance this half equation for the reaction that occurs at the carbon anode in Figure 1: [2 marks] C(s) + O ²⁻ (l) \rightarrow CO ₂ (g) + e ⁻ 1 (d) (ii) The electrolysis reaction involves reactants and products in different states. What term describes a reaction of this type? [1 mark] 1 (d) (iii) The carbon anodes have to be replaced periodically. Suggest why. [1 mark] 1 (d) (iv) Give the oxidation states of carbon in carbon dioxide and in carbon. [2 marks] carbon dioxide carbon		Indirect cost	
C(s) + O ²⁻ (l) → CO ₂ (g) + e ⁻ 1 (d) (ii) The electrolysis reaction involves reactants and products in different states. What term describes a reaction of this type? [1 mark] 1 (d) (iii) The carbon anodes have to be replaced periodically. Suggest why. [1 mark] 1 (d) (iv) Give the oxidation states of carbon in carbon dioxide and in carbon. [2 marks] carbon dioxide carbon		Capital cost	
1 (d) (ii) The electrolysis reaction involves reactants and products in different states. What term describes a reaction of this type? [1 mark] 1 (d) (iii) The carbon anodes have to be replaced periodically. Suggest why. [1 mark] 1 (d) (iv) Give the oxidation states of carbon in carbon dioxide and in carbon. [2 marks] carbon dioxide carbon 1 (d) (v) What type of reaction is the production of aluminium from aluminium oxide?	1 (d) (i)	Balance this half equation for the reaction that occurs at the carbon anode in	_
What term describes a reaction of this type? [1 mark] (d) (iii) The carbon anodes have to be replaced periodically. Suggest why. [1 mark] (d) (iv) Give the oxidation states of carbon in carbon dioxide and in carbon. [2 marks] carbon dioxide		$C(s)$ + $O^{2-}(I)$ \longrightarrow $CO_2(g)$ + e^-	
Suggest why. [1 mark] 1 (d) (iv) Give the oxidation states of carbon in carbon dioxide and in carbon. [2 marks] carbon dioxide carbon 1 (d) (v) What type of reaction is the production of aluminium from aluminium oxide?	1 (d) (ii)		[1 mark]
Suggest why. [1 mark] 1 (d) (iv) Give the oxidation states of carbon in carbon dioxide and in carbon. [2 marks] carbon dioxide carbon 1 (d) (v) What type of reaction is the production of aluminium from aluminium oxide?			
carbon dioxide carbon	1 (d) (iii)		[1 mark]
carbon dioxide carbon			
carbon dioxide carbon			
carbon 1 (d) (v) What type of reaction is the production of aluminium from aluminium oxide?	1 (d) (iv)	Give the oxidation states of carbon in carbon dioxide and in carbon.	[2 marks]
1 (d) (v) What type of reaction is the production of aluminium from aluminium oxide?		carbon dioxide	
		carbon	
	1 (d) (v)	What type of reaction is the production of aluminium from aluminium oxide?	[1 mark]

2	Organic research chemists develop synthetic pathways for many different compounds. N-methylethanamide is a compound that is used in the production of pharmaceuticals and as an additive for concrete. It can be produced by the reaction of ethanoyl chloride with methylamine:
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
2 (a) (i)	Calculate the relative molecular masses, M_r , of ethanoyl chloride and N-methylethanamide. (Relative atomic masses: C = 12, N = 14, O = 16, Cl = 35.5, H = 1) [2 marks]
	CH ₃ COCI
	$M_r = \dots$ $CH_3CONHCH_3 \dots M_r = \dots$
	<i>M</i> _r –
2 (a) (ii)	Calculate the mass of N-methylethanamide produced when 50 kg ethanoyl chloride is reacted with an excess of methylamine. Assume that a 100% yield is achieved.
2 (a) (ii)	
2 (a) (ii)	reacted with an excess of methylamine. Assume that a 100% yield is achieved. Give the correct unit in your answer.
2 (a) (ii)	reacted with an excess of methylamine. Assume that a 100% yield is achieved. Give the correct unit in your answer.
2 (a) (ii)	reacted with an excess of methylamine. Assume that a 100% yield is achieved. Give the correct unit in your answer. [3 marks]
2 (a) (ii)	reacted with an excess of methylamine. Assume that a 100% yield is achieved. Give the correct unit in your answer. [3 marks]
2 (a) (ii)	reacted with an excess of methylamine. Assume that a 100% yield is achieved. Give the correct unit in your answer. [3 marks]
2 (a) (ii)	reacted with an excess of methylamine. Assume that a 100% yield is achieved. Give the correct unit in your answer. [3 marks]
2 (a) (ii)	reacted with an excess of methylamine. Assume that a 100% yield is achieved. Give the correct unit in your answer. [3 marks]
2 (a) (ii)	reacted with an excess of methylamine. Assume that a 100% yield is achieved. Give the correct unit in your answer. [3 marks]



2 (b) Development chemists must assess the risks presented by products as well as reactants.

Hydrogen chloride is a corrosive gas. Suggest a suitable safety precaution to take when working with hydrogen chloride.

[1 mark]

2 (c) Enthalpy changes must also be considered when deciding on synthetic pathways. Mean bond enthalpies can be used to calculate enthalpy changes.

The reaction of ethanoyl chloride with methylamine is shown below.

ethanoyl chloride methylamine

N-methylethanamide

hydrogen chloride

[4 marks]


Use the mean bond enthalpy data in **Table 1** to calculate the enthalpy change when 1 mole of N-methylethanamide is made from ethanoyl chloride and methylamine.

Table 1

	C-C	C=O	C-CI	H-CI	С-Н	C-N	N-H
Mean bond enthalpy / kJ mol ⁻¹	346	740	339	431	413	305	390

Enthalpy change = kJ mol⁻¹

2 (d) The reaction profile for another reaction is shown in **Figure 2**.



Reaction pathway

2 (d) (i) Add the appropriate label to the *y*-axis on **Figure 2**. Also label the reactants, the products and the activation energy on **Figure 2**.

[3 marks]

2 (d) (ii) Energetically, what type of reaction is this?

[1 mark]


14

Turn over for the next question



- 3 Methanol, CH₃OH, is a useful starting material for many chemical processes as well as being a fuel.
- **3 (a)** A student did an experiment to determine the enthalpy of combustion of methanol. The apparatus she used is shown in **Figure 3**.

Figure 3



The results of her experiment are shown in Table 2.

Table 2

Mass of spirit burner and methanol before experiment	56.86 g
Mass of spirit burner and methanol after experiment	54.93 g
Mass of water	150.00 g
Temperature of the water before experiment	23 °C
Temperature of the water after experiment	81 °C

	What is the temperature rise of the water in this experiment?				
[1 mark]	·	() ()			
°C					



3 (a) (ii)	Calculate the heat energy transferred to the water in this experiment. Give the correct unit in your answer.
	(Specific heat capacity of water = 4.2 J g ⁻¹ °C ⁻¹)
	[4 marks]
	Heat energy transferred =
2 (-) (:::)	The relative melecular mass M. of methanel is 22
3 (a) (III)	The relative molecular mass, M_r , of methanol is 32. Calculate the number of moles of methanol burned in this experiment.
	[2 marks]
	Number of moles of methanol =
3 (a) (iv)	Use your answers to parts (a)(ii) and (a)(iii) to calculate the experimentally determined
3 (a) (iv)	enthalpy of combustion for methanol.
	[2 marks]
	Enthalou of combustion = k l mal ⁻¹
	Enthalpy of combustion =kJ mol ⁻¹
	Question 3 continues on the next page



3 (b)	Industrial chemists must take into account many factors when considering different ways of producing methanol.

Methanol can be prepared in two stages from methane and steam:

Stage 1:
$$CH_4(g) + H_2O(g) \rightleftharpoons CO(g) + 3H_2(g)$$
 $\Delta H = +206 \text{ kJ mol}^{-1}$

Stage 2:
$$CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$$
 $\Delta H = -91 \text{ kJ mol}^{-1}$

The reactions in both stages are reversible and so a dynamic equilibrium can be established.

3 (b) (i)	What is a reversible reaction?	[1 mark]
3 (b) (ii)	What condition is required for a dynamic equilibrium to be established?	[1 mark]
3 (b) (iii)	Write an expression for the equilibrium constant, \mathcal{K}_{c} , for the reaction in Stage	1. [2 marks]




3 (b) (iv)	Reaction conditions must be controlled carefully to get the best yield. State and use Le Chatelier's principle to explain the effect of increasing the temperature in Stage 1 on the yield of carbon monoxide and hydrogen.
	You will be assessed on the quality of written communication in your answer. [5 marks]
	Extra space (if needed)
	Question 3 continues on the next page



3 (c)	The enthalpy change of combustion of methanol can be calculated using enthalpy data and Hess's law.			
3 (c) (i)				2 marks]
3 (c) (ii)	Use the enthalpies of combustion given in Table 3 and the overall enthalpy change for Stage 2, shown below, to calculate the enthalpy of combustion of methanol.			inge for
	Stage 2: $CO(g) + 2H_2(g) \rightleftharpoons CH_3OH(g)$ $\Delta H = -91 \text{ kJ mol}^{-1}$			nol ⁻¹
	Table 3			
	Substance	Hydrogen	Carbon monoxide	
	Enthalpy of combustion (kJ mol ⁻¹)	-286	-283	
			[4	4 marks]
	Enthalpy	of combustio	n =	kJ mol ⁻¹
				[







4	Research chemists often study rates of reactions to discover information about how particles collide.			
4 (a)	The reaction between bromide ions and bromate ions in acid solution is:			
	5Br ⁻ + BrO ₃ ⁻ + 6H ⁺ → 3Br ₂ + 3H ₂ O bromide bromate hydrogen bromine water ions ions			
	The reaction is first order with respect to bromide ions, first order with respect to bromate ions and second order with respect to hydrogen ions.			
4 (a) (i)	Write the rate equation for this reaction. [3 marks]			
4 (a) (ii)	What is the overall order of the reaction? [1 mark]			
4 (a) (iii)	Explain what second order means. [2 marks]			
4 (a) (iv)	What would happen to the rate of the reaction if the concentration of bromide ions were halved?			
	[1 mark]			



4 (b)	Industrial chemists often use catalysts as well as reactants.
4 (b) (i)	Explain what is meant by a reactant . [1 mark]
4 (b) (ii)	Explain what is meant by a catalyst. [2 marks]
4 (c)	Use the idea of activation energy to explain how a catalyst works. [3 marks]

13

Turn over for the next question



5	An analytical chemist wants to check the enthalpy of neutralisation of hydrochloric acid by sodium hydroxide. He plans to use only laboratory apparatus that would be available in a school.		
5 (a)	List the apparatus you would expect the chemist to use. [3 marks]		



5 (b)	Describe how the analytical chemist would use the apparatus to check the enthalpy of neutralisation of hydrochloric acid by sodium hydroxide.		
	You will be assessed on the quality of written communication in your answer. [5 marks]		
	Extra space (if needed)		
	Question 5 continues on the next page		



5 (c)	Suggest two ways that the analytical chemist could ensure that the results of his experiment were valid.	
	[2 marks]	
	1	
	2	
		_

END OF QUESTIONS



