Version 1.0: 1207

ASSESSMENT and QUALIFICATIONS ALLIANCE

General Certificate of Education

Biology 5411

Specification A

BYA2 Making Use of Biology

Mark Scheme

2008 examination - January series

For Confidential Packs

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales (company number 3644723) and a registered charity (registered charity number 1073334).
Registered address: AQA, Devas Street, Manchester M15 6EX *Dr Michael Cresswell Director General*

Question 1

(a) (i) Nucleus; 1

(ii)

Statement	DNA Replication	Transcription
Involves mRNA synthesis	✖	✓
Requires free nucleotides	✓	✓
Involves complementary base pairing	✓	✓

2

1 mark for each correct column
Mark blank spaces and hybrid tick-crosses as incorrect

(b) 12 000;
1 deoxyribose per nucleotide/base; 2

Total 5

Question 2

(a) Interphase/S-(phase)/synthesis; 1

(b) (i) B;
Acts during DNA replication; 2
Ignore reference to wrong named stage

(ii) This is when chromosomes/ chromatids are separating;
Pulled by spindle fibres; 2

Total 5

Question 3

(a)		Three bases code for one amino acid; Determine sequence of bases/ codons needed Synthesise DNA with correct base-sequence/ codons; Second strand complementary to first/ DNA codons complementary to RNA codons;	3 max
(b)	(i)	Protein/immunoglobin; Made by plasma cell/ B cell; Specific to one antigen;	2 max
	(ii)	Macrophage presents antigen; B-cell activated/ clonal selection; Divide/clonal expansion; Produces plasma cells; Plasma/ B cells make specific antibodies;	4 max
			Total 9

Question 4

(a)	(i)	Joins inserted DNA to host DNA;	1
	(ii)	Contains inserted gene/ gene from other organism; Vector/carries gene into (microbial) cells;	2
	(iii)	Distinguishes modified microbial <u>cells</u> from non-modified cells;	1
(b)		Reference to aseptic/sterile conditions; Nutrient medium; Suitable pH/temperature/aeration;	3
			Total 7

Question 5

(a)	FSH causes follicles to develop; These produce oestrogen;	2
(b)	Causes ovulation;	1
(c)	Oestrogen not produced; Oestrogen inhibits FSH;	2
		Total 5

Question 6

(a) Method of separating cells/removing fungus, e.g. filtration/centrifugation;
Method of concentrating enzyme, e.g. evaporation, crystallisation; 2

(b) (Made of protein, therefore) biodegradable;
Avoids use of polluting chemicals/ not toxic;
Works at low temperatures;
Specific (to one reaction)/ no unwanted byproducts; 2 max

(c) More stable at high temperatures/pH changes;
Can be separated from product;
Can be used over and over again;
Can be used in a continuous process; 3 max

Total 7

Question 7

(a) (To increase amount) for analysis/because you would only get a small quantity/ degrades over time; 1

(b) Nucleotides;
(DNA) polymerase; 2
Accept two different named nucleotides

(c) Primers have specific sequence;
Join to mammoth DNA specifically/other DNA has different sequence; 2

(d) Find DNA base sequence;
Compare;

OR

Single-stranded DNA;
Compare degree of base pairing;

OR

Carry out genetic fingerprinting;
Compare banding pattern; 2

Total 7

Question 8

(a) *Sorghum*

1 Thick waxy cuticle;
2 Sunken stomata;
3 Reduces water loss;
4 Adult/embryo plants tolerate high temperatures;

Both

5 Special kind of photosynthesis/C4;
6 Allows photosynthesis when stomata closed/more efficient at high temperatures;
7 Dense/wide root system; *accept 'deep' only in relation to sorghum*
8 Allows water to be collected from large area;
9 Rolling of leaves;
10 Reduces water loss (if not given already); 6 max

(b) (i) 5.6 tonnes ha^{-1};
Line of best fit/credit suitable annotation of script; 2

(ii) Correlation does not prove cause;
Data from different plots/different conditions;
Named variable not controlled; 3

(c) (i) 86 ***OR*** 86.4 ***OR*** 86.36%;; 2
Allow 1 mark for 8.2-4.4

(ii) Different crops need different amount of nitrogen/ fertiliser;
May stimulate growth of leaves more than grain in some crops;
Other nutrients not taken into consideration; 2 max

Total 15

Question 9

(a) Lack of natural predators/good food supply; 1

(b)
1 DNA splits / separates / hydrogen bonds break;
Accept unzips
2 Make mRNA/ use RNA nucleotides;
3 Via RNA polymerase;
4 Complementary sequence / eq.;
5 Introns/junk/non-coding DNA spliced out;
Maximum of 4 marks from points 1-5

6 mRNA joins to ribosome;
Accept travels to ribosome
7 tRNA carries a specific amino acid;
8 Codon-anticodon relationship / explained;
9 Peptide bonds form between amino acids; 6 max

(c) (i)

	Sequence of bases					
Aromatase gene	T	G	G	C	A	T
mRNA produced from aromatase gene	**A**	**C**	**C**	**G**	**U**	**A**
Extra piece of DNA	**A**	**C**	**C**	**G**	**T**	**A**
mRNA produced by extra piece of DNA	U	G	G	C	A	U

3

2 marks for mRNA row but only 1 if T instead of U
1 mark for DNA row

(ii) mRNA of inserted gene binds to mRNA of aromatase gene;
Aromatase mRNA cannot bind to ribosome;
No translation of aromatase; 3

(d) (All released fish male) mate with normal females;
Pass on inserted gene;
All offspring male/no female offspring;
Reduces females in population (and thus breeding potential); 2 max

Total 15