

General Certificate of Education

Biology 6416

Specification B

BYB8/A Behaviour and Populations

Mark Scheme

2008 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2008 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Question 1

(a) (i) Damage to endothelium / lining of artery;

Cholesterol / LDLs / fats;

Enter artery wall / build up on artery wall;

Occurs if body has higher LDL:HDL ratio;

Plaque becomes fibrous / calcified;

2 max

(ii) Less metabolism of fats / fats not broken down;

Increases LDL / decreases HDL;

1 max

(iii) High cholesterol / high (saturated) fat in diet / obesity;

High salt in diet;

High blood pressure;

Genetic factors;

Smoking;

Diabetes;

Age / menopause in women;

(Accept scar tissue in endothelium)

2 max

(b) (Atheroma / blood clot) blocks artery; Insufficient oxygen / blood to heart <u>muscle</u>;

2

Total 7

Question 2

(a)

	Combined pill
Frequency of use	Every day / 21 out of 28 days;
Effect on FSH secretion	Decreases / inhibits;
Effect on ovulation	Stops (<u>Not decreases</u>);

;3

(b) Embryo less likely to implant;

Rate of development of uterine endometrium decreases / Endometrium too thin or not vascular / embryo development and endometrium development do not correspond;

2

2

(c) (Splitting results in) genetically identical offspring or clones / conventional leads to variation;

Reason – e.g. reference to role of mitosis/meiosis or formed from one zygote;

Question 3

(a) Bacteria airborne / bacteria present in small water droplets (in air);

(b) <u>Description (1 mark)</u>

Decreased percentage vaccination leads to increased cases of whooping cough;

+ Explanation (2 marks)

Fewer children immune / decreased ability to produce memory cells;

Lower antibody production;

Bacteria not destroyed, so disease develops;

More likely / higher probability of coming into contact with infected person;

(c) Herd immunity;

90 - 95% of population vaccinated;

Lower chance of (unvaccinated babies / babies under 3 months) coming in contact with bacteria / infected people;

OR

0 cases of whooping cough (in 2000) / 30,000 cases of whooping cough (in 1980):

No source of infection / greater chance of infection;

2 max

3 max

Total 6

Question 4

(a) (i) <u>Habituation;</u>

1

1

- (ii) Less energy wasted / greater ability to respond to new stimuli / does not respond to harmless stimuli;
- (b) Transmitter produces impulse / action potential (in motor neurone) or binding of transmitter (to post-synaptic membrane) causes change in charge (across membrane) / depolarisation;

Lower amount of transmitter stops threshold for nerve impulse or action potential being reached / EPSP not at threshold;

No impulse / action potential produced in motor neurone;

No transmitter released at neuromuscular junction;

So no contraction of (gill) muscle;

3 max

Question 5 (a) (i) Higher proportion of (more) muscle / lower proportion of (less) fat; 1 (ii) (Tall people have) larger surface area to volume ratio; So greater heat loss; High BMR to maintain body temperature; 2 max 1 (iii) Thyroxine / growth hormone; (b) Decreased / less oxygen uptake (into blood / body); Thicker walls increased diffusion path / reduced diffusion gradient; (Decreased elasticity causes) less air in lungs renewed / smaller ventilation, so reducing diffusion gradient; (In muscles) reduces ability to contract / move / reduces (aerobic) respiration; 3 max Total 7 **Question 6** (a) Limited amount of food can be collected (in unit time) / animal can only consume so much food (per unit time); More time defending territory; Less time foraging; 2 max (b) Increased muscular activity / named activity; Increased respiration; 2 1 (c) (i) When energy loss = energy gain; 1 Maximum difference between energy gain and loss; (ii) (d) Uninterrupted courtship / mating / raising of young or more successful breeding; Predation / disease less likely: 2

Question 7

(a) (Receptor) proteins different / specific shape;

Due to tertiary structure;

Complementary nature of two proteins;

Different proteins present in different species;

2 max

(b) (i) Acrosome / acrosome reaction;

Releases enzymes / named enzyme (hyaluronidase);

Digests outer layer of egg / zona pellucida;

Fusion of egg and sperm membranes;

3 max

(ii) Formation of fertilisation membrane / cortical reaction (or described) / destruction of ZP3 receptors;

1

(c) ATP formed directly from Krebs cycle;

Production of reduced NAD / FAD or hydrogen attached to NAD / FAD;

 H^{\dagger} or electrons passed through series of coenzymes / carriers / redox reactions / electron transport chain;

Energy released in transfer / energy made available;

Used to combine ADP and phosphate (to form ATP);

4 max

(Allow H⁺ moved across inner mitochondrial membrane and pass through stalked particles forming ATP)