## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

## MARK SCHEME for the May/June 2011 question paper for the guidance of teachers

## 9700 BIOLOGY

9700/42

Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	42

## Mark scheme abbreviations:

; separates marking points

I alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

**AW** alternative wording (where responses vary more than usual)

<u>underline</u> actual word given must be used by candidate (grammatical variants excepted)

max indicates the maximum number of marks that can be given

ora or reverse argument

**mp** marking point (with relevant number)

ecf error carried forward

I ignore

**AVP** Alternative valid point (examples given as guidance)

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	42
2. 3. 4. 5. 6. 7.	cools drying up; cools, affected by the sea / more salty; disease / parasite, (causing high death rate); changes to sand dunes; e.g. by humans or natural causes ncrease in predators; decrease in food; named pollution; e.g. acid rain affecting pH of pools named human activity; e.g. taking toads / road kill / food for		[3 max]
<b>(b)</b> 616 <i>allov</i>	or 617 ;; one mark for working if incorrect answer		[2]
` , `,	dea of feeding on other organisms; to obtain organic compounds;		[2]
(ii)	animalia <b>and</b> fungi ;		[1]
(d) peop or	le more interested in vertebrates		
verte	brates, larger / more visible ;		[1]
			[Total: 9]
2.	(solutions of) alginate and enzyme mixed; droplets (of mixture) into calcium chloride (solution); to produce beads;		[2 max]
2. 3.	dea of easier purification of product; enzyme, can be reused / is not lost / has longer shelf life; allows continuous culture; cheaper;		2 max
2. 3. <i>expl</i> : 4. 5. 6. 7.	ription mmobilised papain more active / papain in solution less active of difference above 30°C; comparative figs; e.g. values of activity for <b>both</b> at any <b>or</b> anation (inert support) protects enzyme; <b>A</b> beads certiary structure / 3D structure / active site, (of the enzyme ess denaturation; H bonds, vibrate less / less easily broken; pt ora for mp4-mp7	<b>ne</b> temperature a	•

1

2

[Total: 8]

Paper
42

- (a) A germinai epitnelium;
  - B theca / wall of follicle;
  - C follicle cells / granulosa cells / corona radiata;

D - oocyte; R ovum / egg

- **(b)** 1. (progesterone / oestrogen), reduce the production of, FSH / LH;
  - negative feedback;
  - 3. to, hypothalamus / anterior pituitary;
  - 4. idea of lack of <u>FSH</u> prevents maturation of follicle;
  - 5. lack of LH prevents ovulation;
  - 6. cervical mucus, thick / hostile to sperm;
  - 7. thin uterine lining prevents implantation;

[4 max]

[4]

- (c) (i) 1. blocking gene means no, ZP3 / receptor (for sperm);
  - 2. because no, transcription / translation / protein synthesis;
  - 3. sperm (head) has complementary shape to, ZP3 / receptor;
  - 4. fertilisation cannot occur;
  - 5. because sperm cannot bind (to oocyte);

[3 max]

- (ii) 1. idea of giving unwanted side effects;
  - 2. example; any one from

nausea

mood swings

high blood pressure

risk of blood clots

headaches

weight gain

increased risk of breast cancer

3. to maintain natural hormone balance

because pill may reduce subsequent fertility;

[2 max]

- (iii) 1. only oocytes affected / no other cells affected;
  - ref. unknown / undesirable, effects elsewhere in the body;

[Total:15]

[2]

	Pa	ge 5	5	Mark Scheme: Teachers' version	Syllabus	Paper
				GCE AS/A LEVEL – May/June 2011	9700	42
4	(a)	(i)	1. 2. 3. 4. 5.	hybrid vigour; increased heterozygosity / decreased homozygosity; increases gene pool / AW; harmful recessive alleles less likely to be expressed / reincreased yield; other named useful characteristic; e.g. disease resista		
		(ii)	hig	n cost (of seed) / farmers must buy new seed each yea	r;	[1]
	(b)	(i) (ii)	2. 3. 4. 1. 2. 3. 4. 5.	stomata closed; to reduce transpiration / to avoid too much loss of water so carbon dioxide cannot enter the leaf; so carbon dioxide concentration (in leaf / in chloroplast RuBP / rubisco / Calvin cycle, present in bundle sheatly which are tightly packed; which are not in contact with air (spaces); so are not exposed to oxygen; CO <sub>2</sub> / malate, delivered to bundle sheath cells;	t) becomes very	low; [3 max]
			6. 7.	from mesophyll (cells); (so) CO <sub>2</sub> concentration in bundle sheath cells always h	nigh;	[4 max]
	(c)	(i)	1. 2. 3. 4.	${\rm CO_2}$ concentration (in bundle sheath cells) is always h ${\rm CO_2}$ not limiting; another factor / light intensity / temperature, limiting; no photorespiration;	igh ;	[2 max]
		(ii)	1. 2.	idea of change in temperature; affects, light independent / light dependent, stage (of p	photosynthesis) ;	;

**or** 3.

idea of change in light intensity;

affects light dependent stage (of photosynthesis);

[Total: 15]

[2]

			OCE ASIA ELVEL - May/oune 2011 3700 4	T
5	(a)	2. 3. 4.	higher yields / more crop survives; less need to use pesticides / crop pest-resistant; (reduced pesticide use) may benefit other organisms in the same environment; less risk of harm to humans, from spray drift / from pesticide residues on food; ore refs to cost	[2 max]
	(b)	•	ting Bt maize) reduces growth rate; compared to 0.7 / difference of 0.1;	[2]
	(c)	1. 2. 3.	experiments done in laboratory and not in the ecosystem / AW; predicts what could happen if Bt toxin conc. increases in the future; may not (normally) feed on pollen;	[2 max]
	(d)	1. 2. 3. 4.	such results likely to have a negative effect on public perception (of GM crops) / A might reduce work for researchers in this area; might reduce income of companies (producing GM crops); increased use of pesticides;	AW ; [1 max]
6	(a)	(i)	decarboxylation;	[1]
		(ii)	dehydrogenation / oxidation;	[1]
		(iii)	substrate level phosphorylation;	[1]
	(b)		reduced NAD; A NADH etc. oxaloacetate;	[2]
	(c)	1. 2. 3. 4. 5. 6. 7. 8. 9.	hydrogens split into protons and electrons; electrons pass along ETC; energy released used to pump protons; (from matrix) to intermembrane space; inner membrane impermeable to protons; proton gradient forms; protons move down gradient; through ATP, synthase / ATP synthetase; R ATPase enzyme rotates; ATP produced;	[5 max]

Mark Scheme: Teachers' version

GCE AS/A LEVEL - May/June 2011

**Syllabus** 

9700

Paper

42

Page 6

[Total: 10]

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	42

7 (a)

nuclear division	letter of stage
	В
	E
meiosis I	J
11100010 1	Н
	F
	D
	G
meiosis II	I
111010313 11	С
	Α

```
EJHF all in meiosis I;
EJHF in correct order;
GICA all in meiosis II;
GICA in correct order;
```

[4]

- (b) 1. chiasma / crossing over;
  - 2. between <u>non-sister</u> chromatids;
  - 3. homologous chromosomes / bivalents ; in correct context of mp1 or mp8
  - 4. in prophase I;
  - exchange of genetic material / AW;
  - 6. linkage groups broken;
  - 7. new combination of <u>alleles</u>;
  - 8. <u>independent</u> assortment; **R** random assortment
  - 9. in metaphase I;
  - 10. detail of independent assortment;
  - 11. AVP; e.g. possible mutation

[5 max]

[Total: 9]

8 reproductive;
 constant / stable / AW;
 variation;
 alleles;
 gene;

[5]

[Total: 5]

Page 8		Mark So	heme: Teachers' version	Syllabus	Paper
		GCE AS/	A LEVEL – May/June 2011	9700	42
(a)	2. in, ba 3. exan triplet cod 4. (seq 5. com	taneous / random ase sequence / nu nple ; e.g. addition de	ucleotide sequence / mRNA coon / insertion / substitution / deleted NA nucleotide) bases; NA codon;		4 ma
(b)		phenotypes	man without HD	woman with HD	
	parental	genotypes	tt	Tt	
	gametes		all t	T or t;	
	offspring	genotypes	Tt	tt	
	offspring	phenotypes	Huntington's disease	normal ;	
	probabilit	y of first child hav	ring D 50% / 0.50 / 1 in 2;		[3
					[Total: 7

- 10 (a) 1. (photosynthetic pigments) arranged in light harvesting clusters;
  - 2. primary pigments / chlorophyll a;
  - 3. at reaction centre;
  - 4. P700 / PI, absorbs light at 700nm;
  - 5. accessory pigments / chlorophyll b / carotenoids;
  - 6. surround, primary pigment / reaction centre / chlorophyll a;
  - 7. <u>absorb</u> light ;
  - 8. pass energy to, primary pigment / reaction centre / chlorophyll a;
  - 9. (light absorbed results in) electron excited / AW;
  - 10. emitted from, chlorophyll / primary pigment / reaction centre;
  - 11. passes to electron, acceptor / carrier;
  - 12. (electron) passes along, chain of electron carriers / ETC;
  - 13. ATP (synthesis);
  - 14. electron returns to, P700 / PI;

[8 max]

- (b) 15. photolysis of water;
  - 16. releases H<sup>+</sup>; **R** H / hydrogen atoms
  - 17. by, P680 / PII;
  - 18. e<sup>-</sup> released from, P700 / PI;
  - 19. e<sup>-</sup> (from PI) and H<sup>+</sup> combine with NADP;
  - 20. used in Calvin cycle;
  - 21. reduces, GP / PGA;
  - 22. to TP;
  - 23. ATP used (during reduction of GP);
  - 24. NADP, regenerated / oxidised;

[7 max]

[Total: 15]

Page 9	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2011	9700	42

- 11 (a) accept ABA for abscisic acid
  - 1. stress hormone;
  - 2. plant secretes ABA in, high temperatures / dry conditions;
  - 3. ABA binds to receptors;
  - 4. on plasma membranes of guard cells;
  - 5. inhibits proton pump / H<sup>+</sup> not pumped out of cell;
  - 6. high H<sup>+</sup> conc / positive charge, inside cell;
  - 7. K<sup>+</sup> diffuses out of cell;
  - 8. water potential of cell increases; A increase in solute potential
  - 9. water moves out of cell by osmosis;
  - 10. volume of guard cells decreases;
  - 11. guard cells become flaccid;
  - 12. response very fast;

[8 max]

- (b) 13. (barley) seed is, dormant / metabolically inactive;
  - 14. seed absorbs water;
  - 15. embryo produces gibberellin;
  - 16. gibberellin stimulates aleurone layer;
  - 17. to produce amylase;
  - 18. amylase hydrolyses starch;
  - 19. in endosperm;
  - 20. to maltose / glucose;
  - 21. embryo uses sugars for respiration;
  - 22. energy used for growth;
  - 23. gibberellins affect, gene / transcription of mRNA, coding for amylase; [7 max]

[Total: 15]