www.xirenepalers.com

CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2013 series

9700 BIOLOGY

9700/43

Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	43

Mark scheme abbreviations

; separates marking points

I alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

AW alternative wording (where responses vary more than usual)

<u>underline</u> actual word given must be used by candidate (grammatical variants excepted)

max indicates the maximum number of marks that can be given

ora or reverse argument

mp marking point (with relevant number)

ecf error carried forward

I ignore

AVP Alternative valid point (examples given as guidance)

Page 3	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	43

Question Expected Answers

1 (a) A – <u>palisade</u>, mesophyll/cell/tissue/layer;

B - guard cell;

C – (sub-stomatal) air space;

[3]

- (b) (i) 1. through the stoma(ta);
 - 2. by diffusion/description;
 - 3. from the, atmosphere/air; [max 2]
 - (ii) ribulose bisphosphate; I RuBP

[1]

(iii) reduces/donates hydrogen; **A** H/hydrogen atoms/H⁺ **AND** e⁻ [2]

 $\mathbf{R} \, \mathbf{H}^{+} / \mathbf{H}_{2}$

GP to TP;
A PGA to PGAL

[Total: 8]

2 (a) male mosquitoes do not, bite humans/feed on blood transmit disease OR

only females, bite humans/feed on blood/transmit disease;

I GM male mosquitoes are not infected with the disease

[1]

- (b) 1. easier to, identify/screen;
 - 2. more economical/time saving/labour saving;
 - 3. resistance gene(s) can be passed to other bacteria;
 - idea of antibiotics no longer effective
 OR requiring development of new, antibiotics/treatments;

[max 2]

Page 4	4	Mark Scheme	Syllabus	Paper
		GCE AS/A LEVEL – May/June 2013	9700	43
(c) (i) (ii)	1. pr	uction of tTA causes production of more tTA/AW; comoter, initiates transcription/switches on gene/causes expression/AW;	gene	[1]
		f. binding of, RNA polymerase/transcription factors; herwise gene has to be inserted near an existing promo	iter;	
	4. th	is is difficult to do/this may disrupt expression of existing	g gene;	
	5. in	eukaryotes precise position of promoter important;		[max 3]
(iii)	1. G	M larvae do not die immediately;		
	2. so	gives longer time for tTA, production/build up;		
		o tTA gets into environment (when GM larvae die) and k irvae;	ills non-GM	
	4. so	o (longer-lived larvae) compete with non-GM larvae (for,	food/space);	. 01
	R re	f. to larvae breeding		[max 2]
(d) (i)		hemical A has, similar shape to tTA/complementary shaite;	ape to binding	
		o chemical A binds to, DNA/binding site, AND prevents inding;	tTA from	
		nemical A , binds to/changes shape of, tTA ND so prevents tTA binding to, DNA/binding site;		
	4. st	ops positive feedback/small quantity of tTA does not kill	,	[max 2]
		nemical A , binds to/changes shape of/breaks down, tTA oxic ;	, so no longer	
(ii)		M males, mated/bred; ith GM females		
	2. m	osquitoes fed chemical A ;		

[max 2]

3. males, identified/separated;

4. ref. cloning;

(iii)	1. GM males die if they cannot get chemical A ; 2. (if males mate), their offspring die; 3. only mate with, other <i>A. aegypti</i> /their own species;	[max 2]
(iii)	2. (if males mate), their offspring die;	
	3. only mate with, other A. aegypti/their own species;	
		[Total: 15]
4	mutais rata and dead are all are adjust as a second at a set and a mate (ANA)	
1.	nutrients added and product removed at a steady rate/Avv;	
2.	(so) volume kept constant;	
3.	organism kept at, exponential/log, phase of growth;	[max
1.	(branched fungus tangles together in clumps so) too heavy for bubbles to, lift/stir OR ref. to blocking;	
2.	difficult to, harvest/get desired texture;	
3.	mutant may be, harmful when eaten/toxic/allergenic;	
4.	mutant may produce, distasteful/coloured, substance;	
5.	mutant may be less productive;	
6.	mutant may have high concentration of RNA (which is difficult to lower);	
7.	approval for sale only applies to original strain;	[max
	 3. 1. 3. 4. 6. 	to, lift/stir

(c) 864 kg;

[1]

[Total: 7]

Page 6	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	43

- 4 (a) (i) 1. ATP is made, in the electron transport chain/by oxidative phosphorylation;
 - 2. oxygen is the final electron acceptor;
 - 3. in the, inner membrane of the mitochondrion/cristae;
 - 4. transfer of electron (between electron carriers) provides energy;
 - 5. energy used to pump hydrogen ions (into intermembrane space);
 - 6. creates proton gradient;
 - 7. diffusion of hydrogen ions down their electrochemical gradient causes ATP to be synthesised;
 - 8. ref. chemiosmosis/ATP synthase/stalked particles;
 - 9. idea that if less oxygen (consumed/available) then fewer electrons transferred along the chain;

[max 4]

- (ii) 1. at high temperatures, reactions/enzyme activity/metabolism, faster;
 - 2. because, molecules/enzymes/substrates, have more kinetic energy;
 - 3. more frequent collisions;
 - 4. therefore, respiration/Krebs cycle/electron transport chain/production of reduced NAD, take place at a faster rate;
 - 5. idea of increase in rate of anabolic reactions (requiring more ATP);

[max 3]

- **(b) (i)** 1. oxygen consumed = oxygen inhaled oxygen exhaled;
 - 2. measure oxygen consumption at rest (x) **and** after exercise stops (y);
 - 3. extra oxygen consumed/oxygen debt = y x;
 - 4. measure mass of lizard;

[max 2]

[3]

- (ii) 1. less (oxygen debt)(for Varanus); ora
 - 2. difference is greater at higher temperatures;
 - 3. any two comparative figures at one temperature including units; **A** 102.0 cm³ O₂ kg⁻¹ at 30°C and 40°C

	Mark Scheme Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013 9700	43
(iii)	 Varanus uses, less anaerobic/more aerobic, respiration (when running); 	
	2. more ATP produced per glucose molecule;	
	3. able to run for long time;	
	4. good chance of catching prey;	[max 3
(iv)	assume Varanus throughout 1. larger surface area, in lungs/for gas exchange;	
	more oxygen absorbed into blood (per unit time)/faster rate of gas exchange;	
	3. more oxygen supplied to muscles (so oxygen debt lower);	[max 2
		[Total: 17]
(a) (ii	ndicates that they) have undergone meiosis I;	
	o are, haploid/n ; 23 chromosomes	[2
(b) (i)	water moved out of cells;	
	down water potential gradient/into a more concentrated solution/into a lower water potential;	
	(by) osmosis;	[max 2
(ii)	(B) has, higher survival of oocytes after thawing/more successful fertilisations;	
	supporting figures;	
	these should compare columns 1 or 2 with column 3 or 5 for both A and	10
	these should compare columns 1 or 2 with column 3 or 5 for both A and B raw or manipulated data can be given	[2
(iii)	В	[2
(iii)	raw or manipulated data can be given	[2
(iii)	B raw or manipulated data can be given idea of deferring, fertilisation/implantation; idea of preserving oocytes from a woman who may lose her fertility due	[2 [max 1

					, , , , , , , , , , , , , , , , , , ,	
6 (a)	(i)	A – calcium ions ;	A Ca ²⁺	R calcium/Ca/Ca ⁺	
			B – sodium ions ;	A Na⁺	R sodium/Na	[2]
	(ii)	exocytosis;			[1]
	(i	ii)	depolarisation (of po	ost-synaptic me	embrane)/action potential;	[1]
	(i	v)	1. splits ACh;			
			2. into acetate and o	choline;		
			3. stops continuous	depolarisation	of postsynaptic membrane/AW;	
			4. choline recycled (into presynapt	tic neurone);	[max 3]
(1	b)	bir	nds to/blocks, dopam	ine receptors	(on postsynaptic membrane);	
		pr	events depolarizatior	n (of postsynap	otic membrane);	
		re	duces effect of dopa	mine;		
		R	reduces amount of o	dopamine		[max 2]
(0	c)		f 13 base deletion ıme shift/alters <u>readir</u>	ng <u>frame</u> (after	· mutation);	
		(so	o) all amino acids diff	ferent after mu	utation;	
		3-	D shape/tertiary struc	cture, of protein	n changed;	
		(w	hereas) 21 base-paiı	deletion, lose	es 7 amino acids/no frame shift;	
		(w	hereas) substitution,	may change o	only one amino acid/may be silent;	[max 3]
(0	d)	ind	creased chances of,	survival/breedi	ing/mating;	
		pr	ovides a <u>selective</u> <u>ad</u>	vantage;		
		<u>all</u>	<u>ele</u> passed on (to ne	xt generation);	;	
		all	ele increases in frequ	uency over tim	e;	
		na	tural selection;			[max 3]
						[Total: 15]

Mark Scheme GCE AS/A LEVEL – May/June 2013 Syllabus

9700

Paper 43

Page 8

Page 9	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	43

7 (a) sex-linked

(gene) carried on, one sex chromosome/X, and not on, the other/Y;

gene

section of DNA/sequence of nucleotides/sequence of bases, that codes for a (particular) polypeptide;

[2]

(b) parental tortoiseshell female black male phenotypes

parental X^BX^o genotypes

 $\mathbf{X}^{\mathbf{B}}$

X^BY;

offspring genotypes

gametes

X^BX^B X^BY

XBXO

 X^{B}

Y; X^oY;

offspring black black tortoiseshell orange phenotypes female male female male;

 \mathbf{X}^{o}

[4]

(c) tortoiseshell is heterozygous;

males, heterogametic/only one X chromosome;

(therefore) only one copy of gene/only black or orange allele present;

[max 2]

[Total: 8]

8 (a) 550(%);;

allow one mark for
$$\frac{104 - 16}{16}$$
 (x 100)

[2]

- (b) 1. limiting/density dependent, factors or described;
 - 2. reached carrying capacity/AW;
 - 3. competition/AW;
 - 4. for, food/nesting sites/resources;
 - 5. large population attracts predators;
 - 6. large population spreads disease more easily;

[max 4]

Page 10	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	43

- (c) 1. not many to begin with;
 - 2. are carnivorous;
 - 3. prey numbers fell;
 - 4. slower reproductive rate;
 - 5. more likely to migrate (to other areas);

[max 2]

[Total: 8]

- 9 (a) 1. cultural/aesthetic / leisure, reasons;
 - 2. moral/ethical, reasons; e.g. right to exist/prevent extinction;
 - 3. resource material; e.g. wood (for building)/fibres for clothes/food for humans/(herbal) medicine
 - 4. (eco)tourism;
 - 5. economic benefits;
 - 6. ref. resource / species, <u>may have use in future</u>/AW; e.g. medical use
 - 7. maintains, food webs *I* food chains; **A** description
 - 8. nutrient cycling;
 - 9. protection against erosion;
 - 10. climate stability;
 - 11. maintains, (large) gene pool/genetic variation;
 - 12. scientific research;

[max 7]

Page 11	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	43

- (b) advantages (max 5)
 - 13. can monitor health of mother;
 - 14. can monitor development of foetus;
 - 15. storage of, sperm/eggs/gametes;
 - 16. artificial insemination;
 - 17. IVF;
 - 18. ref. surrogate mothers;
 - 19. international cooperation;
 - 20. genetic records kept;
 - 21. can prevent extinction/extend range of a species/used in restoring ecosystem;

disadvantages (max 5)

- 22. unnatural environment;
- 23. stress in captivity;
- 24. behavioural changes;
- 25. reproductive cycles disrupted;
- 26. may reject selected mate;
- 27. examples of problems with release;;
- 28. difficulty in finding food may not integrate into groups

more susceptible to disease

very little natural habitat left to release animals into

[Total: 15]

[max 8]

Page 12	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	43

- 10 (a) 1. in C3 plants at high temperature rubisco combines with oxygen;
 - 2. less rubisco to combine with CO₂;
 - 3. *in C4 plant such as maize idea of* spatial separation of light-dependent stage from carbon fixation;
 - 4. rubisco/RuBP, in bundle sheath cells;
 - 5. kept away from, oxygen/air;
 - 6. mesophyll cells, absorb CO₂;
 - 7. CO₂ released to combine with RuBP;
 - 8. avoid/reduce, photorespiration;
 - 9. high optimum temperatures of enzymes involved;
 - 10. Calvin cycle can continue;
 - 11.AVP; e.g. CO₂ reacts with PEP PEP carboxylase

[max 7]

Page 13	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	43

- (b) 12. light energy absorbed by chlorophyll;A photosystems/pigments
 - 13. electron, excited/raised to higher energy level;
 - 14. (electron) emitted by chlorophyll;A photosystems/pigments
 - 15. passes to electron, acceptor/carrier;
 - 16. passes along, chain of electron carriers/ETC/Electron Transfer Chain;
 - 17. energy released used to pump protons; I ATP production here
 - 18. into thylakoid space;
 - 19. thylakoid membrane impermeable to protons;
 - 20. proton gradient forms;
 - 21. protons move down gradient;
 - 22. through/using, ATP synthase/ATP synthetase; **R** ATPase
 - 23. enzyme rotates;
 - 24. ATP produced from ADP and Pi;

[max 8]

[Total: 15]