

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

Specimen for 2007

GCE A/AS LEVEL

MARK SCHEME

MAXIMUM MARK: 40

SYLLABUS/COMPONENT: 9700/31

**BIOLOGY
ADVANCED PRACTICAL SKILLS**

Page 2	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – 2007	9700	31

Skill	Total marks	Breakdown of mark expectations		Question 1	Question 2
Manipulation, measurement and observation	16 marks	Successful collection of data and observations	8 marks	2	6
		Decisions relating to measurements or observations	8 marks	4	4
Presentation of data and observations	12 marks	Recording data and observations	4 marks	2	2
		Display of calculation and reasoning	2 marks	1	1
		Data layout	6 marks	4	2
Analysis, conclusions and evaluation	12 marks	Interpretation of data or observations and identifying sources of error	6 marks	2	4
		Drawing conclusions	3 marks	4	0
		Suggesting improvements	3 marks	2	0

MMO = Manipulation, measurement and observation

Collection = Successful collection of data and observations

Decisions = Decisions relating to measurements or observations

PDO = Presentation of data and observations

Recording = Recording data and observations

Display = Display of calculation and reasoning

Layout = Data layout

ACE = Analysis, conclusions and evaluation

Interpretation = Interpretation of data or observations and identifying sources of error

Conclusions = Drawing conclusions

Improvements = Suggesting Improvements

Page 3	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – 2007	9700	31

Question		Sections	Learning outcomes	Indicative material	mark	
1	(a)	MMO Decisions	<ul style="list-style-type: none"> Decide how many tests, measurements or observations to perform Make and record sufficient, accurate measurements and observations Draw conclusions from interpretations of observations, data and calculated values 	2 very simple tests ethanol emulsion, shake = clear AND benedicts + heat = red/orange/yellow (R green); reducing sugar (R glucose/ other unqualified sugar);	1	
		ACE Conclusions			1	
	(b)	(i)	MMO Decisions	<ul style="list-style-type: none"> decide how many tests, measurements or observations to perform make measurements or observations that span the largest possible range within the limits either of the equipment provided or of the instructions given make quantitative measurements or qualitative observations that are appropriately distributed within this range 	for room temperature: at least 2 and not more than 4 readings, each of at least 10 seconds and nor more than 60 seconds;	1

Page 4	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – 2007	9700	31

		(ii)	MMO collection	<ul style="list-style-type: none"> • set up apparatus correctly • follow instructions given in the form of written instructions or diagrams 	data reported as bubbles per unit time for at least two temperatures;	1
			MMO decisions	<ul style="list-style-type: none"> • decide how many tests, measurements or observations to perform • replicate readings or observations as necessary 	decide to investigate three or more temperatures and to replicate readings	1
			MMO collection	<ul style="list-style-type: none"> • make and record sufficient, accurate measurements and observations 	at least three temperatures investigated, and at least two replicate readings made;	1
			PDO recording	<ul style="list-style-type: none"> • present numerical data, values or observations in a single table of results • draw up the table before taking readings/making observations, so that candidates can record directly into the table, to avoid the need to copy up their results • include in the table of results, if necessary, columns for raw data, for calculated values and for deductions • use column headings that include the quantity and the unit (as appropriate) and that conform to accepted scientific conventions 	all data recorded in a single table with appropriate means to record bubbling rate per unit time, replicated, at more than one temperature; column headings that include quantities and unit where appropriate (such as temperature/ $^{\circ}\text{C}$, number of bubbles in 10 seconds);	2
			PDO layout	<ul style="list-style-type: none"> • choose a suitable and clear method of presenting the data, e.g. tabulations, chart, graph, drawing or mixture of methods of presentation 	most data recorded in a table;	1

Page 5	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – 2007	9700	31

	(c)	(i)	ACE interpretation	<ul style="list-style-type: none"> evaluate the effectiveness of control of variables and thus the confidence with which conclusions might be drawn 	no attempt made to control it so not well controlled /distilled water used, so no acid or alkali added, but not well controlled/no buffer added so not well controlled/yeast contains proteins/buffers/weak acids + salts that might help buffer the solution a little;	1
		(ii)	ACE interpretation	<ul style="list-style-type: none"> identify the most significant sources of error in an experiment 	Two from: IDEA OF bubbles might vary in size/ temperature change might cause gas inside tube to change volume/one example of limited accuracy of measuring equipment e.g. syringe/AVP;	1
	(d)	(i)	MMO Decisions	<ul style="list-style-type: none"> replicate readings or observations as necessary (individual readings or observations should be repeated where they appear to be anomalous) 	something has gone wrong with the apparatus / the gas bubbles have leaked out somewhere / AVP (accept reading anomalous / not reliable unqualified) ;	1
		(ii)	PDO display	<ul style="list-style-type: none"> show their working in calculations, and the key steps in their reasoning use the correct number of significant figures for calculated quantities 	4.9 with appropriate working shown; R no working shown R more than two significant figures	1

Page 6	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – 2007	9700	31

	(iii)	PDO layout	<ul style="list-style-type: none"> • select which variable(s) to plot and plot appropriately on clearly labelled x- and y-axes • plot all points or bars to an appropriate accuracy • follow the IOB recommendations for putting lines on graphs 	<p>independent variable (temperature) on x-axis, dependent variable (mean number of bubbles min⁻¹) on y-axis</p> <p>AND axis labels appropriate (accept ecf from table if already penalised in 1 (b) (ii));</p> <p>scale should be chosen so that data spans at least half of the width and height of the grid</p> <p>AND scale appropriate such as 1:10, 1:5 or 1:2 (R awkward scales such as 3:10, 7:10, 8:10) (scale does not need to start at 0);</p> <p>data plotted accurately to within 1 mm, using crosses or circle-with-dot</p> <p>AND points joined with straight ruled lines OR fine curve drawn through the data points, not extrapolated beyond the first or last point;</p>	3
	(e)	ACE Conclusions	<ul style="list-style-type: none"> • draw conclusions from an experiment, giving an outline description of the main features of the data, considering whether experimental data supports a given hypothesis, and making further predictions 	<p>at low temperatures an increase in temperature increases bubbling rate, AND at high temperatures an increase in temperature decreases bubbling rate/AW;</p>	1

Page 7	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – 2007	9700	31

(f)	ACE Conclusions	<ul style="list-style-type: none"> draw conclusions from an experiment, giving an outline description of the main features of the data, considering whether experimental data supports a given hypothesis, and making further predictions 	<p>IDEA OF at low temperatures the data supports the student's hypothesis AND above 48 °C/at high temperatures the hypothesis is not supported/the rate drops as temperature increases; prediction including student's hypothesis for low temperatures PLUS at high temperatures, as temperature increases, the rate of production of gas will decrease/AW;</p>	2
(g)	ACE Improvements	<ul style="list-style-type: none"> suggest modifications to an experimental arrangement that will improve the accuracy of the experiment or the accuracy of the observations that can be made, including the use of new methods or strategies to investigate the question describe such modifications clearly in words or diagrams 	<p><i>accept improvements that would enhance the reliability or accuracy of the experiment – three in outline or one or two explained – could be related to errors identified earlier or others</i> collect gas; measure its volume accurately; e.g. of specific method of doing so such as inverted burette over water/gas syringe; use more replicates/repeat more times at each temperature; use more temperatures/ specified wider range between 0 and 100 °C; use more accurate measuring devices/one named specific measuring device; use a buffer to control pH/ other specific means to control a plausible variable; AVP;;</p>	2

Page 8	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – 2007	9700	31

2	(a)	(i)	MMO Collection	<ul style="list-style-type: none"> • set up apparatus correctly • use their apparatus to collect an appropriate quantity of data or observations, including subtle differences in colour or other properties of materials 	<i>Rancunculus</i> root t.s. recognisable in drawing (large circle containing smaller circle containing star-shaped region); proportions of stele/root diameter acceptable (between 1:5 and 1:10) AND at least 4 tissues shown (epidermis, parenchyma, endodermis, xylem, phloem);	2
		(ii)	MMO Collection PDO Display	<ul style="list-style-type: none"> • make measurements using millimetre scales, graticules, protractors, stopwatches, balances, measuring cylinders, syringes, thermometers, and other common laboratory apparatus. • show their working in calculations, and the key steps in their reasoning 	correct measurement of line shown on drawing to within 1 mm AND measurement of diameter of specimen between 1.5 and 4 mm, to no more than 0.5 mm reported accuracy; working shows measurement from drawing divided by measurement from slide;	1 1
		(iii)	ACE Interpretation	<ul style="list-style-type: none"> • estimate, quantitatively, the uncertainty in quantitative measurements • express such uncertainty in a measurement as an actual or percentage error 	their reported measurement \pm 0.5 mm (accept answers between \pm 0.2 mm and \pm 1.0 mm)	1
		(iv)	ACE Interpretation	<ul style="list-style-type: none"> • show an understanding of the distinction between systematic errors and random errors 	ruler made with incorrect intervals/user not viewing at right angles/AVP;	1

Page 9	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – 2007	9700	31

	(b)	MMO Collection	<ul style="list-style-type: none"> • use their apparatus to collect an appropriate quantity of data or observations, including subtle differences in colour or other properties of materials 	at least half of area of available space used to represent/describe a number of cells; drawings/descriptions of cells including starch granules, cell walls and air spaces between corners of the cells;	2	
		MMO Decisions	<ul style="list-style-type: none"> • decide how many tests, measurements or observations to perform • make measurements or observations that span the largest possible range within the limits either of the equipment provided or of the instructions given • make quantitative measurements or qualitative observations that are appropriately distributed within this range 	at least three and no more than six cells drawn/described; largest cell drawn/described at least twice the size of smallest; cells with a range from 2 or less up to 10 or more starch grains; including both cells with air spaces between the corners and those without;	max 3	
		PDO Layout	<ul style="list-style-type: none"> • choose a suitable and clear method of presenting the data, e.g. tabulations, chart, graph, drawing or mixture of methods of presentation 	drawing used to represent observations – clear outline drawings, sharp pencil and no shading;	1	
	(c)	(i)	PDO layout	<ul style="list-style-type: none"> • choose a suitable and clear method of presenting the data, e.g. tabulations, chart, graph, drawing or mixture of methods of presentation 	table used to present data; (R comparative lists without lines to divide information)	1

Page 10	Mark Scheme	Syllabus	Paper
	GCE A/AS LEVEL – 2007	9700	31

		(ii)	MMO Collection	<ul style="list-style-type: none"> • use their apparatus to collect an appropriate quantity of data or observations, including subtle differences in colour or other properties of materials 	Give at least 4 comparisons, including at least one similarity and at least one difference, and including one subtle judgement (judgement involving more than just size, colour or shape);	1
			PDO Recording	<ul style="list-style-type: none"> • present numerical data, values or observations in a single table of results • draw up the table before taking readings/making observations, so that candidates can record directly into the table, to avoid the need to copy up their results • record raw readings of a quantity to the same degree of precision and observations to the same level of detail 	all observations and comparisons recorded in a single table with difference(s) recorded to the same level of precision (e.g. sizes recorded in mm) or detail (e.g. stele 40% of total width of S3 vs. stele 8% of total width of specimen S4);	1
		(iii)	ACE Interpretation	<ul style="list-style-type: none"> • describe and summarise the key points of a set of observations 	central stele/named feature (e.g. xylem/tubular cells);	1
	(d)		MMO Decisions	<ul style="list-style-type: none"> • make and record sufficient, accurate measurements and observations 	correctly label xylem on both pictures;	1
			ACE Interpretation	<ul style="list-style-type: none"> • describe and summarise the key points of a set of observations 	pick out at least one valid reason for each decision (e.g. Fig. 2.1 thick cell walls, Fig.2.2 end walls of cells absent);	1