www.xirenepalers.com

CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2013 series

9700 BIOLOGY

9700/41

Paper 4 (A2 Structured Questions), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

Mark scheme abbreviations

; separates marking points

I alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

AW alternative wording (where responses vary more than usual)

<u>underline</u> actual word given must be used by candidate (grammatical variants excepted)

max indicates the maximum number of marks that can be given

ora or reverse argument

mp marking point (with relevant number)

ecf error carried forward

I ignore

AVP Alternative valid point (examples given as guidance)

Page 3	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

Question Expected Answers

1 (a) A – <u>palisade</u>, mesophyll/cell/tissue/layer;

B - guard cell;

C – (sub-stomatal) air space;

[3]

- (b) (i) 1. through the stoma(ta);
 - 2. by diffusion/description;
 - 3. from the, atmosphere/air; [max 2]
 - (ii) ribulose bisphosphate; I RuBP

[1]

[2]

(iii) reduces/donates hydrogen; **A** H/hydrogen atoms/H⁺ **AND** e⁻

 $\mathbf{R} \, \mathbf{H}^{+} / \mathbf{H}_{2}$

GP to TP;
A PGA to PGAL

[Total: 8]

2 (a) male mosquitoes do not, bite humans/feed on blood transmit disease OR

only females, bite humans/feed on blood/transmit disease;

I GM male mosquitoes are not infected with the disease

[1]

- (b) 1. easier to, identify/screen;
 - 2. more economical/time saving/labour saving;
 - 3. resistance gene(s) can be passed to other bacteria;
 - 4. idea of antibiotics no longer effective **OR** requiring development of new, antibiotics/treatments;

[max 2]

Page 4	4	Mark Scheme	Syllabus	Paper
		GCE AS/A LEVEL – May/June 2013	9700	41
(c) (i) (ii)	•	luction of tTA causes production of more tTA/AW; comoter, initiates transcription/switches on gene/causes	gene	[1]
	e	xpression/AW;		
	2. re	f. binding of, RNA polymerase/transcription factors;		
	3. ot	herwise gene has to be inserted near an existing promo	oter;	
	4. th	is is difficult to do/this may disrupt expression of existing	g gene;	
	5. in	eukaryotes precise position of promoter important;		[max 3]
(iii)	1. G	M larvae do not die immediately;		
	2. so	o gives longer time for tTA, production/build up;		
		o tTA gets into environment (when GM larvae die) and k rvae;	ills non-GM	
	4. so	o (longer-lived larvae) compete with non-GM larvae (for	food/space);	[may 0]
	R re	f. to larvae breeding		[max 2]
(d) (i)		hemical A has, similar shape to tTA/complementary shaite;	ape to binding	
		o chemical A binds to, DNA/binding site, AND prevents inding;	tTA from	
		nemical A , binds to/changes shape of, tTA ND so prevents tTA binding to, DNA/binding site;		
	4. st	tops positive feedback/small quantity of tTA does not kill	;	[max 2]
		nemical A , binds to/changes shape of/breaks down, tTA oxic ;	, so no longer	
(ii)		M males, mated/bred; rith GM females		
	2. m	osquitoes fed chemical A ;		

[max 2]

3. males, identified/separated;

4. ref. cloning;

Pag	ge 5	5	Mark Scheme S	yllabus	Paper
			GCE AS/A LEVEL – May/June 2013	9700	41
(i	iii)		M males die if they cannot get chemical A ; males mate), their offspring die;		
		•	nly mate with, other <i>A. aegypti</i> /their own species;		[max 2] [Total: 15]
3 (a)	1.	nutr	rients added and product removed at a steady rate/AW;		
	2.	(so)	volume kept constant;		
	3.	orga	anism kept at, exponential/log, phase of growth;		[max 2]
(b)	1.	to, li	inched fungus tangles together in clumps so) too heavy for lift/stir ref. to blocking;	oubbles	
	2.	diffi	cult to, harvest/get desired texture;		
	3.	mut	ant may be, harmful when eaten/toxic/allergenic;		
	4.	mut	ant may produce, distasteful/coloured, substance;		
	5.	mut	ant may be less productive;		
	6.	mut	ant may have high concentration of RNA (which is difficult to	lower);	
	7.	арр	roval for sale only applies to original strain;		[max 4]
(c)	86	64 kg;			[1]

[Total: 7]

Page 6	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- 4 (a) (i) 1. ATP is made, in the electron transport chain/by oxidative phosphorylation;
 - 2. oxygen is the final electron acceptor;
 - 3. in the, inner membrane of the mitochondrion/cristae;
 - 4. transfer of electron (between electron carriers) provides energy;
 - 5. energy used to pump hydrogen ions (into intermembrane space);
 - 6. creates proton gradient;
 - 7. diffusion of hydrogen ions down their electrochemical gradient causes ATP to be synthesised;
 - 8. ref. chemiosmosis/ATP synthase/stalked particles;
 - 9. idea that if less oxygen (consumed/available) then fewer electrons transferred along the chain;

[max 4]

- (ii) 1. at high temperatures, reactions/enzyme activity/metabolism, faster;
 - 2. because, molecules/enzymes/substrates, have more kinetic energy;
 - 3. more frequent collisions;
 - 4. therefore, respiration/Krebs cycle/electron transport chain/production of reduced NAD, take place at a faster rate;
 - 5. idea of increase in rate of anabolic reactions (requiring more ATP);

[max 3]

- (b) (i) 1. oxygen consumed = oxygen inhaled oxygen exhaled;
 - 2. measure oxygen consumption at rest (x) **and** after exercise stops (y);
 - 3. extra oxygen consumed/oxygen debt = y x;
 - 4. measure mass of lizard;

[max 2]

- (ii) 1. less (oxygen debt)(for Varanus); ora
 - 2. difference is greater at higher temperatures;
 - 3. any two comparative figures at one temperature including units; **A** 102.0 cm³ O₂ kg⁻¹ at 30°C and 40°C

[3]

7 Mark Scheme Sylla	
GCE AS/A LEVEL – May/June 2013 97	00 41
 Varanus uses, less anaerobic/more aerobic, respiration (when running); 	
2. more ATP produced per glucose molecule;	
3. able to run for long time;	
4. good chance of catching prey;	[max 3]
assume Varanus throughout 1. larger surface area, in lungs/for gas exchange;	
more oxygen absorbed into blood (per unit time)/faster rate of ga exchange;	as
3. more oxygen supplied to muscles (so oxygen debt lower);	[max 2]
	[Total: 17]
ndicates that they) have undergone meiosis I;	
o are, haploid/n ; . 23 chromosomes	[2]
water moved out of cells;	
down water potential gradient/into a more concentrated solution/into lower water potential;	оа
(by) osmosis;	[max 2]
(B) has, higher survival of oocytes after thawing/more successful fertilisations;	
supporting figures;	
these should compare columns 1 or 2 with column 3 or 5 for both A	
these should compare columns 1 or 2 with column 3 or 5 for both A B raw or manipulated data can be given	and [2]
В	
B raw or manipulated data can be given	[2]
B raw or manipulated data can be given idea of deferring, fertilisation/implantation; idea of preserving oocytes from a woman who may lose her fertility	[2]
r	1. Varanus uses, less anaerobic/more aerobic, respiration (when running); 2. more ATP produced per glucose molecule; 3. able to run for long time; 4. good chance of catching prey; assume Varanus throughout 1. larger surface area, in lungs/for gas exchange; 2. more oxygen absorbed into blood (per unit time)/faster rate of gexchange; 3. more oxygen supplied to muscles (so oxygen debt lower); andicates that they) have undergone meiosis I; are, haploid/n; 23 chromosomes water moved out of cells; down water potential gradient/into a more concentrated solution/into lower water potential; (by) osmosis; (B) has, higher survival of oocytes after thawing/more successful fertilisations;

					,	
6 (a	a)	(i)	A – calcium ions ;	A Ca ²⁺	R calcium/Ca/Ca ⁺	
			B – sodium ions ;	A Na⁺	R sodium/Na	[2]
	(ii)	exocytosis;			[1]
	(i	ii)	depolarisation (of po	ost-synaptic m	embrane)/action potential;	[1]
	(i	v)	1. splits ACh;			
			2. into acetate and o	choline;		
			3. stops continuous	depolarisatior	of postsynaptic membrane/AW;	
			4. choline recycled (into presynap	tic neurone);	[max 3]
(I	b)	biı	nds to/blocks, dopam	ine receptors	(on postsynaptic membrane);	
		pr	events depolarizatior	n (of postsyna	ptic membrane);	
		re	duces effect of dopa	mine;		
		R	reduces amount of o	dopamine		[max 2]
(0	c)		f 13 base deletion ame shift/alters <u>readir</u>	ng <u>frame</u> (afte	r mutation);	
		(se	o) all amino acids diff	ferent after m	utation;	
		3-	D shape/tertiary struc	cture, of protein	in changed;	
		(w	hereas) 21 base-pair	deletion, lose	es 7 amino acids/no frame shift;	
		(w	hereas) substitution,	may change	only one amino acid/may be silent;	[max 3]
(0	d)	ind	creased chances of,	survival/breed	ling/mating;	
		pr	ovides a <u>selective</u> <u>ad</u>	vantage;		
		<u>all</u>	<u>ele</u> passed on (to ne	xt generation)	;	
		all	ele increases in frequ	uency over tim	ne;	
		na	tural selection;			[max 3]
						[Total: 15]

Mark Scheme GCE AS/A LEVEL – May/June 2013 Syllabus

9700

Paper 41

Page 8

Page 9	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

7 (a) sex-linked

(gene) carried on, one sex chromosome/X, and not on, the other/Y;

gene

section of DNA/sequence of nucleotides/sequence of bases, that codes for a (particular) polypeptide;

[2]

(b) parental tortoiseshell female black male phenotypes

parental X^BX^o X^BY; genotypes

gametes X^B X^O X^B Y; offspring X^BX^B X^BY X^BX^O X^OY ; genotypes

offspring black black tortoiseshell orange phenotypes female male female male;

[4]

(c) tortoiseshell is heterozygous;

males, heterogametic/only one X chromosome;

(therefore) only one copy of gene/only black or orange allele present;

[max 2]

[Total: 8]

8 (a) 550(%);;

allow one mark for
$$\underline{104 - 16}$$
 (x 100) $\underline{16}$

[2]

- (b) 1. limiting/density dependent, factors or described;
 - 2. reached carrying capacity/AW;
 - 3. competition/AW;
 - 4. for, food/nesting sites/resources;
 - 5. large population attracts predators;
 - 6. large population spreads disease more easily;

[max 4]

Page 10	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- (c) 1. not many to begin with;
 - 2. are carnivorous;
 - 3. prey numbers fell;
 - 4. slower reproductive rate;
 - 5. more likely to migrate (to other areas);

[max 2]

[Total: 8]

- 9 (a) 1. cultural/aesthetic / leisure, reasons;
 - 2. moral/ethical, reasons; e.g. right to exist/prevent extinction;
 - 3. resource material; e.g. wood (for building)/fibres for clothes/food for humans/(herbal) medicine
 - 4. (eco)tourism;
 - 5. economic benefits;
 - 6. ref. resource / species, <u>may have use in future</u>/AW; e.g. medical use
 - 7. maintains, food webs *I* food chains; **A** description
 - 8. nutrient cycling;
 - 9. protection against erosion;
 - 10. climate stability;
 - 11. maintains, (large) gene pool/genetic variation;
 - 12. scientific research;

[max 7]

Page 11	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- (b) advantages (max 5)
 - 13. can monitor health of mother;
 - 14. can monitor development of foetus;
 - 15. storage of, sperm/eggs/gametes;
 - 16. artificial insemination;
 - 17. IVF;
 - 18. ref. surrogate mothers;
 - 19. international cooperation;
 - 20. genetic records kept;
 - 21. can prevent extinction/extend range of a species/used in restoring ecosystem;

disadvantages (max 5)

- 22. unnatural environment;
- 23. stress in captivity;
- 24. behavioural changes;
- 25. reproductive cycles disrupted;
- 26. may reject selected mate;
- 27. examples of problems with release;;
- 28. difficulty in finding food may not integrate into groups more susceptible to disease

very little natural habitat left to release animals into

[max 8]

[Total: 15]

Page 12	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- 10 (a) 1. in C3 plants at high temperature rubisco combines with oxygen;
 - 2. less rubisco to combine with CO₂;
 - 3. *in C4 plant such as maize idea of* spatial separation of light-dependent stage from carbon fixation;
 - 4. rubisco/RuBP, in bundle sheath cells;
 - 5. kept away from, oxygen/air;
 - 6. mesophyll cells, absorb CO₂;
 - 7. CO₂ released to combine with RuBP;
 - 8. avoid/reduce, photorespiration;
 - 9. high optimum temperatures of enzymes involved;
 - 10. Calvin cycle can continue;
 - 11.AVP; e.g. CO₂ reacts with PEP PEP carboxylase

[max 7]

Page 13	Mark Scheme	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2013	9700	41

- (b) 12. light energy absorbed by chlorophyll;A photosystems/pigments
 - 13. electron, excited/raised to higher energy level;
 - 14. (electron) emitted by chlorophyll;A photosystems/pigments
 - 15. passes to electron, acceptor/carrier;
 - 16. passes along, chain of electron carriers/ETC/Electron Transfer Chain;
 - 17. energy released used to pump protons; I ATP production here
 - 18. into thylakoid space;
 - 19. thylakoid membrane impermeable to protons;
 - 20. proton gradient forms;
 - 21. protons move down gradient;
 - 22. through/using, ATP synthase/ATP synthetase; **R** ATPase
 - 23. enzyme rotates;
 - 24. ATP produced from ADP and Pi;

[max 8]

[Total: 15]