

Mark Scheme (Results)

January 2016

Pearson Edexcel International Advanced Level in Biology (WBI05) Paper 01 - Energy, Exercise and Coordination



Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <u>www.edexcel.com</u> or <u>www.btec.co.uk</u>. Alternatively, you can get in touch with us using the details on our contact us page at <u>www.edexcel.com/contactus</u>.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2016 Publications Code IA043017* All the material in this publication is copyright © Pearson Education Ltd 2016

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Mark
1(a)(i)	D - a spirometer	(1)

Question Number	Answer	Mark
1(a)(ii)	A - 0.5 dm ³	(1)

Question Number	Answer	Mark
1(a)(iii)	A - 3 breaths min ⁻¹	(1)

Question Number	Answer	Mark
1(a)(iv)	D - ventilation centre more sensitive to carbon dioxide	(1)

Question Number	Answer	Additional guidance	Mark
1(b)	1. idea that (rate of) diffusion reduced ;		
	 idea that { difference in concentration / concentration gradient } is reduced ; 		
	idea of smaller { surface / area } (of aveoli) ;		(2)

Question Number	Answer	Additional guidance	Mark
1(c)	1. idea that { core / blood / body } temperature increases ;		
	2. reference to { hypothalamus / heat loss centre / thermoregulation centre / thermoreceptors / temperature receptors } ;		
	3. idea that nerves send { impulses / action potentials } to sweat glands ;		(2)

Question Number	Answer	
2(a)	C - positive phototropism to light from the left	(1)

Question Number	Answer	Additional guidance	Mark
2(b)(i)	 idea of movement against a concentration gradient ; idea that { ATP / energy / pumps } needed ; 	IGNORE along / down / from low concentration gradient to high concentration gradient	
			(2)

Question Number	Answer	Additional guidance	Mark
2(b)(ii)	hydrogen ;	ACCEPT 'H' or 'H bond'	(1)

Question Number	Answer	Additional guidance	Mark
2(b)(iii)			
	1. cells absorb water ;		
	2. by osmosis ;		
	3. idea that cells { elongate / grow / stretch / expand / eq } ;		
			(2)

Question Number	Answer	Additional guidance	Mark
2(c)(i)	 idea of no change between 10⁻⁶ and 10⁻⁴ ppm idea of { optimum at 1 ppm / increase to 1 ppm / decrease after 1 ppm } ; 		
	3. idea of inhibition { between 10^2 and 10^3 ppm / at 10^3 } ;		(3)

Question Number	Answer	Additional guidance	Mark
2(c)(ii)	 idea of { repeat / use many sections / more than one coleoptile / finding mean / finding average } ; idea that sections must be left for the same time ; 	IGNORE same length IGNORE same minerals / humidity	
	 idea that sections must be from same { age / source / species / eq } ; 	3. IGNORE same plant	
	4. idea that light intensity is controlled ;		
	5. idea that temperature is controlled ;		
	6. idea of same volume of IAA ;	6. IGNORE amount	(5)

Question Number	Answer	Mark
3(a)	A - drugs affect selection of mutations in parasites	(1)

Question Number	Answer	Additional guidance	Mark
3(b)	1. phospholipid bilayer drawn correctly ;	 phospholipids must have two tails and be aligned correctly 	
	 protein channel spanning whole membrane and correctly indicated ; 	2. Allow solid channel	(2)

Question Number	Answer	Additional guidance	Mark
3(c)(i)	 infected with hookworms ; given non GM bacteria ; 	2. Do not accept `not given GM bacteria'	(2)

Question Number	Answer	Additional guidance	Mark
3(c)(ii)	 idea of difference in original number (of hookworms) and number (of hookworms) in treated hamsters ; 		
	 divided by original number (of hookworms) and multiply by 100 ; 		(2)

Question Number	Answer	Additional guidance	Mark
3(d)	 idea of testing for { safety / non-toxicity / side effects / eq } ; 		
	2. idea of testing for efficacy ;		(2)

Question Number	Answer	Mark
4(a)	D - oxidative phosphorylation in the mitochondria	(1)

Question Number	Answer	Additional guidance	Mark
4(b)(i)	1. idea of insufficient oxygen supply ;		
	2. reference to glycolysis ;		
	3. idea that reduced NAD is produced ;		
	4. idea that pyruvate is converted to lactate ;		
	 idea that conversion of pyruvate involves oxidation of reduced NAD ; 		
			(3)

Question Number	Answer	Additional guidance	Mark
4(b)(ii)	 idea of { increased oxygen supply / more aerobic respiration / less anaerobic respiration } ; 	Allow converse	
	 idea of increased { stroke volume / cardiac output / capillarisation / 	<pre>`more oxygenated blood' gains Mp1 and Mp2</pre>	
	 idea of increased { ventilation / gas exchange / vital capacity } ; 		
			(2)

Question Number	Answer	Additional guidance	Mark
4(c)(i)	NADH / reduced NAD / eq ;	Allow NADH + H ⁺ NADH ₂	(1)

Question Number	Answer	Additional guidance	Mark
	 (molecule Y is) pyruvate ; converted to acetyl CoA / enters link reaction / enters Krebs cycle / converted to carbon dioxide and water ; converted to glucose ; 		
			(2)

Question Number	Answer	Additional guidance	Mark
5(a)	 idea of increase in number of mitochondria ; idea that the increase is greater with more weeks of training 	1. Allow positive correlation	
			(2)

Question Number	Answer	Additional guidance	Mark
5(b)(i)		Correct answer with no working gains TWO marks	
	 1. difference between high and low value divided by low value ; 2. answer between 36.36 and 47.61 ; 	1. Allow correct method with incorrect values	
		low value range of 2.1 to 2.2 and high range value of 3.0 to 3.1	(2)

Question Number	Answer	Additional guidance	Mark
*5(b)(ii)	(QWC – Spelling of technical terms must be correct and the answer must be organised in a logical sequence)	(QWC emphasis on logical sequence)	
	1. reference to cristae ;		
	2. reference to oxidative phosphorylation ;		
	3. reference to electron transport chain ;	3. Allow ETC	
	4. idea of electrons passed along carriers ;		
	5. idea that { hydrogen ions / H ⁺ / protons } moved to intermembrane space ;		
	 idea of { hydrogen ions / H⁺ / proton / electrochemical / concentration } gradient produced ; 		
	7. reference to { chemiosmosis / stalked particles / ATPase } ;		
	8. idea that more ATP synthesised ;		(6)

Question Number	Answer	Mark
6(a)(i)	A - bone	(1)
Question		

Question Number	Answer	
6(a)(ii)	B - they contain collagen making them inelastic	(1)

Question Number	Answer	Additional guidance	Mark
6(b)	1. (30 ÷ 100 000) x 65 000 000 ;	Correct answer with no working gains TWO marks	
	2. 19 500 ;	Allow one mark for any correct calculation or correct answer in working	(2)

Question Number	Answer	Additional guidance	Mark
6(c)(i)	 idea that failure rate { allograft / donor / different person / eq } is higher ; 	Allow converse	
	Plus TWO from:		
	 idea of { immune response / rejection / antibody production / eq } with allografts ; 		
	 idea of { non-self / foreign antigens / different antigens / eq } ; 		
	4. idea of disease transmission likely with allografts ;		(3)

Question Number	Answer	Additional guidance	Mark
6(c)(ii)	1. age of patients ;		
	2. ethnicity of patients ;		
	3. idea of sample size ;		
	4. severity of torn ligaments ;		
	5. statistical analysis ;		(2)

Question Number	Answer	Additional guidance	Mark
6(c)(iii)	1. idea that procedure is less invasive ;	1. e.g. fewer / smaller incisions	
	2. idea of less pain after operation ;		
	3. idea of faster { healing / recovery } ;		
	<pre>4. idea that there will be { less scarring / better aesthetics</pre>		
	5. idea of reduced risk of infection ;		(2)

Question Number	Answer	Additional guidance	Mark
7(a)	 idea of low levels of { neurotransmitter / serotonin / dopamine / noradrenaline } ; 		
	2. idea of reduced depolarisation of postsynaptic membrane ;	2. ACCEPT receptors on postsynaptic membrane not	
	3. idea of fewer { impulses / action potentials } in postsynaptic { membrane / neurone } ;	stimulated	(2)

Question Number	Answer	Additional guidance	Mark
7(b)	1. reference to bleaching (of rhodopsin);	IGNORE reference to segments	
	 idea of change { to opsin and retinal / cis-retinal to trans- retinal / trans-retinal formed } ; 		
	 idea of { sodium (ion) channels close / reduced permeability to sodium (ions) } ; 		
	 idea that { sodium (ion) pump continues / active transport continues to move sodium (ions) out } ; 		
			(4)

Question Number	Answer	Additional guidance	Mark
7(c)	 sodium (ion) channels open ; sodium (ions) enter { neurone / axon } ; 	Ignore events at synapse 2. Ignore enter membrane	
	 3. idea of { depolarisation / potential difference reversed / more positive inside / becomes +30 to +40 mV inside } ; 		
	4. idea that { impulse / action potential } is produced ;		(3)

Question Number	Answer	Additional guidance	Mark
7(d)	 line drawn starting between -70 mV and -80 mV and increasing to +30 mV or above ; line drawn showing hyperpolarisation below starting resting potential ; 	If several action potentials drawn, mark first one	(2)

Question Number	Answer	Additional guidance	Mark
7(e)	1. idea that epinephrine binds to receptor on membrane ;		
	2. idea of { (secondary) messenger molecule / cAMP } ;		
	3. reference to protein kinase cascade ;		
	4. reference to transcription factor ;		
	idea that { gene switched on / gene activated / mRNA synthesised / RNA polymerase involved }		
			(3)

Question Number	Answer	Additional guidance	Mark
7(f)	 idea that firing of neurones { require energy / respire } ; 	Allow converse	
	 idea of { increased blood flow / oxyhaemoglobin / deoxyhaemoglobin } involved ; 		
	<pre>3. idea of { radio waves / signals } involved ;</pre>		
	 active area of brain { light up / visible / bright / white / colour / eq }; 		(3)

Question Number	Answer	Additional guidance	Mark
7(g)	 idea of using light to stimulate (GM dopamine) neurones (when grandchildren present); 		
	2. idea that dopamine involved ;		
	3. idea that { depression reduced / feelings of reward increased } ;		
	4. reference to conditioning ;		(2)

Question Number	Answer	Additional guidance	Mark
7(h)	 idea that dopamine is released at synapse ; idea of { depolarisation / impulses / action potential } at postsynaptic {membrane / neurone } ; 		(2)

Question Number	Answer	Additional guidance	Mark
*7(i)	(QWC – Spelling of technical terms must be correct and the answer must be organised in a logical sequence)	QWC emphasis on spelling of technical terms	
	Sequence)	Penalise once only	
	 idea that fast twitch fibres are stimulated more than slow twitch fibres ; 	Allow converse for Mps 2 to 7 if refer to slow twitch fibres	
	2. idea that fast twitch fibres contain few mitochondria;		
	3. idea that fast twitch fibres contain few capillaries ;		
	4. idea that fast twitch fibres <i>fatigue</i> quickly ;		
	5. idea that fast twitch fibres contain little myoglobin ;		
	6. idea of { less aerobic respiration / more anaerobic respiration } ;		
	7. reference to <i>lactate / lactic</i> acid ;		(5)

Question Number	Answer	Additional guidance	Mark
7(j)	 idea of using { gene / DNA / allele } (for ion channel protein) ; reference to use of restriction enzyme ; reference to the use of ligase ; reference to vector ; 	2. Allow endonuclease	
	5. named example of vector ;	 E.g. plasmid / virus / liposome / (micro)injection / microprojectile 	(4)

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London WC2R 0RL