



**General Certificate of Education**

**Chemistry**

**Investigative Skills Assignment**

**CHM6T/Q10/MG**

**Marking Guidelines**

*2010 examination – June series*

Marking Guidelines are prepared by the Principal Moderator and considered, together with the relevant questions, by a panel of subject teachers.

It must be stressed that Marking Guidelines are a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future Marking Guidelines on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Copyright © 2010 AQA and its licensors. All rights reserved.

#### COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

## Guidance for teachers marking Chemistry ISAs

### General principles

In general, you are looking for evidence that the candidate knows and understands the key ideas required by the Marking Guidelines.

It is important to mark what the candidate has written, not to assume what may have been intended. It is also important to make sure that a valid point is in the correct context. Individual words or phrases where the overall answer does not apply to the question asked should not be credited.

### Conventions

The following conventions are used in the Marking Guidelines.

- An oblique stroke (/) separates alternatives within a marking point.
- Underlining of a word or phrase means that the term must be used.
- Brackets are used to indicate contexts for which a marking point is valid. This context may be implied by a candidate's answer.
- 'Accept' shows answers that have been allowed.
- 'Max' refers to the maximum mark that can be awarded for a particular question.

The Marking Guidelines show the minimum acceptable answer(s) for each marking point. A better, more detailed, or more advanced answer should always be accepted, provided that it covers the same key ideas.

Marking Guidelines cannot give every possible alternative wording - equivalent phrasing of answers should be accepted. It is, however, important to be sure that the minimum requirement of the guidelines is met and that the point is made unambiguously.

Converse answers are normally acceptable, unless the wording of the question rules this out. For example, 'an increase in pressure favours the forward reaction' or 'a decrease in pressure favours the backward reaction'.

Occasionally, a candidate will give a chemically correct answer that is not present in the Marking Guidelines. If it is equivalent in standard to the Marking Guideline answers, it should be credited. In this case, write the word 'valid'.

All marking points are awarded independently, unless a link between points is specified in the Marking Guidelines.

## The mechanics of marking

Always mark in red ink. Make sure that some red ink appears on every page on which the candidate has written.

For each mark awarded, put a tick close to the word or phrase. In all cases, a tick should equal one mark and the total number of ticks should match the mark given for that question. The teacher should write the total mark in the margin.

Put a cross against incorrect points. It is helpful to indicate omissions of key words or incomplete answers with a **Λ** symbol, and to highlight irrelevancies or contradictions etc. by underlining. It may also be helpful to write brief comments to explain the reason for awarding or withholding a mark when the answer does not obviously match the Marking Guidelines.

When marking answers with many marking points, the points do not have to appear in the order in the Marking Guidelines.

Disqualifiers A correct point should be disqualified when the candidate contradicts it in the same answer. Indicate by 'dq'. If a tick has already been placed against a valid point, ensure that it is clearly deleted. Note that there is no penalty for incorrect points which are not contradictory, nor for surplus or neutral information.

The list rule When a question asks for a specific number of points, and the candidate gives more, the general rule is that any wrong answer cancels a correct answer. For example, if a question asks for two points and three answers are given, two correct and one clearly wrong, the mark awarded is one, whatever the order of the answers. This prevents candidates from gaining full marks from a list of right and wrong answers.

'Neutral' points, i.e. ones which are not creditworthy but not actually incorrect, should not negate a correct answer. For example, in answer to 'Name **two** physical properties of metals' a candidate may give:

'Good conductor of electricity, solid, high density'.

In this case one mark would be awarded for 'good conductor of electricity' and one for 'high density'. 'Solid' is a neutral point and should be ignored.

Two correct points on the same answer line should be credited.

Spelling Reasonably close phonetic spellings should be credited.

## Task Assessment

Q	Part	Marking Guidelines	Mark	Additional Guidance
		Candidate reads the burette correctly	(B) 1	If the candidate does not read the burette correctly, tell the candidate the correct reading.
		Results recorded clearly and in full in a sensible <u>table</u>	(R) 1	If you can read it, it is clear. ‘Full’ means the table must have initial reading, final reading and titre values for at least two sets of results. The table does not have to have gridlines. Allow a clear answer outside a table box. Lose this mark if there is an arithmetic error in calculating a titre. Do not penalise missing units but lose this mark if units are incorrect. Labels such as ‘initial reading’, ‘final reading’ etc are not essential.
		All titre volumes to 0.05 cm <sup>3</sup>	(P) 1	Allow zero entries as 0 or 0.0
		Concordant if two results are within 0.10 cm <sup>3</sup> of each other	(C) 1	Award the mark for concordancy if the table contains at least two concordant titres, even if the candidate has not recognised these as concordant titres.

Q	Part	Marking Guidelines	Mark	Additional Guidance
		<p>The accuracy of the candidate's average titre, measured against a teacher value for the titration</p> <p>Average titre is within 1% of teacher value  Average titre is within 1.5% of teacher value  Average titre is within 2% of teacher value  Average titre is within 2.5% of teacher value</p>	<p>(A) 4  3  2  1</p>	<p>If a student has two concordant titres then both concordancy and accuracy marks can be awarded.</p> <p>If a student does not have two concordant titres but does have two titres within <math>0.20\text{ cm}^3</math>, then the concordancy mark cannot be awarded but the accuracy marks can.</p> <p>Titres which differ from each other by more than <math>0.20\text{ cm}^3</math> cannot receive concordancy or accuracy marks.</p> <p>Check that the student has calculated the average titre correctly. If not, calculate the correct average and base the student's accuracy mark on the correct average. The student does not have to use all of the concordant titres in obtaining an average.</p> <p>If a student has one set of concordant results, and has correctly identified these results, base the accuracy mark on the student's average titre.</p> <p>A student may have one set of concordant results, but uses a non-concordant titre in calculating the average. In this case, average all of the student's concordant titres, and use this average to determine the mark for accuracy.</p> <p>A student may have two sets of concordant results, which do not overlap. The teacher should choose the set of concordant titres that gives the higher accuracy mark, even if the student chooses the other set. Allow a correct calculation of an average titre for either set of concordant results.</p>
		<b>Total</b>	<b>8</b>	

## Section A Ignore absence of units unless units are required in the Marking Guidelines. Incorrect units lose the mark

Q	Part	Marking Guidelines	Mark	Additional Guidance
1		Calculates the correct average titre using concordant results <b>only</b>	1	Do not penalise precision. Do not award to candidates given teacher's results.
2		$5\text{H}_2\text{C}_2\text{O}_4 + 2\text{MnO}_4^- + 6\text{H}^+ \rightarrow 10\text{CO}_2 + 2\text{Mn}^{2+} + 8\text{H}_2\text{O}$	1	Accept this equation, or multiples of this equation, only.
3		Moles $\text{MnO}_4^- = (\text{answer from Q1}) \times 0.02 \times 10^{-3}$	1	Do not penalise precision.
4		Moles $\text{H}_2\text{C}_2\text{O}_4 = (\text{answer from Q1}) \times 0.02 \times 10^{-3} \times 2.5$	1	A correct answer with no working scores 1 mark.
5		(Answer from Q3) $\times 40$	1	Do not penalise precision. Ignore units.
6		$6.0/(\text{answer from Q4})$	1	Do not penalise precision.
7		126.0	1	Lose this mark if answer not given to 1 dp.
8		Compares experimental $M_r$ value (from Q5) with true $M_r$ value (from Q6) and confirms the dihydrate or otherwise	1	Decision must correspond to experimental value.
9		Pipette error = $0.05 \times 100/25 = 0.2\%$ <b>and</b> burette error = $(0.15/\text{answer to Q1}) \times 100$	1	Do not penalise precision. Allow if errors are given without working. Lose mark if the burette error is not calculated using value from Q1. If error being calculated is <b>not</b> stated, allow <b>if</b> the calculations are in the same order as in the question (pipette, burette).
10		Correct total error	1	Do not penalise precision. A correct answer with no working scores 1 mark only.
		Wear gloves <b>or</b> avoid skin contact	1	Allow 'if reagent contacts skin wash off immediately' or answers to that effect. Do not allow 'wipe up spillages'. Do not allow 'eye protection' or 'lab. coat' or 'use of fume cupboard' or 'ingest chemicals'.
		Several substances with the same $M_r$ or words to that effect	1	Allow 'compound may have isomeric forms'.
		<b>Total</b>	<b>12</b>	

## Section B Ignore absence of units unless units are required in the Marking Guidelines. Incorrect units lose the mark

Q	Part	Marking Guidelines	Mark	Additional Guidance
11	a	$3\text{C}_2\text{O}_4^{2-} + [\text{Co}(\text{H}_2\text{O})_6]^{2+} \rightarrow [\text{Co}(\text{C}_2\text{O}_4)_3]^{4-} + 6\text{H}_2\text{O}$	1	Accept multiples. Equation must have cobalt(II) hexaaqua ion.
11	b	Ethanedioate ion reduces iron(III) ion <b>or</b> iron(III) ion oxidises ethanedioate ion $E^\ominus(\text{CO}_2/\text{C}_2\text{O}_4^{2-})$ more negative than $E^\ominus(\text{Fe}^{3+}/\text{Fe}^{2+})$ <b>or</b> $E^\ominus(\text{Fe}^{3+}/\text{Fe}^{2+}) > E^\ominus(\text{CO}_2/\text{C}_2\text{O}_4^{2-})$ <b>or</b> e.m.f. positive <b>or</b> cell voltage = +1.26	1	Allow answer using equations.
12	a	Propanone evaporates (or similar) Removes water (from the precipitate)	1 1	Accept 'removes impurities/excess reagents'. Accept 'salt insoluble in propanone'.
12	b	Add NaOH/NH <sub>3</sub> /Na <sub>2</sub> CO <sub>3</sub> No green ppt	1 1	Accept 'no visible change'. Must have correct reagent to score this mark.
12	c	Some salt dissolves (in propanone) <b>or</b> some lost in filtration <b>or</b> some Fe <sup>2+</sup> gets oxidised (to Fe <sup>3+</sup> in air)	1	Do not accept 'reaction reversible' or 'incomplete reaction' or similar.
12	d	Moles Fe <sup>2+</sup> = $2.50 \times 10^{-2}$ $M_r$ of salt = 179.8 Mass of salt = $179.8 \times 2.5 \times 10^{-2} \times 0.95 = 4.27$ (g)	1 1 1	Accept $2.5 \times 10^{-2}$ Allow 180 Allow if 179.8 or 180 appears in a calculation. Correct answer with no working scores this mark only. Allow range 4.2 to 4.3 (g)
12	e (i)	$5\text{Fe}^{2+} + \text{MnO}_4^- + 8\text{H}^+ \rightarrow 5\text{Fe}^{3+} + \text{Mn}^{2+} + 8\text{H}_2\text{O}$	1	Accept multiples.
12	e (ii)	1.67 mol or correct ratio of $5\text{FeC}_2\text{O}_4 : 3\text{MnO}_4^-$	1	



Q	Part	Marking Guidelines	Mark	Additional Guidance
13		$\text{Ca}^{2+} + \text{C}_2\text{O}_4^{2-} \rightarrow \text{CaC}_2\text{O}_4$	1	Accept multiples.
14		(Insoluble) calcium ethanedioate coats surface	1	Allow 'calcium ethanedioate is insoluble'. Do not allow answers based on ethanedioic acid being a weak acid. Do not accept 'acid used up' or 'reaction very fast'.
15		Small amount of tea used <b>or</b> concentration of the acid in tea is low	1	Accept 'high temperature decomposes the acid'. Accept 'calcium ions in milk form a precipitate with the acid'. Do not accept 'do not drink tea often' or similar.
16		Mass of acid = 180.0 and mass of reagents = 450.0 ( $180/450 \times 100 =$ ) 40.0%	1	Accept 180 and 450. Do not penalise precision. Correct answer without working scores this mark only.
		<b>Total</b>	<b>18</b>	

