

ADVANCED SUBSIDIARY (AS) General Certificate of Education 2012

## Chemistry

## Assessment Unit AS 1

assessing Basic Concepts in Physical and Inorganic Chemistry

[AC112]

WEDNESDAY 13 JUNE, MORNING



StudentBounty.com

#### TIME

1 hour 30 minutes.

#### **INSTRUCTIONS TO CANDIDATES**

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

Answer all fifteen questions.

Answer **all ten** questions in **Section A**. Record your answers by marking the appropriate letter on the answer sheet provided. Use only the spaces numbered 1 to 10. Keep in sequence when answering.

Answer **all five** questions in **Section B**. Write your answers in the spaces provided in this question paper.


#### **INFORMATION FOR CANDIDATES**

The total mark for this paper is 100.

Quality of written communication will be assessed in question **14(b)(i)**. In Section A all questions carry equal marks, i.e. **two** marks for each

- question. In Section B the figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

A Periodic Table of Elements (including some data) is provided.



7636


#### www.StudentBounty.com Homework Help & Pastpapers

#### Section A

For each of the following questions only one of the lettered responses (A–D) is cor

# StudentBounty.com Select the correct response in each case and mark its code letter by connecting the as illustrated on the answer sheet.

1 Part of the mass spectrum for an element is shown below:




Which one of the following is the relative atomic mass of the element?

- А 20.0
- В 20.2
- С 21.0
- 22.8 D

2 Which one of the following metal compounds will produce a lilac flame colour?

- А barium nitrate
- В calcium chloride
- С lithium chloride
- D potassium sulfate


3



Which one of the elements is an alkali metal?


- Which one of the following is the oxidation number of nitrogen in the nitrate ion,  $NO_3^-$ ? 4
  - А -1
  - В -3
  - С +5
  - D +7
- 5 Which one of the following molecules is the most polar?
  - А  $BF_3$
  - В  $CO_2$
  - С  $F_2$
  - D NH<sub>3</sub>
- Which one of the following m/z values will not appear when a sample of chlorine gas is 6 injected into a mass spectrometer?
  - 35.0 А
  - В 35.5
  - С 37.0
  - D 74.0

- StudentBounty.com Which one of the following molecules contains the smallest bond angle? 7
  - BeCl<sub>2</sub> А
  - В  $BF_3$
  - С  $CH_{4}$
  - D SF<sub>6</sub>
- 5.30 g of anhydrous sodium carbonate was dissolved in water and made up to 250 cm<sup>3</sup> in a 8 volumetric flask. Which one of the following is the concentration of sodium ions in  $mol dm^{-3}?$ 
  - А 0.05
  - В 0.10
  - С 0.20
  - D 0.40
- 9 Which block in the Periodic Table contains silver?
  - А d block
  - В f block
  - C p block
  - D s block
- **10** Which one of the following is involved in metallic bonding?
  - electron delocalisation А
  - В electron transitions
  - С gaining electrons to form ions
  - sharing electron pairs D



### **BLANK PAGE**

(Questions continue overleaf)



www.StudentBounty.com

(ii	i) Use a dot and cross diagram to show, using outer electrons on	ly, the ronly
	how magnesium atoms react with chlorine atoms to form magnesium chloride.	Stillagen (* Only nark
		[4]
) IVI: (i)	agnesium forms ions with a double positive charge. Define the term <b>second ionisation energy</b> .	
	<ul> <li>Write an equation, including state symbols, which represents the second ionisation energy of magnesium.</li> </ul>	[2] ne
		[2]
(ii	i) Give reasons why the third ionisation energy of magnesium is much larger than the second.	
		[3]
Βι	ne Group II chloride, SrCl <sub>2</sub> , produces a characteristic red colour in unsen flame. Explain, using energy levels, why this colour is oserved.	a
		[3]
	7 www.StudentBounty.com Homework Help & Pastpapers	[Turn over

			[2]	
(b)	X is	an oxide of nitrogen.		
	(i)	2.30 g of X contains 3.01 $\times$ 10^{22} molecules of X. Calculate the molar mass of X.		
			_ [2]	
	(ii)	Deduce the formula of X.		
	(ii)	Deduce the formula of X.	_ [1]	
c)				
(c)		Deduce the formula of X. itrogen tetroxide ( $N_2O_4$ ) reacts with water to form nitric acid, $NO_3$ ) and nitrogen(II) oxide (NO). Write an equation for the react		
c)			ion.	
c)			ion.	
(c)			ion.	
c)			ion.	

.

**1**56

		ST.	
(d)	Dilu	te nitric acid reacts with magnesium:	er Only
		$Mg + 2HNO_3 \rightarrow Mg(NO_3)_2 + H_2$	Con Park
	(i)	Calculate the volume, in $cm^3$ , of 2.0 mol dm <sup>-3</sup> nitric acid required to react with 6.0 g of magnesium.	enne voly nak
		Number of moles of magnesium	$\sim$
		[1]	
		Number of moles of nitric acid	
		[1]	
		Volume of nitric acid (in cm <sup>3</sup> )	
		[1]	
	(ii)	Calculate the mass of magnesium nitrate produced.	
		Number of moles of magnesium nitrate produced	
		[1]	
		Mass of magnesium nitrate produced	
		[1]	
		9	[Turn over

StudentBounty.com **13** Calcium carbonate is present in eggshells. The percentage of calcium carbonate may be determined by a back titration method. The eggshells are crushed, weighed and then treated with excess dilute hydrochloric acid.

 $CaCO_3 + 2HCI \rightarrow CaCl_2 + H_2O + CO_2$ 

The unreacted acid is then titrated with standard sodium hydroxide solution.

 $\mbox{HCI} \ + \ \mbox{NaOH} \ \rightarrow \ \mbox{NaCI} \ + \ \mbox{H}_2\mbox{O}$ 

- (a) (i) Explain the term standard solution.
  - (ii) Name a suitable indicator for the titration and state the colour change occurring at the end point.

indicator	[1]
from	 

- [2] to \_\_\_\_\_
- (b) A student weighed out 10.0 g of the crushed eggshells and added 100.0 cm<sup>3</sup> of 2.0 mol dm<sup>-3</sup> hydrochloric acid. The resultant solution was transferred to a 250 cm<sup>3</sup> volumetric flask and made up to the mark with distilled water. 25.0 cm<sup>3</sup> portions of the solution were titrated with 0.10 mol dm<sup>-3</sup> sodium hydroxide solution. The average titre was found to be 18.0 cm<sup>3</sup>.
  - (i) Calculate the number of moles of sodium hydroxide used in the titration.
    - \_ [1]

\_ [1]

- (ii) Calculate the number of moles of hydrochloric acid present in the 25.0 cm<sup>3</sup> portion.
  - \_ [1]
- (iii) Calculate the number of moles of hydrochloric acid present in the 250 cm<sup>3</sup> volumetric flask.

\_\_ [1]

iv)	Calculate the total number of moles of hydrochloric acid adde	ed to FR	r Only
-,	the crushed eggshells.	31	hark
		_ [1]	"Ung
v)	Calculate the number of moles of hydrochloric acid which rea with the calcium carbonate in the crushed eggshells.	ed to	7.00
		_ [1]	
vi)	Calculate the number of moles of calcium carbonate in the crushed eggshells.		
		[1]	
vii)	Calculate the mass of calcium carbonate in the crushed eggshells.		
		[1]	
viii)	Calculate the percentage, by mass, of calcium carbonate in t crushed eggshells.	he	
		_ [1]	

[Turn over

- **14** The halogens are reactive non-metals which often react by gaining electrons to form halide ions.
  - (a) Complete the table to show the colours and physical states of chlorine, bromine and iodine at room temperature and pressure.

e halogens are reactive n ctrons to form halide ions		n react by gaining	Allingen is Only mark
Complete the table to sh chlorine, bromine and ic			Elliz E
		·	· CON
Halogen	Colour	Physical State	2
Chlorine			
Bromine			
lodine			


- [3]
- (b) Solutions of silver nitrate and ammonia can be used to test for the presence of aqueous halide ions.
  - (i) Describe how you would use these reagents to distinguish between solutions of sodium chloride, sodium bromide and sodium iodide. State the expected result for each solution.

	[6]
	[0]
Quality of written communication	[0]
	[2]


(ii) Give an ionic equation, including state symbols, for the reaction of aqueous sodium iodide with silver nitrate solution.

[2]

	Write an equation for the reaction of sodium chloride with concentrated sulfuric acid.	lide	E.
			J. C
		_ [2]	
(ii)	Balance the following half-equation for the reduction of concentrated sulfuric acid to form hydrogen sulfide:		
	${\rm H_2SO_4} \ + \ {\rm H^+} \ + \qquad \rightarrow \qquad {\rm H_2S} \qquad + \qquad \qquad$	H <sub>2</sub> O	
		[2]	
iii)	Combine the reduction half-equation in (c)(ii) with the followin	g	
	oxidation half-equation to produce a balanced redox equation.	-	
	$2l^- \rightarrow l_2 + 2e^-$		
		_ [2]	
(iv)	Give <b>one</b> observation which indicates the formation of hydrog sulfide.	en	
	Sunde.	[1]	
		_ [']	
	Name <b>two</b> other reduction products which are formed when concentrated sulfuric acid is added to sodium iodide.		
(v)			
(v)			
<b>v</b> )		_ [2]	
		_ [2]	
	Suggest why iodide ions are stronger reducing agents than chloride ions.	_ [2]	
	Suggest why iodide ions are stronger reducing agents than	_ [2]	
	Suggest why iodide ions are stronger reducing agents than	_ [2]	



The wat		ding and shape of a water molecule determines the properties	of Children of Only mark
(a)		w a dot and cross diagram to show the bonding in a water ecule.	of entropy ronly nark
			[2]
(b)	(i)	What is the bond angle in a water molecule?	[1]
		State the shape of a water molecule and explain why it adopts shape.	
		Why is the bond angle of water different to the bond angle in methane?	[3]
			[1]
(c)	Why	y does water have a higher boiling point than hydrogen sulfide?	
			[2]
	— т	THIS IS THE END OF THE QUESTION PAPER	—



Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.