



Rewarding Learning

ADVANCED SUBSIDIARY (AS)
General Certificate of Education
2014

Centre Number

71

Candidate Number

Chemistry

Assessment Unit AS 2

assessing

Module 2: Organic, Physical
and Inorganic Chemistry

[AC122]

TUESDAY 17 JUNE, AFTERNOON

ML

TIME

1 hour 30 minutes, plus your additional time allowance.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

Answer **all seventeen** questions.

Answer **all ten** questions in **Section A**. Record your answers by marking the appropriate letter on the answer sheet provided. Use only the spaces numbered 1 to 10. Keep in sequence when answering.

Answer **all seven** questions in **Section B**. Write your answers in the spaces provided in this question paper.

INFORMATION FOR CANDIDATES

The total mark for this paper is 100.

Quality of written communication will be assessed in Question **13(b)(ii)**.

In Section A all questions carry equal marks, i.e. **two** marks for each question.

In Section B the figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

A Periodic Table of the Elements, containing some data, is included in this question paper.

For Examiner's
use only

Question Number	Marks
-----------------	-------

Section A

1-10	
------	--

Section B

11	
----	--

12	
----	--

13	
----	--

14	
----	--

15	
----	--

16	
----	--

17	
----	--

Total Marks	
-------------	--

Section A

Look at the questions below. Only one of the answers labelled A–D is correct.

Choose the correct answer for each question. Mark its code letter by connecting the dots as illustrated on the answer sheet.

1 Equal volumes of 1-chlorobutane and 1-iodobutane are warmed with aqueous silver nitrate in the presence of ethanol. Which one of the following is the reason why the 1-chlorobutane reacts more slowly?

- A The C–Cl bond is more polar than the C–I bond
- B The C–Cl bond is stronger than the C–I bond
- C The C–I bond is more polar than the C–Cl bond
- D The C–I bond is stronger than the C–Cl bond

2 Which one of the following is correct as Group II is descended?

	Solubility of hydroxides	Solubility of sulfates
A	decreases	decreases
B	decreases	increases
C	increases	decreases
D	increases	increases

3 What is the colour of the flame produced when a barium compound is placed in a blue Bunsen burner flame?

- A Crimson
- B Green
- C Lilac
- D Orange


4 Which one of the following shows the effect on the yield of ammonia in the Haber process?

	Pressure increase	Temperature increase
A	yield decreases	yield decreases
B	yield decreases	yield increases
C	yield increases	yield decreases
D	yield increases	yield increases

5 Which one of the following mixtures will react to produce a compound with molecular formula C_4H_7N ?

- A 1-bromobutane and ammonia
- B 1-bromobutane and potassium cyanide
- C 1-bromopropane and ammonia
- D 1-bromopropane and potassium cyanide

6 The reaction shown below




is an example of

- A dehydration.
- B elimination.
- C free radical substitution.
- D nucleophilic substitution.

- 7 What is the mass of magnesium required to react with 50.0 cm^3 of 0.1 mol dm^{-3} hydrochloric acid?
- A 0.005g
B 0.060g
C 0.120g
D 0.240g
- 8 Which one of the following lists the compounds in order of increasing boiling point?
- A $\text{CH}_3\text{CH}_2\text{CH}_3$ $\text{CH}_3\text{CH}_2\text{F}$ $\text{CH}_3\text{CH}_2\text{OH}$
B $\text{CH}_3\text{CH}_2\text{CH}_3$ $\text{CH}_3\text{CH}_2\text{OH}$ $\text{CH}_3\text{CH}_2\text{F}$
C $\text{CH}_3\text{CH}_2\text{F}$ $\text{CH}_3\text{CH}_2\text{OH}$ $\text{CH}_3\text{CH}_2\text{CH}_3$
D $\text{CH}_3\text{CH}_2\text{OH}$ $\text{CH}_3\text{CH}_2\text{F}$ $\text{CH}_3\text{CH}_2\text{CH}_3$
- 9 When an organic compound was reacted with chlorine, the organic product was found to have a relative molecular mass which had increased by 69. Which one of the following is the reaction mechanism?
- A elimination
B electrophilic addition
C free radical substitution
D nucleophilic substitution

- 10 The Maxwell–Boltzmann distribution for a reaction mixture is shown below. N is the number of molecules with the most probable energy and E_A is the activation energy.




Which one of the following shows the effect on E_A and on N of increasing the temperature?

- | | E_A | N |
|---|-----------|-----------|
| A | constant | decreases |
| B | constant | increases |
| C | decreases | decreases |
| D | decreases | increases |

Section B

Answer all **seven** questions in the spaces provided.

- 11 Butan-1-ol is used to prepare 1-bromobutane according to the following equation:



- (a) (i) Give an equation to explain the term **percentage yield**.

percentage yield =

[1]

- (ii) Assuming a 40 % yield, what mass of butan-1-ol would be required to produce 5.48 g of 1-bromobutane?

moles of 1-bromobutane

moles of butan-1-ol

mass of butan-1-ol

_____ [3]

- (b) (i) Give an equation to explain the term **atom economy**.

atom economy =

[1]

- (ii) Calculate the atom economy for the formation of 1-bromobutane from butan-1-ol.

_____ [1]

Examiner Only

Marks

Remark

12 Qualitative analysis can be used to show the difference between aqueous solutions containing different metal ions.

(a) For each of the following pairs of metal ions, give an aqueous reagent which can be used to show the difference between the aqueous solutions. Write down the expected observations for each ion.

(i) Iron(II) ions and iron(III) ions.

Reagent _____ [1]

Observations _____

_____ [2]

(ii) Aluminium ions and zinc ions.

Reagent _____ [1]

Observations _____

_____ [2]

(b) Addition of an aqueous solution of potassium chromate can be used to test for the presence of barium ions.

(i) What is observed when barium ions react with chromate ions?

_____ [1]

(ii) Write an ionic equation, including state symbols, for the reaction of barium ions with chromate ions.


_____ [2]

Examiner Only

Marks

Remark

13 The fluorohydrocarbon below exists in two stereoisomeric forms.



(a) Name this fluorohydrocarbon using IUPAC rules.

_____ [2]

(b) (i) Draw and label the structures of the E and Z isomers of this fluorohydrocarbon.

[1]

(ii) Explain why one of the structures you have drawn is classified as the Z isomer.

_____ [3]

Quality of written communication [2]

Examiner Only

Marks Remark

- (c) (i) Draw a structural isomer of the fluorohydrocarbon which does **not** exist as stereoisomers.

[1]

- (ii) Explain, in terms of the structure of this molecule, why it does not exist as stereoisomers.

[2]

Examiner Only

Marks

Remark

14 Propene reacts with hydrogen bromide to form two isomers, the major product being 2-bromopropane.

(a) Explain why hydrogen bromide is attracted to propene.

 [2]

(b) Suggest flow schemes for the mechanisms of the reaction of hydrogen bromide with propene to form 1-bromopropane and 2-bromopropane, showing the structure of both intermediates.

[4]

(c) (i) Suggest how you would separate a mixture of 1-bromopropane and 2-bromopropane.

 [1]


(ii) Suggest how you would use infra-red spectroscopy to identify an unknown sample of bromopropane as either 1-bromopropane or 2-bromopropane.

 [1]

Examiner Only

Marks Remark

- 15 Under a particular set of conditions incomplete combustion of propane occurred according to the following equation:



The total volume of gases produced occupied a volume of 9000 dm³. The molar gas volume, under these conditions, is 30 dm³.

- (a) Define the term **molar gas volume**.

_____ [2]

- (b) (i) Calculate the number of moles of carbon monoxide produced in this combustion.

_____ [2]

- (ii) Calculate the number of moles of oxygen used in this combustion.

_____ [1]

- (iii) Calculate the mass of propane, in kg, burned.

_____ [3]

- (iv) Calculate the number of molecules of propane burned.

_____ [1]

- (c) Under a different set of conditions, methane undergoes incomplete combustion to produce carbon dioxide and carbon monoxide in a 2:1 ratio. Write an equation for this incomplete combustion.


_____ [2]

Examiner Only

Marks

Remark

- 16 Butane is sold commercially as “bottled gas”. It undergoes complete combustion according to the following equation:



and has a standard enthalpy of combustion of $-2876.5 \text{ kJ mol}^{-1}$.

- (a) Calculate the amount of energy released for every kilogram of carbon dioxide released.

[3]

- (b) Hess’s Law can be used to calculate enthalpy changes, such as the standard enthalpy of formation of butane, which cannot be measured by experiment.

- (i) Define the term **standard enthalpy of formation**.

[3]

- (ii) Write an equation, with state symbols, which represents the standard enthalpy of formation of butane.

[2]

- (iii) Use the standard enthalpy of combustion of butane and the following data to calculate the standard enthalpy of formation of butane.


	Standard enthalpy of combustion (kJ mol^{-1})
Carbon (C)	-393.5
Hydrogen (H_2)	-285.8

[3]

Examiner Only

Marks Remark

17 The formula for ethylene glycol is shown below:



(a) Use IUPAC rules to give the systematic name of ethylene glycol.

_____ [1]

(b) What is the empirical formula of ethylene glycol?

_____ [1]

(c) Ethylene glycol reacts vigorously with an excess of ethanoyl chloride.

(i) Suggest **two** observations in this reaction.

_____ [2]

(ii) Name the type of reaction occurring.

_____ [1]

(iii) Draw the structure of the organic product.

[2]

(iv) Suggest a test for the inorganic product formed in this reaction.

_____ [2]

Examiner Only

Marks

Remark

(d) Ethylene glycol contains primary alcohol groups. When heated under reflux with excess acidified potassium dichromate the solution changes from orange to green.

(i) Why are the alcohol groups in ethylene glycol classified as primary?

_____ [1]

(ii) Name the type of reaction occurring.

_____ [1]

(iii) Draw the structure of the organic product.

[1]

(iv) Name the functional group present in the organic product.

_____ [1]

(v) What would be the most significant difference between the infra-red spectrum of the organic product and that of ethylene glycol?

_____ [1]

(e) Write an equation for the reaction of ethylene glycol with an excess of phosphorus pentachloride.

[2]

Examiner Only

Marks

Remark

- (f) Explain, in terms of structure, why an iodoform test does not give a positive result with ethylene glycol.

_____ [1]

- (g) The boiling point of ethylene glycol is 197 °C. The boiling point of ethanol is 78 °C. Explain this large difference in boiling points.

_____ [3]

THIS IS THE END OF THE QUESTION PAPER

Examiner Only

Marks Remark

Permission to reproduce all copyright material has been applied for.
In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA
will be happy to rectify any omissions of acknowledgement in future if notified.