

ADVANCED SUBSIDIARY (AS) General Certificate of Education 2014

## Chemistry

## Assessment Unit AS 1

assessing Basic Concepts in Physical and Inorganic Chemistry

[AC112]

### **MONDAY 9 JUNE, AFTERNOON**

#### TIME

1 hour 30 minutes.

### INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

Answer all fifteen questions.

Answer **all ten** questions in **Section A**. Record your answers by marking the appropriate letter on the answer sheet provided. Use only the spaces numbered 1 to 10. Keep in sequence when answering.

Answer **all five** questions in **Section B**. Write your answers in the spaces provided in this question paper.

#### INFORMATION FOR CANDIDATES

The total mark for this paper is 100.

Quality of written communication will be assessed in Question **12(b)**.

In Section A all questions carry equal marks, i.e. **two** marks for each question.

In Section B the figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

A Periodic Table of the Elements, containing some data, is included in this question paper.

71





For Examiner's use only						
Question Number	Marks					
Section A						
1–10						
Section B						
11						
12						
13						
14						
15						
Total Marks						

#### Section A

For each of the following questions only **one** of the lettered responses (A–D) is correct.

# Select the correct response in each case and mark its code letter by connecting the dots as illustrated on the answer sheet.

- 1 Which one of the following is **not** a redox reaction?
  - A  $2Ca(NO_3)_2 \rightarrow 2CaO + 4NO_2 + O_2$

$$\mathsf{B} \quad \mathsf{Cl}_2 + 2\mathsf{I}^- \to \mathsf{I}_2 + 2\mathsf{CI}^-$$

- $C \quad Fe\,+\,Cu^{2+} \rightarrow Fe^{2+}\,+\,Cu$
- $\mathsf{D} \quad \mathsf{H}_2\mathsf{SO}_4 + \mathsf{2NaOH} \rightarrow \mathsf{Na}_2\mathsf{SO}_4 + \mathsf{2H}_2\mathsf{O}$
- 2 The graph of first ionisation energy against atomic number for a series of ten consecutive elements in the Periodic Table is shown below. Which one of the following indicates a Group II metal and a halogen?



- 3 Which one of the following is the strongest reducing agent?
  - A F<sup>-</sup>
  - $B F_2$
  - C I-
  - $D I_2$
- **4** 4.35 g of potassium sulfate is dissolved in water and made up to 50.0 cm<sup>3</sup>. Which one of the following is the concentration of potassium ions in this solution?
  - A 0.025 mol dm<sup>-3</sup>
  - B 0.500 mol dm<sup>-3</sup>
  - C 0.644 mol dm<sup>-3</sup>
  - D 1.000 mol dm<sup>-3</sup>
- **5** Which one of the following describes the trend in bond energies of the halogen molecules down Group VII?
  - A Decreases
  - B Decreases to bromine then increases
  - C Increases
  - D Increases to chlorine then decreases
- **6** When 0.28 g of a basic oxide, MO, is reacted with 250 cm<sup>3</sup> of 0.05 mol dm<sup>-3</sup> hydrochloric acid the excess acid required 50 cm<sup>3</sup> of 0.05 mol dm<sup>-3</sup> sodium hydroxide solution for neutralisation. Which one of the following is the relative atomic mass of M?
  - A 12
  - B 28
  - C 40
  - D 56

7 Which one of the following diagrams represents the distribution of electrons in the 3d and 4s subshells in the ground state of an iron(III) ion?



- **8** Which one of the following describes the reaction between solid sodium chloride and concentrated sulfuric acid?
  - A Disproportionation
  - B Exothermic
  - C Neutralisation
  - D Redox
- **9** Chlorine was bubbled through a pale green solution causing the solution to turn yellow/orange. Which one of the following ions was in the original solution?
  - A Br-
  - B Fe<sup>2+</sup>
  - C Fe<sup>3+</sup>
  - D I-

- 10 Which one of the following molecules does not contain a polar bond?
  - A Fluorine
  - B Hydrogen fluoride
  - C Oxygen difluoride (OF<sub>2</sub>)
  - D Tetrafluoromethane ( $CF_4$ )



2   \ 	Phc with pho	ospho i liqu ospho	orus is a non-metal with id bromine and more ge orus tribromide is formed	explosively each case	Examiner On Marks Rem			
(	(a)	(i)	Write an equation for th bromine.	e reaction of p	hosphorus, P <sub>2</sub>	$_{i}$ , with		
						[2]		
		(ii)	) State the octet rule and explain whether or not phosphorus obeys the octet rule in phosphorus tribromide.					
						[3]		
	(b)	The tabl	given in the					
			element	Si 1410	P <sub>4</sub>	5 <sub>8</sub>		
		With has	n reference to the struct a higher melting point t	ures of silicon a han phosphoru	and sulfur exp s.	lain why each		
						[4]		
		Qua	ality of written communic	cation		[2]		

13	Sodium is a reactive, soft, silvery metal. Chlorine is a poisonous gas. The two react together to form sodium chloride that is essential to our diet.					
	(a)	(i)	Using a labelled diagram explain the bonding in sodium metal.			
		(ii)	Metals are good conductors of electricity. Explain why the electrical conductivity of aluminium is greater than that of sodiu	[3] m.		
				[2]		
	(b)	Wh	at type of structure is present in the element chlorine?	[1]		
	(c)	(i)	Draw dot and cross diagrams to show how sodium bonds with chlorine gas. Only outer shell electrons should be shown.			
				[3]		
		(ii)	Name the type of bonding in sodium chloride.	[1]		

	(iii)	The structure of sodium chloride is described as a lattice. Explain what is meant by the term <b>lattice</b> .	Examiner Only Marks Remark
			[2]
	(iv)	Apart from its appearance give <b>three</b> physical properties of sodium chloride.	
			[3]
(d)	Sod hyd	lium chloride can be made by reacting sodium carbonate with rochloric acid.	
	(i)	Write the equation for this reaction.	[2]
	(ii)	Using the following headings calculate the mass of sodium chloride formed when 5.3g of sodium carbonate is reacted with 0.06 dm <sup>3</sup> of 1.5 mol dm <sup>-3</sup> hydrochloric acid. Number of moles of sodium carbonate used	)
		Number of moles of hydrochloric acid used	
		State which reagent is in excess	
		Number of moles of sodium chloride formed	
		Mass of sodium chloride formed in grams	[5]

Bromine tablets are used as a disinfectant in hot tubs and some swimming pools because of bromine's ability to act as an oxidising agent.								
Bro								
(i)	Suggest the equation for the reaction of bromine with water.							
		[1]						
(ii)	Using oxidation numbers explain why this reaction is an example of disproportionation.	e						
		[3]						
Ma swi Br <sub>2</sub>	nufacturers recommend maintaining the bromine concentration in mming pools at 4 mg per litre. Calculate the molarity of bromine, , in the water at this concentration.							
		[2]						
Oco disi	casionally a 'shock treatment' with chlorine is required to further nfect the water.							
(i)	Suggest, in chemical terms, why chlorine is used for this purpose	e.						
		[1]						
(ii)	The compound used to provide the chlorine for the shock treatment is "sodium dichlor", $NaCl_2C_3N_3O_3$ . Calculate the percentage of chlorine in "sodium dichlor" to <b>one</b> decimal place.							
	omine ols be Bro (i) (ii) (ii) Occ disi (i) (ii)	Derine tablets are used as a disinfectant in hot tubs and some swimming obsecause of bromine's ability to act as an oxidising agent.    Bromine reacts with water in a similar way to chlorine.    (i) Suggest the equation for the reaction of bromine with water.						



**15 (a)** The first three ionisation energies of calcium are given in the table below.

Examiner Only Marks Remark

	1st ionisation energy	2nd ionisation energy	3rd ionisation energy	
	590 kJ mol <sup>-1</sup>	1145 kJ mol <sup>-1</sup>	4912 kJ mol <sup>-1</sup>	
i)	Write the equation state symbols.	for the second ionisatior	n of calcium including	g [2]
i)	Using the following in kJ, required to fo	headings calculate the rm 8.0 g of Ca <sup>2+</sup> (g) ions	amount of energy, s from Ca(g).	
	Energy required to Ca(g)	form one mole of Ca <sup>2+</sup> (	g) from one mole of	
				[1]
	Number of moles o	f Ca <sup>2+</sup> (g) in 8.0 g		[4]
	Energy required to	form 8.0 g of Ca <sup>2+</sup> (g)		[']
				[1]
Гhe	Ca <sup>2+</sup> ion has the sa	ame electron arrangeme	ent as an argon aton	۱.
i)	Write the electron a	rrangement for the Ca <sup>2</sup>	<sup>+</sup> ion.	
				[1]
ii)	The first ionisation the third ionisation ionisation energy of	energy of argon is 1520 energy of calcium is mu f argon.	kJ mol <sup>–1</sup> . Explain wh ch higher than the fii	ny rst
				[2]

(c) The table below shows the relative abundance of the four main isotopes of calcium.

	isotope	<sup>40</sup> Ca	<sup>42</sup> Ca	<sup>43</sup> Ca	<sup>44</sup> Ca
r	elative abundance	96.9%	0.6%	0.2%	2.3%
(i)	What is meant by	the term <b>isoto</b>	opes?		
					[2
(ii)	Calculate the relat places.	ive atomic ma	ss of calciu	ım to <b>two</b> d	ecimal
					[2
(iii)	Complete the follo particles in a <sup>43</sup> Ca	wing table to s atom.	show the nu	umber of su	batomic
		neutrons	electro	ons j	protons
	<sup>43</sup> Ca	neutrons	electro	ons I	orotons
	<sup>43</sup> Ca	neutrons	electro	ons I	protons
A li thro	<sup>43</sup> Ca ne emission spectru ough a spectroscop	neutrons	shown bel	ow, can be	o <b>rotons</b> [2 observed
A li thro	<sup>43</sup> Ca ne emission spectru ough a spectroscop	neutrons	shown bel	ow, can be	orotons [2 observed
A li thro	4 <sup>3</sup> Ca	neutrons	electro	ow, can be	orotons [2 observed

Examiner Only

Marks Remark

(ii)	Describe how the movement of an electron within an atom give rise to a line in an emission spectrum.	es	Examine Marks	er Only Remai
		[3]		
(iii)	What flame colour is observed when calcium burns?			
		[1]		
(iv)	Using the following headings and the first ionisation energy of calcium, 590 kJ mol <sup>-1</sup> , calculate the frequency of the convergent limit of a calcium atom and state its units.	nce		
	Energy, in joules, required to ionise one calcium atom			
		[2]		
	Frequency of the convergence limit of a calcium atom			
		[2]		
ГНІ	S IS THE END OF THE QUESTION PAPER			

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.