

OXFORD CAMBRIDGE AND RSA EXAMINATIONS

Advanced GCE

CHEMISTRY

2815/01

Trends and Patterns

Tuesday

25 JUNE 2002

Morning

1 hour

Candidates answer on the question paper.

Additional materials:

Data sheet for Chemistry

Scientific calculator

Candidate Name	Centre Number	Candidate Number												
	<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 15px; height: 15px;"></td> </tr> </table>							<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr> <td style="width: 15px; height: 15px;"></td> </tr> </table>						

TIME 1 hour

INSTRUCTIONS TO CANDIDATES

- Write your name in the space above.
- Write your Centre number and Candidate number in the boxes above.
- Answer **all** the questions.
- Write your answers in the spaces on the question paper.
- Read each question carefully and make sure you know what you have to do before starting your answer.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- You will be awarded marks for the quality of written communication where this is indicated in the question.
- You may use a scientific calculator.
- You may use the *Data Sheet for Chemistry*.
- You are advised to show all the steps in any calculations.

FOR EXAMINER'S USE		
Question Number	Mark	Mark
1	11	
2	5	
3	13	
4	5	
5	11	
TOTAL	45	

This question paper consists of 8 printed pages.

Answer all questions.

- 1 (a) (i) Explain what is meant by the term
- transition element*
- .

.....
[1]

- (ii) Complete the electronic configuration of the vanadium atom.

$1s^22s^22p^6$[1]


- (b) Aqueous transition metal ions can react with aqueous hydroxide ions.

- (i) Complete the table below.

metal ion	formula and state symbol of the product of the reaction with $\text{OH}^-(\text{aq})$	colour of product
$\text{Fe}^{2+}(\text{aq})$		
$\text{Fe}^{3+}(\text{aq})$		

[5]

- (ii) Aqueous ammonia reacts with water in the following way.



When aqueous ammonia is added dropwise to aqueous copper(II) ions, a very pale blue precipitate is observed which disappears in excess ammonia to give a deep blue solution.

Write equations to show the formation from aqueous copper(II) ions of
 the pale blue precipitate,

.....

the deep blue solution.


.....[4]

[Total : 11]

2 The transition metal compound **X** is analysed.

(a) The aqueous solution of **X** is yellow.

Sketch on the axes below the absorption spectrum you would predict for **X** in aqueous solution.



[1]

(b) Explain the shape of your sketch.

.....
.....[1]

(c) Calculate the empirical formula of **X** which has the following composition by mass:
K, 32.0%; Cr, 21.3%; F, 46.7%.

[2]

(d) Suggest the identity of the **ligand** in **X**.

.....[1]


[Total : 5]

- 3 The lattice enthalpy of caesium chloride, CsCl , can be calculated using a Born-Haber cycle.

The table below shows the enthalpy changes and corresponding data for this cycle.

enthalpy change		energy/ kJ mol^{-1}
lattice enthalpy of CsCl	A	?
atomisation of caesium	B	+76
atomisation of chlorine	C	+122
1st ionisation energy of caesium	D	+376
1st electron affinity of chlorine	E	-349
formation of CsCl	F	-443

- (a) On the cycle below, put the letter for each enthalpy change in the appropriate box.



- (b) Calculate the lattice enthalpy of caesium chloride.

Answer kJ mol^{-1} [2]

- (c) The lattice enthalpy of sodium chloride is **more exothermic** than the lattice enthalpy of caesium chloride.

State and explain the relative strengths of the ionic bonding in sodium chloride and caesium chloride.

.....
.....
.....
.....[3]

- (d) What would you expect to observe when solid caesium chloride is added to water?


.....
.....
.....[2]

- (e) Describe how you would distinguish between aqueous caesium chloride and aqueous caesium iodide using a simple laboratory test. State the observations you would make.

.....
.....
.....
.....[3]

[Total : 13]

- 4 The manganate(VII) ion, MnO_4^- , is a strong oxidising agent frequently used in laboratory analysis. It reacts with the ethanedioate ion, $\text{C}_2\text{O}_4^{2-}$, in hot acidic solution to form CO_2 and Mn^{2+} ions.



- (a) Construct the full ionic equation for this reaction.

[2]

- (b) Calculate the volume of $0.0200 \text{ mol dm}^{-3}$ potassium manganate(VII) required to react with 25.0 cm^3 of $0.0400 \text{ mol dm}^{-3}$ sodium ethanedioate.

[3]

[Total : 5]

