

Mark Scheme 2848 January 2005

Mark Scheme AW = alternative wording ora = or reverse argument
--

OCR 1 Hil Cam CB1

OCR

(Gene Telepi Facsin Email:

www

For stat progran

Oxford C is a Comp Registere Registere Registere OCR is an

OCR (Oxfo Head offic Telephone Facsimile:

		Marks
Question	Expected Answers	1
1 a i	Visible/ light	<del> '</del>
 1 a ii	infrared NOT heat	1
1b i	they/carbon dioxide/CO <sub>2</sub> /molecule/bonds vibrates/bends/stretches (1); more/faster (AW)(1); second mark tied to first gain/increase in vibrational energy scores (2) IGNORE references to kinetic energy and molecules heating up	2
1 b ii	Assume advantage followed by disadvantage unless stated Advantages: Warmed planet (1); so that life could evolve (1) or continues to warm planet (1) so that life can survive/ specified agricultural change (1)	4
	Disadvantages: Too much warming/global warming (1) will lead to ice caps melting/climate change/Gulf stream stopping/sea levels rising/flash floods (1)	
	Mention of uv or ozone is a CON to second mark in the pair concerned.	
	QWC Written in sentence(s); grammatical; spelling correct (allow one error in either)	1
1 c	CO <sub>2</sub> / molecules leaving and entering solution (1); at the same rate (1)mark separately if refers to some process or "reaction".	2
1 d i	The <u>u.v.</u> (radiation/light) (needed to give a tan) (1) cannot pass through/absorbed by <u>glass</u> (1) must refer to radiation. NOT "reflected by"	2
1 d ii	$O_3 \rightarrow O_2 + O(1)$ hv (over arrow) (1) mark separately accept $O_3 + hv$	2
1 e i	CIO + O <sub>2</sub> (1); CIO + O (1) IGNORE dots	2

© OCR 20

1 e ii	They are recycled/not used up/remain unchanged (AW) (1); Catalysts provide a route with lower activation enthalpy/energy (accept; They lower the activation e.) (1)	2
1 e ili	CFCs/halogenoalkanes/ named halogenoalkanes  NOT chlorine	1
1 e iv	radical(s)	1

3

OCF 1 Hi Can CB<sub>1</sub>

(Gen Teler

Facsi Emai

OCF

wwv

For st progra

Oxford is a Co Registo Registo Registo OCR is

OCR (C Head o Teleph Facsim

© OCR

 2 a	copper(II) oxide (1); copper(I) oxide (1) ignore gaps	2
2 b i	$CO_3^{2-} + 2H^{+} \rightarrow CO_2 + H_2O_3(2) CO_3^{-} + anyH^{+} \rightarrow CO_2 + anything$ scores (1) $CO_3^{2-} + H^{+} \rightarrow CO_3^{-}(1) CO_3^{2-} + 2H^{+} \rightarrow H_2CO_3(1)$	2
∑ b ii	protons are transferred (AW) (1); carbonate/CO <sub>3</sub> <sup>2-</sup> (allow ecf on formula from (i)) (1)	2
2 b iii	They are unaffected/ unreacted/spectator ions / they go from the lattice/malachite(1); They end up in solution/ form copper chloride (but NOT "molecules" or copper-chlorine bonding implied) (1)	2
 2 c	3s <sup>2</sup> 3p <sup>6</sup> 3d <sup>10</sup> 4s <sup>1</sup> /4s <sup>1</sup> 3d <sup>10</sup> (2) 3s <sup>2</sup> 3p <sup>6</sup> 3d <sup>9</sup> 4s <sup>2</sup> /4s <sup>2</sup> 3d <sup>9</sup> scores (1)	2
2 d i	$M_{\rm r}$ chalcopyrite = 184 (1) stated or implied	3
	%Cu = 64 x 2/184 = 0.70(%) [1]	
	2 sig figs (mark separately and award provided answer is less than 2%) (1)	
2 d ii	froth flotation or a description (in which case ignore name)	1
2 e i	$4\text{CuFeS}_2 + 10.5\text{O}_2 \rightarrow 4\text{Cu} + 2\text{FeO} + \text{Fe}_2\text{O}_3 + 8\text{SO}_2 + 2 \qquad 0 \qquad +2 \qquad +3 \qquad +4$	3
	all correct (3); four/five correct (2); two/three correct (1)  Do not award third mark if signs follow numbers	
2 e ii	sulphur dioxide/SO <sub>2</sub> (1); is toxic/harmful to life/causes respiratory problems/ causes acid rain (1) IGNORE any other reasons given	2
2fi	M <sub>r</sub> SO <sub>2</sub> = 64 (1) stated or implied 320/64 = 5 (1)	2
2 f ii	Twice as many moles of NaOH as SO <sub>2</sub> stated or implied (1) (10 moles)	3
	volume = moles/conc. stated or implied (1) (10/0.5)	
	calculation leading to answer (1) (20 dm³)	

3 a	H CH <sub>3</sub> C=C H O-CH <sub>2</sub> —CH <sub>2</sub> —OH  double bond (1)  completely correct (any chemically correct representation) (1)	2
3 b	covalent/hydrogen (bonds)	1
3 c	hydrogen bond between H on one and O on other (1) allow dotted line but not continuous line at least one lone pair shown as starting point of bond (1) $\delta + / \delta -$ shown correctly on O and H forming bond(1)  (CON if OHT shown, rather than -OH)  straight line between two oxygens involved (1)  (CON if OH2 shown)	4
3 d	primary (1) attached to carbon which is attached to one carbon/attached to –CH <sub>2</sub> /end of chain(1) depends on first mark	2
3 e i	O—CH <sub>2</sub> —COOH  -COOH correct (can be displayed) (1) rest of structure correct (i.e. no extra CH <sub>2</sub> ) (1) OH on top bond scores (0)	2
3 e ii	(potassium) dichromate (1); (sulphuric) acid (1); reflux/ heat (AW) (if first mark scored) (1)	3
3 f	they are less abrasive (AW) to the eye/ they allow gases to pass through/more flexible allow more comfortable/can absorb tears/keep eyes moist/ last longer	1

OCF 1 Hi Can CB1

(Gen Telep Facsi Email

OCF

WWW

For staprogra

Oxford is a Coi Registe Registe OCR is

OCR (O Head of Telepho Facsimi

© OCR

3 g i	two from C=C (1) lack of free rotation/planar/cannot twist (1) two different groups on each carbon atom (1)	3
	trans (1)	
3 g ii	permanent (dipole) () permanent dipole (NOT p.dp.d. or dipole-dipole)	1
3 g iii	poly(ethene) more flexible because chains can slide over each other (1) more easily (1) instantaneous (dipole)-induced dipole forces/Van der Waals forces in poly(ethene) (1) intermolecular forces (however described) in polyethene weaker than those in PMMA (1) If imf in PMMA described, allow ecf from 3gii or variants eg "dipole-dipole"	4
	IGNORE references to side-chains, tangling etc	
	QWC: At least two sentences, logical, two italicised terms used correctly.	1

4ai	brown/red/red-brown/brown-orange/red-orange (NOT orange) (1) liquid (1) mark separately	2
4 a ii	chlorine is more reactive because it displaces bromine/oxidises/takes electrons away from Br <sup>-</sup> ora reason must be given	1
4 a iii	Br on left and Br/Br <sub>2</sub> and e <sup>(-)</sup> on right (only) scores (1)	2
	Completely correct: 2Br <sup>-</sup> → Br <sub>2</sub> + 2e <sup>(-)</sup> (2) electrons may be subtracted from LHS IGNORE state symbols	
4 a iv	oxidation (ecf from a iii) NOT redox	1
4 b	toxic (vapour)/ respiratory problems (1); corrosive/ dangerous to/blisters/damages skin (1)	2
4 c	Ag <sup>+</sup> (aq) + Br <sup>-</sup> (aq) → AgBr(s) formation of AgBr (or another formula) (1); completely correct (1) <i>allow doubled</i> state symbols, provided (aq) + (aq) → (s) (1)	3
4 d i	bromine is decolorised (1) NOT "clear"	- 1
4 d ii	c=c  Br  Br  Br  Br  either BOTH partial charges OR arrow (1)  Br  '+' on carbon (or ring) (1)	4
4 e i	light (on its own or qualified "visible", "uv" "sun", "radiation")/u.v. (radiation)	1
4 e ii	homolytic	1
4 e iii	initiation	1
4 e iv	hydrogen bromide (accept hydrobromic acid and HBr) (1)	1
4 e v	bromoethane (1) ALLOW 1-bromoethane	1