## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Advanced Level

# MARK SCHEME for the October/November 2010 question paper for the guidance of teachers

### 9691 COMPUTING

9691/32

Paper 3 (Written Paper), maximum raw mark 90

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE A LEVEL – October/November 2010	9691	32

#### 1 (a) Advantages:

- -Access to the correct customer information can be made from any machine/it is not necessary to use the machine storing that information
- -The customer details are always up-to-date/there is only one copy of the customer file.

#### Disadvantages:

- -While one user is accessing or amending the file, others cannot use it/because it is necessary to maintain the integrity of the data held
- -The data is less secure/more people can see the files so less confidential/more difficult to keep files confidential to one worker.

(2 per -, max 1 advantage and 1 disadvantage, max 4)

[4]

- (b) (i) All computers in the star network are connected to the switch
  - The switch is capable of receiving a message and identifying where the message should go...
  - the message is only sent to the correct places/reducing network traffic (1 per -, max 2) [2]
  - (ii) -Lies between the two networks
    - -Passes messages from one network to the other
    - -Converts data into the appropriate form for the receiving network

(1 per -, max 2) [2]


- (iii) -Used to connect chief accountant's computer to telephone line (not Internet)
  - -Converts between digital and analogue signals
  - -Modulator/Demodulator

(1 per -, max 2) [2]

- (c) -Information is relevant to the company/private network
  - -bank of company resources
  - -More chance of workers seeing information
  - -Fewer people using intranet/less information available...
  - -makes it easier to navigate...
  - -faster to access information
  - -Information more secure from hacking/viruses.
  - -less unsolicited email

(1 per -, max 4) [4]

2



#### Mark Points:

- -All three entities represented
- -Session to Activity being one-to-many
- -Link entity between SESSION and MEMBER
- -Session to Link is one-to-many
- -Link to Member is many-to-one

(allow 1 mark for session to member is many-to-many)

must be a recognisable ER diagram

[5]

ı age o		900	Mark Geneme: reachers version	Cyliabas	i apci
			GCE A LEVEL – October/November 2010	9691	32
3	(a)	-Sequen	processor/control unit tial processing ons and data indistinguishable stored together (in same memory unit). max 3)		[3]
	(b)	-Res	d the data currently being processed sult of calculation is held in accumulator ore being passed to memory unit er -, max 2)		[2]
		-Coi	e address of the next instruction ntents incremented (after being read) ntents changed by a jump instruction er -, max 3)		[3]
ı	(a)	-Interpreter translates one instruction and runs it before translating the next.  -Compiler translates whole program before it is executed  -Interpreter maintains source code throughout run/program execution  -Compiler creates the object code and drops the source code  -Interpreter must be present in memory during run/program execution  -Compiler removed once object code produced  -Object code larger than source code  -Compiled program runs more quickly once it is translated  -interpreter produces error diagnostics as they are met  -compiler produces a file of error diagnostics at end of compilation  -interpreter makes debugging easier  -compiler needs whole program to be syntax error free to produce object code  -interpreter can execute partial programs  -compiler needs a whole block of code to run  (1 per -, max 6)		ode [6]	
	(b)	-Keywor -If keywo -Progran	ch statement into form required by the syntax analyser ds are tokenised ord not in dictionary then error reported names entered into symbol table//symbol total control or the symbol table or the symbol tabl		

Mark Scheme: Teachers' version

**Syllabus** 

Paper

- -names not following rules create error message
- -Removes unnecessary characters

Page 3

3

4

(1 per -, max 5) [5]

5	<ul> <li>(a) -Software interrupt</li> <li>-e.g. generated by the current program/may need to use printer/</li> <li>-I/O interrupt</li> <li>-e.g. Initiated by I/O hardware/user pressed a key/</li> <li>-Timer interrupt</li> <li>-e.g. end of time slice</li> <li>-Hardware interrupt</li> <li>-e.g. power off</li> <li>(1 per -, max 2 pairs, max 4)</li> </ul>	[4]
	<ul> <li>-current process halted -Interrupt given a priority -Placed in queue with other interrupts to be doneaccording to priority -When interrupt reaches top of queue it is processed // highest priority is handled -Contents of registers placed on stack -values read from stack to registers. (1 per -, max 5)</li> </ul>	first [5]
6	Repeat -Compare new value with root value / head -If > root value then follow right subtree -Else follow left subtree -Until no subtree -Insert new value as root of new subtree (1 per -, max 4)	[4]
7	(a) (i) Mantissa is 01001100 -Created by 9 ½ = 1001.1 -Point moved to be in front of first 1 and 0 placed in front Exponent is 00000100 -created by number of places point is moved -4 = 100 <sub>2</sub> (1 per -, max 4)	[4]
	(ii) -Mantissa is 01011001 -Exponent is 00000101	[2]
	<ul> <li>(b) -Range is decreased</li> <li>-because power of two to multiply mantissa by is decreased</li> <li>-Accuracy is increased</li> <li>-because more digits/bits (are represented after the binary point).</li> </ul>	[4]

Mark Scheme: Teachers' version

GCE A LEVEL – October/November 2010

Syllabus

9691

Paper

32

Page 4

Page 5		5	Mark Scheme: Teachers' version GCE A LEVEL – October/November 2010	Syllabus 9691	Paper 32
8 (	-w -S -N -P	rithout staves cleaning leeting	ve staff training sessions staff having to travel / thus saving time of employees osts of transport/hotels/venue s can be at any time/immediate nel do not have to have large amount of time off work to max 4)		[4]
(	-n- -O -S -N -N	ow wor pens usells 24 lo need lo need ossibili	s market Idwide rather than just local to stores up richer markets where higher prices can be charged If or expensive overheads It to employ more sales staff for extra sales. Ity of larger range of goods max 4)		[4]
(	-D -S -S Us -D -P -V	chows hat a ser: Designed Provides What to	al:  d for use by a technician/computer knowledgeable per now the system was put together/works a technician can alter the system/correct it/maintain it  d for non computer literate user of system s training guides/instructions for use do when something goes wrong.  max 4)	rson	[4]
	( <b>d</b> ) ev	ramnla	s must refer to the scenario in the question		
'	(u) (i)	-Nee	eded to correct bugs in the system, found in operation Totals over \$100 are output without cents value		
	(ii)		anges to the system necessary because of external fac Sales tax on shoes has changed	tors	
	(iii)	- e.g	anges which enhance/improve performance of system . A change to the sorting algorithm to speed up productions.	ction of lists of m	ost popular [6]
9	(i)		a and methods are kept together a can only be accessed using methods attached to it		[2]
	(ii)		nputer given facts and rules uired outcomes are described, not how to achieve ther	n	[2]
	(iii)	-Use -Mer	ructions are one-to-one with machine code/binary of mnemonics / labels mory locations can be accessed directly er -, max 2)		[2]

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE A LEVEL – October/November 2010	9691	32

- **10 (a) (i)** -Simultaneous use of... (do not accept: apparently) -more than one processor...
  - (ii) -to carry out large number of calculations...
    - -because the calculations are simple/similar/repetitive...
    - -carried out in much shorter time (compared with single processor)
    - -Calculations are interdependent with results of one group feeding into next calculations. (1 per -, max 3 per dotty, max 4) [4]
  - (b) Need for complex software/O.S.

[1]