

Centre Number						Candidate Number				
Surname										
Other Names										
Candidate Signature										

For Examiner's Use	
Examiner's Initials	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
TOTAL	



General Certificate of Education
Advanced Level Examination
June 2011

Mathematics

MFP2

Unit Further Pure 2

Monday 13 June 2011 9.00 am to 10.30 am

For this paper you must have:

- the blue AQA booklet of formulae and statistical tables.

You may use a graphics calculator.

Time allowed

- 1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer the questions in the spaces provided. Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.



J U N 1 1 M F P 2 0 1

Answer **all** questions in the spaces provided.

1 (a) Draw on the same Argand diagram:

(i) the locus of points for which

$$|z - 2 - 5i| = 5 \quad (3 \text{ marks})$$

(ii) the locus of points for which

$$\arg(z + 2i) = \frac{\pi}{4} \quad (3 \text{ marks})$$

(b) Indicate on your diagram the set of points satisfying both

$$|z - 2 - 5i| \leq 5$$

and

$$\arg(z + 2i) = \frac{\pi}{4} \quad (2 \text{ marks})$$

QUESTION
PART
REFERENCE



4 The cubic equation

$$z^3 - 2z^2 + k = 0 \quad (k \neq 0)$$

has roots α , β and γ .

(a) (i) Write down the values of $\alpha + \beta + \gamma$ and $\alpha\beta + \beta\gamma + \gamma\alpha$. (2 marks)

(ii) Show that $\alpha^2 + \beta^2 + \gamma^2 = 4$. (2 marks)

(iii) Explain why $\alpha^3 - 2\alpha^2 + k = 0$. (1 mark)

(iv) Show that $\alpha^3 + \beta^3 + \gamma^3 = 8 - 3k$. (2 marks)

(b) Given that $\alpha^4 + \beta^4 + \gamma^4 = 0$:

(i) show that $k = 2$; (4 marks)

(ii) find the value of $\alpha^5 + \beta^5 + \gamma^5$. (3 marks)

QUESTION
PART
REFERENCE



QUESTION
PART
REFERENCE

Area with horizontal dotted lines for writing.

END OF QUESTIONS

Copyright © 2011 AQA and its licensors. All rights reserved.

