Centre Number			Candidate Number		
Surname					
Other Names					
Candidate Signature					



General Certificate of Education Advanced Subsidiary Examination January 2013

Mathematics

MFP1

Unit Further Pure 1

Friday 18 January 2013 1.30 pm to 3.00 pm

For this paper you must have:

• the blue AQA booklet of formulae and statistical tables. You may use a graphics calculator.

Time allowed

• 1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer each question in the space provided for that question. If you require extra space, use an AQA supplementary answer book; do not use the space provided for a different question.
- Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use			
Examine	r's Initials		
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
8			
9			
TOTAL			



Answer all questions.

Answer each question in the space provided for that question.

A curve passes through the point (1, 3) and satisfies the differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{x}{1+x^3}$$

Starting at the point (1, 3), use a step-by-step method with a step length of 0.1 to estimate the value of y at x = 1.2. Give your answer to four decimal places.

(5 marks)

QUESTION PART REFERENCE	Answer space for question 1
•••••	



QUESTION PART REFERENCE	Answer space for question 1
•••••	
•••••	
•••••	
••••••	
••••••	
••••••	
•••••	
••••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	



2 (a)	Solve the equation $w^2 + 6w + 34 = 0$, giving your answers in the form $p + 4$ where p and q are integers.	- q1, (3 marks)
(b)	It is given that $z = i(1+i)(2+i)$.	
	(i)	Express z in the form $a + bi$, where a and b are integers.	(3 marks)
	(ii)	Find integers m and n such that $z + mz^* = ni$.	(3 marks)
QUESTION PART REFERENCE	Ans	swer space for question 2	
••••••	•••••		
•••••			
	•••••		
	•••••		
	•••••		
	•••••		
	•••••		
	•••••		
	•••••		
•••••	•••••		
	•••••		
	•••••		•••••
••••••	•••••		
	•••••		•••••
•••••	•••••		••••••
	• • • • • • • •		•••••



QUESTION PART REFERENCE	Answer space for question 2
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
••••••	
••••••	
••••••	
•••••	
••••••	
•••••	
••••••	



3 (a) Find the general solution of the equation

$$\sin\left(2x + \frac{\pi}{4}\right) = \frac{\sqrt{3}}{2}$$

giving your answer in terms of π .

(6 marks)

(b) Use your general solution to find the exact value of the greatest solution of this equation which is less than 6π . (2 marks)

QUESTION PART REFERENCE	Answer space for question 3
••••••	
••••••	
•••••	
•••••	



QUESTION PART REFERENCE	Answer space for question 3
••••••	
••••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	



4	Sho	w that the	improper inte	egral	$\int_{25}^{\infty} \frac{1}{x\sqrt{x}} dx$	t has a f	inite valu	e and find	I that value.
					025 V				(4 marks)
QUESTION PART REFERENCE	Answer	space for	question 4						
	•••••			•••••	•••••	•••••			
	•••••								
	•••••			•••••					
				•••••					
	•••••				•••••				
	•••••								
••••••	•••••	•••••	•••••	•••••	••••••	••••••			
••••••	•••••	•••••		•••••	••••••	•••••		•••••••	
•••••	•••••	•••••		•••••	•••••	•••••		•••••	
••••••	•••••	•••••		•••••	•••••	•••••		••••••	
	••••••			•••••	•••••	•••••	•••••	••••••	
			•••••	•••••		•••••			
••••••				•••••					
				•••••					
	•••••			•••••					



QUESTION PART REFERENCE	Answer space for question 4
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
••••••	
••••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	



5 T	he ro	oots o	f the	quadratic	equation
------------	-------	--------	-------	-----------	----------

$$x^2 + 2x - 5 = 0$$

are α and β .

- (a) Write down the value of $\alpha + \beta$ and the value of $\alpha\beta$. (2 marks)
- (b) Calculate the value of $\alpha^2 + \beta^2$. (2 marks)
- (c) Find a quadratic equation which has roots $\alpha^3 \beta + 1$ and $\alpha \beta^3 + 1$. (5 marks)

QUESTION PART REFERENCE	Answer space for question 5
•••••	
••••••	
• • • • • • • • • • • • • • • • • • • •	



QUESTION PART REFERENCE	Answer space for question 5
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
••••••	
••••••	
••••••	
•••••	
•••••	
•••••	
•••••	
•••••	
••••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	



6 (a) The matrix **X** is defined by $\begin{bmatrix} 1 & 2 \\ 3 & 0 \end{bmatrix}$.

(i) Given that
$$\mathbf{X}^2 = \begin{bmatrix} m & 2 \\ 3 & 6 \end{bmatrix}$$
, find the value of m .

(1 mark)

(ii) Show that $X^3 - 7X = nI$, where *n* is an integer and I is the 2 × 2 identity matrix. (4 marks)

(b) It is given that
$$\mathbf{A} = \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$$
.

(i) Describe the geometrical transformation represented by A.

(1 mark)

(ii) The matrix **B** represents an anticlockwise rotation through 45° about the origin.

Show that
$$\mathbf{B} = k \begin{bmatrix} 1 & -1 \\ 1 & 1 \end{bmatrix}$$
, where k is a surd. (2 marks)

(iii) Find the image of the point P(-1, 2) under an anticlockwise rotation through 45° about the origin, followed by the transformation represented by **A**. (4 marks)

QUESTION PART REFERENCE	Answer space for question 6



QUESTION PART REFERENCE	Answer space for question 6



QUESTION PART REFERENCE	Answer space for question 6
•••••	
••••••	
•••••	



QUESTION PART REFERENCE	Answer space for question 6
••••••	
••••••	
•••••	
••••••	
•••••	
•••••	
••••••	
••••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	



7 The variables y and x are related by an equation of the form

$$y = ax^n$$


where a and n are constants.

Let $Y = \log_{10} y$ and $X = \log_{10} x$.

(a) Show that there is a linear relationship between Y and X.

(3 marks)

(b) The graph of Y against X is shown in the diagram.



Find the value of n and the value of a.

(4 marks)

QUESTION PART REFERENCE	Answer space for question 7
•••••	
•••••	

QUESTION PART REFERENCE	Answer space for question 7
•••••	
•••••	
••••••	
•••••	
•••••	
•••••	
••••••	
•••••	
••••••	
••••••	L
• • • • • • • • • • • • • • • • • • • •	



8 (a) Show that

$$\sum_{r=1}^{n} 2r(2r^2 - 3r - 1) = n(n+p)(n+q)^2$$

where p and q are integers to be found.

(6 marks)

(b) Hence find the value of

$$\sum_{r=11}^{20} 2r(2r^2 - 3r - 1)$$
 (2 marks)


QUESTION PART REFERENCE	Answer space for question 8



QUESTION PART REFERENCE	Answer space for question 8



9 An ellipse is shown below.



The ellipse intersects the x-axis at the points A and B. The equation of the ellipse is

$$\frac{(x-4)^2}{4} + y^2 = 1$$

- (a) Find the x-coordinates of A and B. (2 marks)
- (b) The line y = mx (m > 0) is a tangent to the ellipse, with point of contact P.
 - (i) Show that the x-coordinate of P satisfies the equation

$$(1+4m^2)x^2 - 8x + 12 = 0$$
 (3 marks)

(ii) Hence find the exact value of m.

(4 marks)

(iii) Find the coordinates of P.

(4	mar	KS,

QUESTION PART REFERENCE	Answer space for question 9

QUESTION PART REFERENCE	Answer space for question 9
•••••	
•••••	
•••••	
••••••	
••••••	
•••••	
••••••	
•••••	
•••••	
•••••	
•••••	



QUESTION PART REFERENCE	Answer space for question 9
•••••	



QUESTION PART REFERENCE	Answer space for question 9
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
	END OF OUTOTIONS
END OF QUESTIONS	



