

# **OXFORD CAMBRIDGE AND RSA EXAMINATIONS**

**Advanced GCE** 

GEOLOGY 2834

Palaeontology

Friday 20 JANUARY 2006 Afternoon 1 hour 30 minutes

Candidates answer on the question paper.
Additional materials:
Ruler (cm/mm)
Electronic calculator

Candidate Name	Centre Number	Candidate Number

TIME 1 hour 30 minutes

### **INSTRUCTIONS TO CANDIDATES**

- Write your name in the space above.
- Write your Centre Number and Candidate number in the boxes above.
- Answer all the questions.
- Write your answers in the spaces provided on the question paper.
- Read each question carefully and make sure you know what you have to do before starting your answer.

## **INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [] at the end of each question or part question.
- You will be awarded marks for the quality of written communication where this is indicated in the question.

FOR EXAMINER'S USE		
Qu.	Max.	Mark
1	17	
2	13	
3	19	
4	16	
5	25	
TOTAL	90	

# Answer all the questions.


	aboral view oral view
	2 diagrams have been removed due to third party copyright restrictions
	Details:
	Diagrams of an echinoid fossil from different views
Ι.,	X1 X1
ı) (i)	Name the group of echinoids to which fossil A belongs.
	[1]
(ii	
(iii)	On the appropriate diagram, label the following morphological features.
	anterior groove
	• plastron
	position of the mouth
) Th	e diagram below shows a close up view of part of fossil A.
	1 2 X3

2 ......[2]

	(ii)	Explain the function of morphological feature 1.	
			[2]
(c)	(i)	Describe how regular echinoids feed.	
			[2]
	(ii)	Describe how irregular echinoids feed.	
	/!!!\	Explain the function of the following feetures found in some achinoids	[2]
	(111)	Explain the function of the following features found in some echinoids.	
		fasciole	
		plastron	
			[4]

[Total: 17]

2 Fossils C, D and E are members of the same fossil group, but are found in different horizons from Palaeozoic rocks.



(b) Fossil fragments F and G are found in cyclothems from the Carboniferous Period. foss il F foss il G A diagram has been removed due to third party copyright restrictions Details: A diagram of 2 firrerent fossils (i) Name the group to which fossils F and G belong. ......[1] (ii) Describe the environment of deposition that allowed the preservation of these fragments to occur.

[Total: 13]

3 (a) Here is a list of six common geological terms.

biostratigraphy	Cainozoic	era	
Mesozoic	Palaeozoic	period	

Complete the table below by inserting the most suitable term to match each description.

description	term
began 65 Ma ago, until the present day	
began around 590 Ma ago	
Palaeozoic is an example	
dating of rocks using fossil remains	
time unit defined by specific rock and fossil types	
	[c]

[5]

- **(b)** Explain how the relative ages of rocks can be determined using the following methods. Use diagrams to illustrate your answers.
  - (i) way up structures

	 [2]


(ii) cross cutting relationships


# (iii) included fragments (c) (i) Name **one** method of radiometric dating of rocks. (ii) Explain how absolute dates can be determined using radiometric methods. (iii) Explain why sedimentary rocks are difficult to date using radiometric methods. (iv) Explain why metamorphism causes problems with radiometric dating.

[Total: 19]

......[2]

4 The diagram below shows a section through a fossil cephalopod.



- (a) Draw and label the following internal morphological features on the diagram.
  - septa
  - septal neck
  - siphuncle

[3]

**(b)** The suture lines of cephalopods evolved over time. In the space below, draw labelled diagrams to illustrate the differences between the suture lines of an ammonite and a goniatite.

ammonitic suture

goniatitic suture

[3]

water column. Explain how this movement is brought about.

vertical movement

horizontal movement


(c) Modern day cephalopods, such as Nautilus, can move vertically and horizontally in the

.....[4]

(d) Data was collected from specimens of **one species** of ammonite. The results are given in the table below.

specimen number	umbilicus length/mm	aperture width/mm
1	12	3.5
2	11	4.0
3	39	10.5
4	36	8.5
5	35	7.0
6	10	2.4
7	14	2.5
8	32	8.0

(i) Plot the results on the graph below.



[2]

(ii) Calculate the mean umbilicus length and aperture width for this species of ammonite.

umbilicus length ...... mm aperture width ..... mm [2]

(iii) Describe and explain the distribution you have plotted.


.....[2]

2834 Jan06

[Total: 16]

In this question, two marks are available for the quality of written communication. Diagrams are essential to illustrate your answers.

5	(a)	Describe the main methods of preservation of organisms as fossils.

	[11]
(b)	Describe and explain the adaptive morphological changes that bivalves have
	undergone to exploit different environments.

	Written Communication [2]
END OF QUESTION PAPER	[Total: 25]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (OCR) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.