



**BLANK PAGE**



N 2 2 1 9 3 A 0 2 2 0

**Answer ALL questions in the spaces provided.**

1. Phytochromes are pigments found in plants. One form of phytochrome is known as  $P_{FR}$  (or  $P_{730}$ ).

(a) Name **one** place in a plant where  $P_{FR}$  is found.

.....  
(1)

(b) State the effect that the following conditions have on  $P_{FR}$ .

Darkness .....

.....

.....

Exposure to far red light .....

.....

.....

(2)

(c) Describe how the effects of exposure of  $P_{FR}$  to darkness could be reversed.

.....

.....

.....


(1) Q1

**(Total 4 marks)**

---



2. The diagram below shows one type of mammalian neurone.



(a) (i) Name the type and state the role of the neurone shown in the diagram.

Type: .....

Role: .....

.....

.....

(2)

(ii) Draw an arrow on the diagram to show the direction in which an impulse would travel.

(1)



(b) State precisely where in the central nervous system the cell body of this type of neurone is found and explain the importance of the dendrites.

.....

.....

.....

.....

.....

.....

(2)

(c) Describe the node of Ranvier and explain its importance in the neurone.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)

Q2

(Total 8 marks)



3. In non-diabetic individuals, the pancreas secretes hormones which maintain the blood glucose concentration within narrow limits.

The table below shows the changes in blood glucose concentrations of non-diabetic and diabetic men over a sixty-minute period, after eating a glucose-rich meal.

Time after meal / min	Mean blood glucose concentration / mmol dm <sup>-3</sup>	
	Non-diabetic men	Diabetic men
0	5.5	11.9
30	7.3	16.4
60	4.9	17.7

- (a) Compare the changes in mean blood glucose concentrations of the non-diabetic and the diabetic men over the sixty-minute period.

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)

- (b) (i) One possible cause of diabetes is insufficient insulin production. What evidence is there in the table to support this idea?

.....

.....

.....

.....

.....

.....

(2)



(ii) Suggest why it is important for the blood glucose concentration to be maintained within narrow limits.

.....

.....

.....

.....

.....

.....

.....

.....

(2)

(c) After a further sixty minutes, without any additional glucose intake, the mean blood glucose concentration of the non-diabetic men was  $5.5 \text{ mmol dm}^{-3}$ .

Explain how this change in concentration occurred.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)

Q3


(Total 10 marks)







(b) The diagram below shows some of the stages that occur in the Krebs cycle.



Using the information given in both diagrams, explain why the oxidation of one molecule of succinate to oxaloacetate yields only five molecules of ATP.

.....  
.....  
.....  
.....  
.....  
.....  
.....

(3)

(c) State where in the cell the following processes take place.

Glycolysis .....

Conversion of pyruvate to acetyl coenzyme A .....

Krebs cycle .....

(3)

Q4

(Total 10 marks)







**BLANK PAGE**



**Option A: Microbiology and biotechnology**

6. (a) Distinguish between an endotoxin and an exotoxin.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

**(3)**

(b) Compare the structure of the  $\lambda$  (lambda) phage with the structure of the human immunodeficiency virus (HIV).

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


**(3)**

**Q6**

**(Total 6 marks)**



7. Production of penicillin is by batch fermentation. The diagram below summarises the main steps involved in the production of penicillin.



(a) Name the group of microorganisms to which *Penicillium* belongs.

..... (1)

(b) (i) Explain what is meant by the term **batch fermentation**.

.....  
.....  
.....  
..... (2)

(ii) Explain why batch fermentation is used in the production of penicillin.

.....  
.....  
.....  
..... (2)



(c) State which of the two fractions, separated in Step 3, is used in Step 4. Give a reason for your answer.

.....

.....

.....

.....

.....

.....

(2) Q7

(Total 7 marks)



8. An experiment was carried out to investigate the effect of pH on the growth of two species of bacteria: *Lactobacillus bulgaricus* and *Escherichia coli*.

Liquid media ranging between pH 4 and pH 9 were prepared. Suspensions containing  $6 \times 10^6$  viable bacterial cells per  $\text{cm}^3$  of each of the bacterial species were made. A  $2 \text{ cm}^3$  sample of the *E. coli* suspension was added to  $20 \text{ cm}^3$  of each of the liquid media. This was repeated for *L. bulgaricus*.

All the liquid cultures were then incubated at  $35^\circ\text{C}$  for eight hours. At the end of this incubation period, the number of viable bacterial cells in each of the liquid cultures was determined.

The results are shown in the table below.

pH of liquid culture	Number of viable bacterial cells $\times 10^5$ per $\text{cm}^3$	
	<i>E. coli</i>	<i>L. bulgaricus</i>
4	0	5
5	0	800
6	5	2600
7	300	400
8	3100	0
9	0	0

- (a) Calculate the number of viable *E. coli* cells in  $1 \text{ cm}^3$  of the liquid culture at the start of the incubation period. Show your working.

Answer ..... cells per  $\text{cm}^3$   
**(3)**







9. An experiment was carried out to study the growth of bacteria in a medium containing glucose as a carbon source.

A liquid culture of bacteria was set up and incubated at 25 °C for 24 hours. The glucose concentration at the start was 0.05 mol dm<sup>-3</sup>. Samples were removed every 2 hours for 24 hours and the number of viable cells determined.

- (a) (i) Name one method which could have been used to determine the number of viable cells in this experiment.

.....  
 .....


(1)

- (ii) State one precaution that must be taken to ensure an accurate count is made.

.....  
 .....

(1)

The results of the experiment are presented in the graph below.



In a second experiment, another culture was set up in the same way. After 12 hours some sucrose was added to the culture to give a sucrose concentration of  $0.05 \text{ mol dm}^{-3}$ .

Samples were removed every 2 hours for the next 10 hours and the number of viable cells determined.

(b) (i) On the graph draw a line to show how the number of viable cells may have changed from 12 to 24 hours.

(3)

(ii) Give an explanation for the shape of the curve you have drawn.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)

Q9

(Total 8 marks)

**TOTAL FOR PAPER: 70 MARKS**

**END**





**BLANK PAGE**



**Answer ALL questions in the spaces provided.**

1. Phytochromes are pigments found in plants. One form of phytochrome is known as  $P_{FR}$  (or  $P_{730}$ ).

(a) Name **one** place in a plant where  $P_{FR}$  is found.

.....  
(1)

(b) State the effect that the following conditions have on  $P_{FR}$ .

Darkness .....  
.....  
.....

Exposure to far red light .....  
.....  
.....  
(2)


(c) Describe how the effects of exposure of  $P_{FR}$  to darkness could be reversed.

.....  
.....  
.....  
(1) Q1

**(Total 4 marks)**



2. The diagram below shows one type of mammalian neurone.



(a) (i) Name the type and state the role of the neurone shown in the diagram.

Type: .....

Role: .....

.....

.....

(2)

(ii) Draw an arrow on the diagram to show the direction in which an impulse would travel.

(1)



(b) State precisely where in the central nervous system the cell body of this type of neurone is found and explain the importance of the dendrites.

.....

.....

.....

.....

.....

.....

(2)

(c) Describe the node of Ranvier and explain its importance in the neurone.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)

Q2

(Total 8 marks)





3. In non-diabetic individuals, the pancreas secretes hormones which maintain the blood glucose concentration within narrow limits.

The table below shows the changes in blood glucose concentrations of non-diabetic and diabetic men over a sixty-minute period, after eating a glucose-rich meal.

Time after meal / min	Mean blood glucose concentration / mmol dm <sup>3</sup>	
	Non-diabetic men	Diabetic men
0	5.5	11.9
30	7.3	16.4
60	4.9	17.7

- (a) Compare the changes in mean blood glucose concentrations of the non-diabetic and the diabetic men over the sixty-minute period.

.....

.....

.....

.....

.....

.....

.....

.....

(3)

- (b) (i) One possible cause of diabetes is insufficient insulin production. What evidence is there in the table to support this idea?

.....

.....

.....

.....

.....

.....

(2)



(ii) Suggest why it is important for the blood glucose concentration to be maintained within narrow limits.

.....

.....

.....

.....

.....

.....

.....

(2)

(c) After a further sixty minutes, without any additional glucose intake, the mean blood glucose concentration of the non-diabetic men was  $5.5 \text{ mmol dm}^{-3}$ .

Explain how this change in concentration occurred.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)


Q3

(Total 10 marks)



4. In oxidative phosphorylation, ATP is formed when electrons pass down the electron transport chain from one component to the next. ATP is synthesised at three sites.

The order of some components in the electron transport chain and the three sites of ATP synthesis are shown in the diagram below.



- (a) The oxidation of one molecule of reduced NAD ( $\text{NADH} + \text{H}^+$ ) yields three molecules of ATP.

Using the information given in the diagram above and your knowledge of mitochondria and oxidative phosphorylation, explain how the three molecules of ATP are made.

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

(4)



(b) The diagram below shows some of the stages that occur in the Krebs cycle.



Using the information given in both diagrams, explain why the oxidation of one molecule of succinate to oxaloacetate yields only five molecules of ATP.

.....

.....

.....

.....

.....

.....

(3)

(c) State where in the cell the following processes take place.

Glycolysis .....

Conversion of pyruvate to acetyl coenzyme A .....

Krebs cycle .....

(3)

Q4

(Total 10 marks)





Leave  
blank

Area with horizontal dotted lines for writing.

Q5

(Total 8 marks)



**Option B: Food science**

6. (a) Name the group of organisms to which yeast belongs.

.....  
(1)

(b) Explain the role of yeast in each of the following processes.

Making wine

.....  
.....  
.....  
.....  
.....  
.....  
.....  
(2)

Making bread

.....  
.....  
.....  
.....  
.....  
.....  
.....  
(2)

**(Total 5 marks)**

Q6



7. Many fruits are rich sources of ascorbic acid (vitamin C) which is an essential part of the human diet. The ascorbic acid content of fruit often decreases during storage.

- (a) A freshly picked kiwifruit was found to contain 74 mg of ascorbic acid. Another similar-sized kiwifruit was stored for two weeks before its ascorbic acid content was measured. This fruit was found to contain 57 mg of ascorbic acid.

Calculate the percentage decrease in ascorbic acid content of kiwifruits after storage for two weeks. Show your working.

Answer ..... %  
**(3)**

- (b) Name the nutritional disease caused by a lack of ascorbic acid (vitamin C) in the diet.

.....  
**(1)**

- (c) During storage of fruit, a number of factors may cause the ascorbic acid content to fall. Suggest **two** ways in which the loss of ascorbic acid might be reduced.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
**(2)**


**Q7**

**(Total 6 marks)**





8. The diagram below shows some of the stages in the resazurin test on two samples of milk.



(a) Describe how the samples are treated in stage B.

.....

.....

.....

.....

.....

.....

(2)



(b) The table below shows the results of a resazurin test carried out on two samples of milk.

Sample of milk	Colour of sample in Stage A	Colour of sample in Stage C
Pasteurised	Blue	Mottled pink and white
Control	Blue	Blue

What do these results suggest about the sample of pasteurised milk? Give an explanation for your answer.

.....

.....

.....

.....

.....

.....

.....

.....

(3)

(c) Explain why people who are lactose intolerant need to use lactose-reduced milk in their diet.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(4)

Q8

(Total 9 marks)



9. (a) (i) Explain what is meant by the term **obese**.

.....

.....

.....

.....

.....

.....

(2)

(ii) Body Mass Index (BMI) can be used as a measure of obesity. Explain what is meant by the term **BMI**.

.....

.....

.....


.....

.....

.....

(2)

(b) The bar chart below shows the percentage of children aged between 12 and 14 years who were classed as either overweight or obese in 1996 and 2001.



(i) Describe the changes in the percentages of overweight and obese children between 1996 and 2001.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)

(ii) Suggest reasons for the changes you have described in part (b)(i).

.....

.....

.....

.....

.....

.....

.....

(2)

(c) State **one** effect that obesity in children could have on their health later in life.

.....

.....

(1)

Q9

(Total 10 marks)

**TOTAL FOR PAPER: 70 MARKS**

**END**





**BLANK PAGE**



N 2 2 1 9 5 A 0 2 2 0

**Answer ALL questions in the spaces provided.**

**1.** Phytochromes are pigments found in plants. One form of phytochrome is known as P<sub>FR</sub> (or P<sub>730</sub>).

(a) Name **one** place in a plant where P<sub>FR</sub> is found.

.....  
(1)

(b) State the effect that the following conditions have on P<sub>FR</sub>.

Darkness .....

.....

.....

Exposure to far red light .....

.....

.....  
(2)

(c) Describe how the effects of exposure of P<sub>FR</sub> to darkness could be reversed.

.....

.....


.....  
(1)

Q1

**(Total 4 marks)**



2. The diagram below shows one type of mammalian neurone.



(a) (i) Name the type and state the role of the neurone shown in the diagram.

Type: .....

Role: .....

.....

.....

(2)

(ii) Draw an arrow on the diagram to show the direction in which an impulse would travel.

(1)





(b) State precisely where in the central nervous system the cell body of this type of neurone is found and explain the importance of the dendrites.

.....

.....

.....

.....

.....

.....

(2)

(c) Describe the node of Ranvier and explain its importance in the neurone.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)

Q2

(Total 8 marks)



3. In non-diabetic individuals, the pancreas secretes hormones which maintain the blood glucose concentration within narrow limits.

The table below shows the changes in blood glucose concentrations of non-diabetic and diabetic men over a sixty-minute period, after eating a glucose-rich meal.

Time after meal / min	Mean blood glucose concentration / mmol dm <sup>-3</sup>	
	Non-diabetic men	Diabetic men
0	5.5	11.9
30	7.3	16.4
60	4.9	17.7

- (a) Compare the changes in mean blood glucose concentrations of the non-diabetic and the diabetic men over the sixty-minute period.

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)

- (b) (i) One possible cause of diabetes is insufficient insulin production. What evidence is there in the table to support this idea?

.....

.....

.....

.....

.....

.....

.....

(2)



(ii) Suggest why it is important for the blood glucose concentration to be maintained within narrow limits.

.....

.....

.....

.....

.....

.....

.....

(2)

(c) After a further sixty minutes, without any additional glucose intake, the mean blood glucose concentration of the non-diabetic men was  $5.5 \text{ mmol dm}^{-3}$ .

Explain how this change in concentration occurred.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)


Q3

(Total 10 marks)



4. In oxidative phosphorylation, ATP is formed when electrons pass down the electron transport chain from one component to the next. ATP is synthesised at three sites.

The order of some components in the electron transport chain and the three sites of ATP synthesis are shown in the diagram below.



- (a) The oxidation of one molecule of reduced NAD ( $\text{NADH} + \text{H}^+$ ) yields three molecules of ATP.

Using the information given in the diagram above and your knowledge of mitochondria and oxidative phosphorylation, explain how the three molecules of ATP are made.

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

(4)



(b) The diagram below shows some of the stages that occur in the Krebs cycle.



Using the information given in both diagrams, explain why the oxidation of one molecule of succinate to oxaloacetate yields only five molecules of ATP.

.....

.....

.....

.....

.....

.....

(3)

(c) State where in the cell the following processes take place.

Glycolysis .....

Conversion of pyruvate to acetyl coenzyme A .....

Krebs cycle .....

(3)

(Total 10 marks)

Q4





Leave  
blank

Area with horizontal dotted lines for writing.

Q5

(Total 8 marks)



**BLANK PAGE**





**Option C: Human health and fitness**

6. Distinguish between each of the following.

(a) Cardiac muscle and striated (skeletal) muscle.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

**(3)**

(b) Myoglobin and haemoglobin.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


**(3)**

**Q6**

**(Total 6 marks)**



7. The diagram below shows how a lymphocyte in a lymph node divides and differentiates to form plasma cells and memory cells.



(a) (i) Name the type of lymphocyte shown in the diagram.

..... (1)

(ii) Name the type of division shown in the diagram.

..... (1)

(iii) State the function of each of the following.

Plasma cells .....

.....

.....

Memory cells .....

.....

..... (2)



(b) Some types of white blood cells carry out phagocytosis. Describe the process of phagocytosis.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)

Q7

(Total 7 marks)



8. (a) The table below shows the relationship between ventilation (minute volume) and oxygen uptake by a person.

Minute volume / $\text{dm}^3 \text{min}^{-1}$	Uptake of oxygen / $\text{dm}^3 \text{min}^{-1}$
10 (Resting)	0.40
20	1.10
30	1.70
40	2.05
50	2.30
60	2.50
70	2.50
80	2.50

- (i) Using information from the table, describe how oxygen uptake changes as the minute volume increases.

.....

.....

.....

.....

.....

.....

(3)

- (ii) Calculate the percentage increase in oxygen uptake when the minute volume rises from  $10 \text{ dm}^3 \text{min}^{-1}$  to  $60 \text{ dm}^3 \text{min}^{-1}$ . Show your working.


Answer ..... %

(3)





9. The graph below shows the relationship between the mean bone density and age, for men and women.



(a) Compare the changes in the mean bone density of men and women after the age of 20.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3)



