

Monday 3 June 2013 – Morning

AS GCE HUMAN BIOLOGY

F222/01/TEST Growth, Development and Disease

Candidates answer on the Question Paper.

OCR supplied materials:

- Advance Notice (inserted)

Other materials required:

- Electronic calculator
- Ruler (cm/mm)

Duration: 1 hour 45 minutes




Candidate forename		Candidate surname	
-----------------------	--	----------------------	--

Centre number						Candidate number				
---------------	--	--	--	--	--	------------------	--	--	--	--

INSTRUCTIONS TO CANDIDATES

- The Advance Notice will be found in the centre of this document.
- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined pages at the end of this booklet. The question number(s) must be clearly shown.
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **100**.
- You may use an electronic calculator.
- You are advised to show all the steps in any calculations.
-  Where you see this icon you will be awarded marks for the quality of written communication in your answer.
- This document consists of **24** pages. Any blank pages are indicated.

Answer **all** the questions.

- 1 This question is based on the case study ‘**BRAF MUTATION TRIGGERS MOST MELANOMAS**’ (Case Study 1).

You were told in the case study that in approximately 97 percent of BRAF gene mutations, the DNA sequence in malignant melanoma cells differed from that of healthy cells by just one base pair.

(a) Fig. 1.1 shows the structure of part of a DNA molecule.




Fig. 1.1

- (i) On Fig. 1.1 draw a box around a base pair.

The answer to this question should be drawn on Fig. 1.1.

[1]

- (ii) Explain the **importance** of complementary base pairing in DNA.

.....

.....

.....

.....

.....

[2]

(b) Suggest why the BRAF gene is known as a proto-oncogene.

.....

.....

..... [1]

(c) Fig. 1.2 shows the incidence of malignant melanoma in males and females, of different ages, in the United Kingdom (UK).




Fig. 1.2

(i) Using the information in Fig. 1.2, describe **one** similarity and **one** difference in the incidence of malignant melanoma in males and females.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [3]

(ii) Suggest **one** reason for the similarity and **one** reason for the difference described in 1(c)(i).

similarity

.....

.....

difference

.....

.....

[2]

(d) Cell growth and cell division are controlled by cell signalling pathways.

Fig. 1.3 shows the BRAF protein and other proteins in a signalling pathway that normally controls cell division.




Fig. 1.3

- (i) Fig. 1.3 shows that the signalling pathway is normally activated when growth factors bind to the cell surface membrane.

Suggest what feature of the cell surface membrane allows growth factors to bind.

.....
.....
.....
..... [2]

- (ii) Describe the effect of the BRAF gene mutation on the signalling pathway.

.....
.....
.....
.....
.....
..... [2]

- (e) You were told in Case Study 1 that the altered BRAF protein has a significantly different shape to the normal BRAF protein.

- (i) Suggest why this difference in shape makes the altered BRAF protein an excellent candidate for drug targeting.

.....
.....
.....
.....
.....
..... [2]

(ii) The BRAF protein is an enzyme.

Suggest how a drug might act to reduce or stop the activity of the altered BRAF enzyme.

.....
.....
.....
.....
.....
..... [2]

(f) The research team carried out a phase 3 clinical trial to compare the effects of the drugs vemurafenib and dacarbazine, in treating malignant melanoma.

(i) Describe what is meant by a phase 3 clinical trial.

.....
.....
.....
..... [2]

(ii) Most phase 3 clinical trials are randomised.

Suggest how a randomised trial would be set up to compare the effects of vemurafenib and dacarbazine.

.....
.....
.....
.....
..... [2]

[Total: 21]

BLANK PAGE

Question 2 begins on page 8

PLEASE DO NOT WRITE ON THIS PAGE

2 This question is based on the case study ‘**THE BURDEN OF CHRONIC DISEASE**’ (Case Study 2).

(a) (i) Describe what is meant by the term *chronic* disease.

.....

.....

.....

..... [2]

(ii) State **two** chronic diseases **other than** chronic respiratory diseases and cancer.

1

2 [2]

(b) You were told in Case Study 2 that disability-adjusted life years (DALYs) can be used as an indicator of the overall health of a country.

Table 2.1 shows the **age-standardised** DALYs from chronic respiratory diseases, for men and women in India and the United Kingdom (UK), in 2004.

Country	Gender	Age-standardised DALYs (per 100 000)
India	female	1167
	male	1387
United Kingdom	female	909
	male	942

Table 2.1

(i) Explain why age-standardised figures were used.

.....

.....

.....

..... [2]

- (ii) In India, males accounted for 54% of the total age-standardised DALYs.

In the UK, males accounted for a different percentage of the total age-standardised DALYs.

Using figures from Table 2.1, calculate this percentage.

Show your working and **give your answer to the nearest whole number.**

Answer = % [2]

- (iii) There are differences between India and the UK in the age-standardised DALYs resulting from chronic respiratory diseases.

Suggest explanations for these differences.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [3]

(c) Asthma is the most common chronic respiratory disease in children.

Fig. 2.1 shows a diagram of the cross-section through a normal bronchiole and a cross section through a bronchiole during an asthma attack.




Fig. 2.1

(i) With reference to Fig. 2.1, describe **three** changes that occur in bronchioles during an asthma attack.

- 1
-
- 2
-
- 3
-

[3]

(ii) Two types of drug that are used to treat asthma are steroids and beta-agonists.

Describe how these drugs are introduced into the body **and** explain how they relieve the symptoms of asthma.

steroids

.....

.....

.....

.....

beta-agonists

.....

.....

.....

.....

[5]

(d) The Global Alliance against Chronic Respiratory Diseases (GARD) is trying to reduce the health burden of chronic respiratory diseases.

Suggest **two** policies that countries could introduce to prevent chronic respiratory diseases.

1

.....

.....

2

.....

.....

[2]

[Total: 21]

3 Karyotyping is a test which can help to identify genetic disorders.

(a) Fig. 3.1 shows a karyotype produced from a sample containing fetal cells.




Fig. 3.1

(i) Name the genetic disorder shown in the karyotype in Fig. 3.1.

..... [1]

(ii) Describe how this karyotype differs from a normal karyotype.

.....
 [1]

- (c) Genetic disorders, such as the one shown in the karyotype in Fig. 3.1, result from mistakes that occur when a gamete-producing cell divides by meiosis.

Fig. 3.2 below is a simplified diagram of meiosis in a gamete-producing cell. Only the X chromosomes are shown.




Fig. 3.2

- (i) On Fig. 3.2

- label the point where non-disjunction occurs
- label a diploid cell.

The answers to this question should be drawn on Fig. 3.2.

[2]

4 Heart attacks are a major cause of death for both men and women worldwide.

Most heart attacks are caused by coronary heart disease (CHD).

(a) The following passage describes how CHD develops and leads to a heart attack.

Complete the passage by using the most appropriate terms.

In CHD, the lining of the coronary artery, known as the becomes damaged and roughened. The of the artery becomes narrower due to a build up of fatty deposits known as A blood clot may form at this site and grow so large that it blocks the artery. This means that the cardiac is no longer supplied with blood carrying so aerobic respiration can no longer occur. This results in a heart attack. [5]

(b) State **two** symptoms of a heart attack.

.....
.....
.....
..... [2]

(c) A severe heart attack may lead to a **cardiac arrest**.

(i) Describe **two** signs that indicate that a person is having a cardiac arrest rather than a heart attack.

.....
.....
.....
..... [2]

5 Immunisation programmes have resulted in dramatic improvements in health.

As a result of immunisation, several infectious diseases which were major causes of ill health are now rare in many countries.

Table 5.1 below shows the immunisation programme for young children in the United Kingdom (UK).

The vaccines used in the immunisation programme have code names, as shown in Table 5.1.

One of the vaccines and some of the diseases have been omitted from the table – these are indicated by the shaded areas.

Age	Code name of vaccine	Diseases protected against
2 months	DTaP/IPV/Hib (1st dose)	
	PCV (1st dose)	pneumonia
3 months	DTaP/IPV/Hib (2nd dose)	
	MenC (1st dose)	meningitis C
4 months	DTaP/IPV/Hib (3rd dose)	
	PCV (2nd dose)	pneumonia
	MenC (2nd dose)	meningitis C
12–13 months	Hib (4th dose) / MenC (3rd dose)	
		measles, mumps and rubella
	PCV (3rd dose)	pneumonia
3 years 4 months	DTaP/IPV/Hib (pre-school booster)	
		measles, mumps and rubella

Table 5.1

- (a) (i) Using the information in Table 5.1, name the vaccine that protects children from measles, mumps and rubella.

..... [1]

- (ii) Name **four** of the diseases that children are protected against by having the **DTaP/IPV/Hib** vaccine given at 2, 3, 4 months and 3 years 4 months.

.....

.....

.....

..... [4]

- (b) (i) Table 5.1 shows that young children need more than one dose of some vaccines.

Outline how a vaccine protects children from infectious disease and **explain** why more than one dose of the vaccine may be required to give full protection.



In your answer, you should make clear how the response to the second dose of the vaccine differs from the response to the first dose of the vaccine.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Answer lines for this question continue on the next page.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
..... [9]

(ii) Suggest **one** reason why the routine vaccination programme in the UK starts when children are 2 months old.

.....
.....
.....
..... [1]

(iii) Suggest why some parents are worried about their children being vaccinated.

.....
.....
..... [1]

(c) Sometimes a child's immune system does not respond successfully to a vaccine.

In the condition known as PEM (protein-energy malnutrition), a child's diet is low in fat and carbohydrates. This results in protein in the diet being used as an energy source.

Suggest why a vaccine may not produce an immune response in children with PEM.

.....
.....
.....
..... [2]

[Total: 18]

(b) Babies and infants need a balanced diet for healthy growth and development.

Complete Table 6.1 by inserting the name of a mineral **or** vitamin that is needed for each role in the body. Some minerals and vitamins have more than one role.

Role in body	Mineral or vitamin
for the functioning of the retina in the eye	vitamin A
to make haemoglobin	
for blood to clot	
for the development of strong bones	
to make DNA, RNA and ATP	
necessary for collagen and healthy skin	

Table 6.1

[5]

(c) Babies and infants also need a source of essential fatty acids and essential amino acids.

State what is meant by the term *essential* in this context.

.....

..... [1]

[Total: 10]

END OF QUESTION PAPER

ADDITIONAL ANSWER SPACE

If additional answer space is required, you should use the following lined pages. The question number(s) must be clearly shown in the margins.

A large rectangular area for writing answers. It is bounded on the left by a solid vertical line and on the top, bottom, and right by horizontal dotted lines. The interior of the rectangle is empty, providing space for the student's response.

ADDITIONAL ANSWER SPACE

A large rectangular area for writing, bounded by a solid vertical line on the left and a solid horizontal line at the bottom. The interior is filled with horizontal dotted lines, providing a guide for handwriting.



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.