Version: 1.0 9/9/2005



## General Certificate of Education

# Mathematics and Statistics 6320 Specification B

MBD1 Discrete 1

## Mark Scheme

## 2005 examination - June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

### **Key to Mark Scheme**

M	mark is for	method
m	mark is dependent on one or more M marks and is for	method
A	mark is dependent on M or m marks and is for	accuracy
В	mark is independent of M or m marks and is for	accuracy
E	mark is for	explanation
√or ft or F		follow through from previous
		incorrect result
cao		correct answer only
cso		correct solution only
awfw		anything which falls within
awrt		anything which rounds to
acf		any correct form
ag		answer given
sc		special case
oe		or equivalent
sf		significant figure(s)
dp		decimal place(s)
A2,1		2 or 1 (or 0) accuracy marks
- <i>x</i> ee		deduct x marks for each error
pi		possibly implied
sca		substantially correct approach

## Abbreviations used in Marking

MC-x	deducted x marks for mis-copy
MR - x	deducted x marks for mis-read
isw	ignored subsequent working
bod	given benefit of doubt
wr	work replaced by candidate
fb	formulae book

## **Application of Mark Scheme**

## No method shown:

Correct answer without working	mark as in scheme
Incorrect answer without working	zero marks unless specified otherwise
More than one method / choice of solution:	
2 or more complete attempts, neither/none crossed out	mark both/all fully and award the mean mark rounded down
1 complete and 1 partial attempt, neither crossed out	award credit for the complete solution only
Crossed out work	do not mark unless it has not been replaced
Alternative solution using a correct or partially correct method	award method and accuracy marks as appropriate

#### Mathematics and Statistics B Discrete 1 MBD1 June 2005

Q	Solution	Marks	Total	Comments
1(a)(i)	A: 0			
	B: 30	M1		
	<i>C</i> : 100, 90	A1		Two final labels
	<i>D</i> : 150, 130 Minimum	A1		Remaining finals
	$E: 50 \qquad \text{cost} = £150$	A1		Temporary labels
	F: 50	B1	5	For £150
	G: 60			
	H: 170, 150			
(ii)	Trace-back to route ABGCH	M1A1	2	
(b)	Cheapest A to G is £60	M1		
	Easygo total A to H is $\pounds(150-10)$	A1		
	So Easygo cost G to H is £80	A1	3	
(a)(i)	AB, BG, CG, DH	M1A1		
(c)(i)	AB, BG, CG, DH   FG, CD	A1A1		
	AE		_	
(**)		A1	5	
(ii)	$\pounds(30+30+30+40+30) = £160$	M1A1	2	
	Total		17	
2(a)(i)		B1	1	
2(a)(1)	$\mathbf{p}\Rightarrow\mathbf{q}$	Di	1	
(ii)	  ~p ⇒ ~q	B1	1	
(11)	· · p -> · · q	Di	1	
<i>a</i> .)	(i)	) / 1		
(b)	<b>p q</b> (i) ~ <b>p</b> ~ <b>q</b> (ii)	M1		
		A1		A consible (ii)
		A1√		ft sensible (ii)
	1 0 0 0 1 1			
	not aminulant	D1	4	
	not equivalent  Total	B1	6	
3(a)	E and H	B2,1,0	2	
3(a)	E and fi	D2,1,0		Doduct 1 for
		D2 1 0	_	Deduct 1 for
(b)	F, G and H	B2,1,0	2	each error or
				omission
(c)	E, F and G	B2,1,0	2	IJ
(d)	F and G	В2	2	2 cao, or sensible working towards wrong
(4)	1 and 0	(or M1	_	answer will earn 1/2
		A1)		answer will curif 1/2
		A1)		
	Total		8	
	Total		U	

#### MBD1 (cont)

Q	Solution	Marks	Total	Comments
4(a)	a b a↑b			
	$egin{array}{cccc} 0 & 0 & 1 \ 0 & 1 & 1 \end{array}$			
	1 0 1	M1		
	1 1 0	A1	2	
(b)	From (a) an input of 0/0 gives output 1			
	and an input of 1/1 gives output 0.	B1	1	
(c)(i)	$\sim (\sim a \land \sim b)$	M1A1	2	
(ii)	a	M1A1	2	
	b———	1411711	2	
(d)	e.g.	M1		
		<b>A</b> 1		
	b — O	A1	3	
	Total		10	
5(a)		M1		
(b)	5/5 <u> </u>	A1		C, D and E
	A F	A1	3	F and G
	$0/0$ $5/5 = \frac{E}{G} \frac{12}{12} = \frac{7}{17}$	M1		
	$\mathbf{B}$ $\mathbf{D}$	A1√ M1		Forward pass (ft)
	B 4/5 D	M1 A1√	4	Backward pass (ft)
(2)	Critical noth AEC	D1		
(c)	Critical path AEG Minimum completion time 17 hours	B1 B1	2	
( T) ( P)	-			
(d)(i)	Total time needed = 35 hours Larger than $2 \times 17$	M1 A1	2	
			-	
(ii)	e.g. First worker: A(days 1-5 inc.) E(6-12) G(13-17)	M1 A1		
	Second worker:	111		
	B(1-4) D(5-11) C(12-15) F(16-18)	A1	3	
(e)	For the path ACHG to have length ≤17 we	M1		
	need H to have length $\leq 3$	A1	2	

### MBD1 (cont)

Q	Solution	Marks	Total	Comments
6(a)	$Flour \Rightarrow 150x + 300y \le 7500$			
	$\Rightarrow x + 2y \le 50$	B1		
	Butter $\Rightarrow 5(0)x + 2(0)y \le 100(0)$ Eggs $\Rightarrow x + y \le 30$	B1 B1	3	
	Eggs $\rightarrow x + y \le 30$	ы	3	
(b)				
	50	B1√ B1√ B1√		One per line (ft)
	feasible region	B1√	4	Region (ft)
	20 30 50			
	The feasible region has vertices $(0,0) (0,25) (10,20) (13^{1}/_{3},16^{2}/_{3}) (20,0)$	M1 A1		(or by profit lines)
	The profit of $x + 1\frac{1}{2}y$ is maximised at			
	(10,20) so they should make 10 Romanos and 20 Sardinos.	A1 B1	4	
	and 20 Salumos.	וט	+	
(c)	With profit $2x + 1\frac{1}{2}y$ the maximum is reached at $(13^{1}/_{3}, 16^{2}/_{3})$ but it is	M1		
	impractical to make a fraction of a pizza.	A1		
(d)	Searching integer points nearby gives (13,17) as the best in the region, so make	M1		
	13 Romanos and 17 Sardinos in this case.	A1	4	
	Total		15	

#### MBD1 (cont)

Q	Solution	Marks	Total	Comments
7(a)(i)	Sum of degrees = $5d + 7$ .	B1		
	This must be even and so <i>d</i> must be odd.			
		B1	2	
(ii)	$d \ge 3$ makes $d+3$ too big, so $d=1$ :	B1		
	e.g.	M1A1	3	
(b)(i)	each vertex is joined once to at most the other 9 vertices	B1	1	
(ii)	If all the degrees were different they			
	would be 0 1 2 3 9.	M1		
	But that would give a vertex joined to			
	none and another joined to them all –			
	clearly impossible.	A1	2	
	Total		8	
	TOTAL		80	