Centre No.					Pape	er Refer	ence			Surname	Initial(s)
Candidate No.			6	6	6	5	/	0	1	Signature	

Paper Reference(s)

6665/01

Edexcel GCE

Core Mathematics C3

Advanced Level

Thursday 14 June 2007 – Afternoon

Time: 1 hour 30 minutes

Materials required for examination	Items included with question papers
Mathematical Formulae (Green)	Nil

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulas stored in them.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initial(s) and signature. Check that you have the correct question paper.

You must write your answer for each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 8 questions in this question paper. The total mark for this paper is 75.

There are 24 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.

©2007 Edexcel Limited.

 $\overset{\text{Printer's Log. No.}}{N26109}A$

W850/R6665/57570 3/3/3/3/3/3/37,500



Turn over

Total

Examiner's use only

Team Leader's use only

Question Number

1

2

3

4

5

6

7

8



http://www.xtremepapers.net

	L
1. Find the exact solutions to the equations	
(a) $\ln x + \ln 3 = \ln 6$,	(2)
(b) $e^x + 3e^{-x} = 4$.	
	(4)

	Leave blank
Question 1 continued	
	Q1
(Total 6 marks)	

Leave blank

2	f(x) = 2x + 3	9 + 2x	, 1
4.	$\frac{1}{x+2}$	$-\frac{9+2x}{2x^2+3x-2},$	$x > \frac{\pi}{2}$

(a)	Show that $f(x) = \frac{4x-6}{2x-1}$.	(7)
		(7)

(b) Hence, or otherwise, find f'(x) in its simplest form. (3)

euestion 2 continued	

Leave	
blank	

 3. A curve C has equation y = x²ex. (a) Find dy/dx, using the product rule for differentiation. (b) Hence find the coordinates of the turning points of C. (c) Find d²y/dx². (d) Determine the nature of each turning point of the curve C. 	(3) (3) (2)
 (a) Find dy/dx, using the product rule for differentiation. (b) Hence find the coordinates of the turning points of C. (c) Find d²y/dx². 	(3)
(b) Hence find the coordinates of the turning points of C . (c) Find $\frac{d^2y}{dx^2}$.	(3)
(c) Find $\frac{d^2y}{dx^2}$.	(2)
(d) Determine the nature of each turning point of the curve <i>C</i> .	(2)

uestion 3 continued	

 $f(x) = -x^3 + 3x^2 - 1.$

Leave blank

(a) Show that the equation f(x) = 0 can be rewritten as

$$x = \sqrt{\left(\frac{1}{3-x}\right)}. (2)$$

(b) Starting with $x_1 = 0.6$, use the iteration

4.

$$x_{n+1} = \sqrt{\left(\frac{1}{3 - x_n}\right)}$$

to calculate the values of x_2 , x_3 and x_4 , giving all your answers to 4 decimal places.

(2)

(c) Show that x = 0.653 is a root of f(x) = 0 correct to 3 decimal places.

(3)

	Lea blar
Question 4 continued) Diai
	Q4
(Total 7 marks)	Q4

Leave blank

The functions f and g are defined by

$$f: x \mapsto \ln(2x-1),$$
 $x \in \mathbb{R}, x > \frac{1}{2},$

$$x \in \mathbb{R}, x > \frac{1}{2},$$

$$g: x \mapsto \frac{2}{x-3}, \qquad x \in \mathbb{R}, \ x \neq 3.$$

$$x \in \mathbb{R}, x \neq 3.$$

(a) Find the exact value of fg(4).

(2)

(b) Find the inverse function $f^{-1}(x)$, stating its domain.

(4)

(c) Sketch the graph of y = |g(x)|. Indicate clearly the equation of the vertical asymptote and the coordinates of the point at which the graph crosses the y-axis.

(3)

(d) Find the exact values of x for which $\left| \frac{2}{x-3} \right| = 3$.

(3)

	Leave
Question 5 continued	blank
Question 5 continued	

Leave	
blonk	

6.	(a)	Express $3 \sin x + 2 \cos x$ in the form $R \sin(x + \alpha)$ where $R > 0$ and $0 < \alpha < \frac{\pi}{2}$.	(4)
	(b)	Hence find the greatest value of $(3 \sin x + 2 \cos x)^4$.	(2)
	(c)	Solve, for $0 < x < 2\pi$, the equation	
		$3\sin x + 2\cos x = 1,$	
		giving your answers to 3 decimal places.	(5)
_			
_			
_			
_			

	Leave
	blank
Question 6 continued	
	1

Question 6 continued	

Leave blank

7. (a) Prove that

$$\frac{\sin \theta}{\cos \theta} + \frac{\cos \theta}{\sin \theta} = 2 \csc 2\theta, \qquad \theta \neq 90n^{\circ}.$$

(4)

(b) On the axes on page 20, sketch the graph of $y = 2 \csc 2\theta$ for $0^{\circ} < \theta < 360^{\circ}$.

(2)

(c) Solve, for $0^{\circ} < \theta < 360^{\circ}$, the equation

$$\frac{\sin\theta}{\cos\theta} + \frac{\cos\theta}{\sin\theta} = 3,$$

giving your answers to 1 decimal place.

(6)

18

	Leave
	blank
Question 7 continued	
Quitalian / Commission	

Question 7 continued	d				Le
у ^					
0	90°	180°	270°	360° θ	

Question 7 continued		Leave blank
		Q7
	(Total 12 marks)	

8.	The amount of a certain type of drug in the bloodstream t hours after it has been taken is given by the formula	
	$x = De^{-\frac{1}{8}t},$	
	where x is the amount of the drug in the bloodstream in milligrams and D is the dose given in milligrams.	
	A dose of 10 mg of the drug is given.	
	(a) Find the amount of the drug in the bloodstream 5 hours after the dose is given. Give your answer in mg to 3 decimal places.(2)	
	A second dose of 10 mg is given after 5 hours.	
	(b) Show that the amount of the drug in the bloodstream 1 hour after the second dose is 13.549 mg to 3 decimal places.	
	(2)	
	No more doses of the drug are given. At time <i>T</i> hours after the second dose is given, the amount of the drug in the bloodstream is 3 mg.	
	(c) Find the value of T . (3)	

22

Question 8 continued	
	(Total 7 marks)
ТОТ	TAL FOR PAPER: 75 MARKS