


GCE
AS and A Level

Physics A

AS exams 2009 onwards
A2 exams 2010 onwards

Unit 4: Approved specimen mark scheme

Version 1.2





General Certificate of Education

Physics 2451

Specification A

PHYA4 Fields and Further Mechanics

Mark Scheme

The specimen assessment materials are provided to give centres a reasonable idea of the general shape and character of the planned question papers and mark schemes in advance of the first operational exams.

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2009 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

PHYA4: Fields and Further Mechanics

| Keys to Objective Test Questions | | | | | | | | | | | | | |
|----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | |
| D | B | C | A | B | B | A | C | A | B | C | D | B | |
| 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | | |
| A | D | B | D | A | C | D | C | D | C | B | C | | |

| Question 1 | | |
|--------------|--|----------|
| (a) | <i>kinetic energy is not conserved</i> ✓ (or velocity of approach equals velocity of separation) | 1 |
| (b) (i) | (use of $p = mv$ gives) $p = 4.5 \times 10^{-2} \times 60$ ✓ $= 2.7 \text{ kgms}^{-1}$ ✓ | 4 |
| (ii) | (use of $F = \frac{\Delta(mv)}{\Delta t}$ gives) $F = \frac{2.7}{15 \times 10^{-3}}$ ✓ $= 180 \text{ N}$ ✓ | |
| | [or $a = \frac{v-u}{t} = \frac{60}{15 \times 10^{-3}} = 400 \text{ (ms}^{-1}\text{)}$] ✓ $F = ma = 4.5 \times 10^{-2} \times 4000 = 180 \text{ N}$ ✓ | |
| Total | | 5 |

| Question 2 | | |
|------------|---|----------|
| (a) (i) | $mg = ke$ ✓ $k = \left(\frac{0.25 \times 9.81}{40 \times 10^{-3}} \right) = 61(.3) \text{ Nm}^{-1}$ ✓ | 4 |
| (ii) | $T = \left(= 2\pi \sqrt{\frac{m}{k}} \right) = 2\pi \sqrt{\frac{0.69}{61.3}}$ ✓ (= 0.667 s) | |
| | $f \left(= \frac{1}{T} \right) = \frac{1}{0.667}$ ✓ (= 1.5(0) Hz) | |

| | | |
|------------------|---|-------------------|
| (b) | The marking scheme for this part of the question includes an overall assessment for the Quality of Written Communication (QWC). There are no discrete marks for the assessment of QWC but the candidates' QWC in this answer will be one of the criteria used to assign a level and award the marks for this part of the question. | |
| Level | Descriptor an answer will be expected to meet most of the criteria in the level descriptor | Mark range |
| Good 3 | <ul style="list-style-type: none"> - answer supported by an appropriate range of relevant points - good use of information or ideas about physics, going beyond those given in the question - argument well structured with minimal repetition or irrelevant points - accurate and clear expression of ideas with only minor errors of spelling punctuation and grammar | 5-6 |
| Modest 2 | <ul style="list-style-type: none"> - answer partially supported by relevant points - good use of information or idea about physics given in the question but limited beyond this - the argument shows some attempt at structure - the ideas are expressed with reasonable clarity but with a few errors of spelling, punctuation and grammar | 3-4 |
| Limited 1 | <ul style="list-style-type: none"> - valid points but not clearly linked to an argument structure - limited use of information or ideas about physics - unstructured - errors in spelling, punctuation and grammar or lack of fluency | 1-2 |
| 0 | - incorrect, inappropriate or no response | 0 |
| (i) | <p>examples of the sort of information or idea that might be used to support an argument</p> <ul style="list-style-type: none"> • forced vibrations (at 0.2 Hz) ✓ • amplitude fairly large (≈ 30 mm) ✓ • in phase with driver ✓ | |
| (ii) | <ul style="list-style-type: none"> • resonance (at 1.5 Hz) ✓ • amplitude very large (> 30 mm) ✓ • oscillations may appear violent ✓ • phase difference at 90° ✓ | |
| (iii) | <ul style="list-style-type: none"> • forced vibrations (at 10 Hz) ✓ • small amplitude ✓ • out of phase with driver or phase lag of π on driver ✓ | |
| | Total | 10 |

| Question 3 | | |
|------------|--|-----------------|
| (a) | <p>period is 24 hours (or equal to period of Earth's rotation) ✓</p> <p>remains in fixed position relative to surface of Earth ✓</p> <p>equatorial orbit ✓</p> <p>same <i>angular</i> speed as Earth (or equatorial surface) ✓</p> | max 2 |
| (b) | <p>(i) $\frac{GMm}{r^2} = m\omega^2 r$ ✓</p> <p>$T = \frac{2\pi}{\omega}$ ✓</p> <p>$r \left(= \frac{GMT^2}{4\pi^2} \right) = \left(\frac{6.7 \times 10^{-11} \times 6.0 \times 10^{24} \times (24 \times 3600)^2}{4\pi^2} \right)^{1/3}$ ✓</p> <p>(gives $r = 42.3 \times 10^3$ km)</p> <p>(ii) $\Delta V = GM \left(\frac{1}{R} - \frac{1}{r} \right)$ ✓</p> <p>$= 6.67 \times 10^{-11} \times 6 \times 10^{24} \times \left(\frac{1}{6.4 \times 10^6} - \frac{1}{4.23 \times 10^7} \right) = 5.31 \times 10^7 \text{ (J kg}^{-1}\text{)}$ ✓</p> <p>$\Delta E_p = m\Delta V (= 750 \times 5.31 \times 10^7) = 3.98 \times 10^{10} \text{ J}$ ✓</p> <p>(allow ecf for value of ΔV)</p> | 6 |
| (c) | <p>(i) signal would be too weak at large distance ✓</p> <p>(or large aerial needed to detect/transmit signal, or any other acceptable reason)</p> <p>the signal spreads out more the further it travels ✓</p> <p>(ii) for road pricing would reduce congestion</p> <p>stolen vehicles can be tracked and recovered</p> <p>uninsured/unlicensed vehicles can be apprehended</p> <p>against road pricing would increase cost of motoring</p> <p>possibility of state surveillance/invasion of privacy</p> <p>✓✓ any 2 valid points (must be for both for or against)</p> | 4 |
| | | Total 12 |

| | | |
|-------------------|---|----------|
| Question 4 | | |
| (a) | $T \cos 6^\circ = mg \checkmark$ $T \sin 6^\circ = F \checkmark$ hence $F = mg \tan 6^\circ \checkmark$ [or by use of triangle: sides correct \checkmark 6° correct \checkmark $\tan 6^\circ = F/mg \checkmark$] | 3 |
| (b) | (use of $E = \frac{V}{d}$ gives) $E = \frac{4200}{60 \times 10^{-3}} = 7.0 \times 10^4 \text{ V m}^{-1} \checkmark$ (use of $Q = \frac{F}{E}$ gives) $Q \left(\frac{mg \tan 6^\circ}{E} \right) = \frac{2.1 \times 10^{-4} \times 9.81 \tan 6^\circ}{7.0 \times 10^4} \checkmark$ $= 3.1 \times 10^{-9} \text{ C} \checkmark$ (allow ecf for value of E from (i)) | 3 |
| | Total | 6 |

| | | |
|-------------------|--|----------|
| Question 5 | | |
| (a) (i) | $E (= \frac{1}{2} CV^2 = 0.5 \times 180 \times 10^{-6} \times 100^2) = 0.90 \text{ J} \checkmark$ | 2 |
| (ii) | $W (= QV = CV^2 = 180 \times 10^{-6} \times 100^2) = 1.8 \text{ J} \checkmark$ | |
| (b) (i) | $(V = V_0 e^{-t/RC})$ gives $30 = 100 e^{-t/RC} \checkmark$ $\therefore t = (-RC \ln (30/100)) = -1.5 \times 180 \times 10^{-6} \times -1.204 \text{ s}$ $= 3.3 \times 10^{-4} \text{ s} \checkmark$ | 4 |
| (ii) | image would be less sharp (or blurred) because the discharge would last longer and the image would be photographed as it is moving \checkmark image would be brighter because the capacitor stores more energy and therefore produces more light \checkmark | |
| | Total | 6 |

| Question 6 | | |
|------------|---|-----------|
| (a) | greater flux (linkage) or more flux lines (at same distance) [or stronger magnet produces flux lines closer together] ✓ greater rate of change of flux (linkage) [or more flux lines cut per unit time] ✓ induced emf \propto [or =] rate of change of flux (linkage) ✓ [or using $\epsilon = NA \frac{\Delta B}{\Delta t}$ ✓ ΔB is larger since magnet is stronger ✓ N, A and Δt are the same at the same speed $\therefore \epsilon$ is larger ✓] | 3 |
| (b) | area swept out $\Delta A = lv\Delta t$ ✓ $\Delta\Phi (= B\Delta A) = Blv\Delta t$ ✓ $\epsilon \left(= (N) \frac{\Delta\Phi}{\Delta t} \right) = \frac{Blv\Delta t}{\Delta t}$ gives result ✓ | 3 |
| (c) | (i) $\omega (= 2\pi f) = 2\pi \times 16$ ✓ $= 101 \text{ rad s}^{-1}$ ✓ (ii) $v (= r\omega) = 32 \times 10^{-3} \times 101 = 3.2(3) \text{ m s}^{-1}$ ✓ (allow ecf for value of ω from (i)) (iii) $\epsilon (= Blv) = 28 \times 10^{-3} \times 64 \times 10^{-3} \times 3.23$ ✓ $= 5.7(9) \times 10^{-3} \text{ V}$ ✓ (allow ecf for value of v from (ii)) [or accept solutions using $\epsilon = Bf\pi r^2$ to give $5.7(9) \times 10^{-3} \text{ V}$] | 5 |
| | Total | 11 |

| | Assessment Objectives – Section A | | | | | |
|--|--|----------|----------|----------|----------|-----------|
| | 1 – AO1 | 2 – AO2 | 3 – AO2 | 4 – AO1 | 5 – AO2 | |
| | 6 – AO2 | 7 – AO1 | 8 – AO2 | 9 – AO2 | 10 – AO1 | |
| | 11 – AO2 | 12 – AO1 | 13 – AO2 | 14 – AO2 | 15 – AO2 | |
| | 16 – AO1 | 17 – AO1 | 18 – AO2 | 19 – AO2 | 20 – AO2 | |
| | 21 – AO1 | 22 – AO2 | 23 – AO1 | 24 – AO2 | 25 – AO3 | |
| | Total | | | | | 25 |

| | Summary | | |
|--------------|---------------------------------|--|----------|
| <i>Marks</i> | <i>Ability tested</i> | | <i>%</i> |
| 9 | AO1 Knowledge and Understanding | | 36 |
| 15 | AO2 Application | | 60 |
| 1 | AO3 How Science Works | | 4 |

| | Assessment Objectives – Section B | | |
|--------------------|--|---------|--------------|
| <i>Question No</i> | <i>Ability tested</i> | | <i>Marks</i> |
| 1 | (a) | AO1 | 1 |
| | (b) | AO1/AO2 | 4 |
| | Question Total | | 5 |
| 2 | (a) | AO2 | 4 |
| | (b) | AO1 | 6 |
| | Question Total | | 10 |
| 3 | (a) | AO1 | 2 |
| | (b) | AO2 | 6 |
| | (c) | AO1/AO3 | 4 |
| | Question Total | | 12 |
| 4 | (a) | AO2 | 3 |
| | (b) | AO1/AO2 | 3 |
| | Question Total | | 6 |
| 5 | (a) | AO2 | 2 |
| | (b) | AO1 | 1 |
| | (c) | AO2 | 3 |
| | Question Total | | 6 |

| | | | |
|----------|-----|----------------|-----------|
| 6 | (a) | AO1 | 3 |
| | (b) | AO2 | 3 |
| | (c) | AO2 | 5 |
| | | Question Total | 11 |
| | | Total | 50 |

| | Summary | |
|--------------|---------------------------------|----------|
| <i>Marks</i> | <i>Ability tested</i> | <i>%</i> |
| 17 | AO1 Knowledge and Understanding | 34 |
| 31 | AO2 Application | 62 |
| 2 | AO3 How Science Works | 4 |

| | Summary – Total Unit | |
|--------------|---------------------------------|----------|
| <i>Marks</i> | <i>Ability tested</i> | <i>%</i> |
| 26 | AO1 Knowledge and Understanding | 35 |
| 46 | AO2 Application | 61 |
| 3 | AO3 How Science Works | 4 |