

ASSESSMENT and QUALIFICATIONS ALLIANCE

Mark scheme June 2002

GCE

Physics **B**

Unit PHB1

Copyright © 2002 AQA and its licensors. All rights reserved.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales 3644723 and a registered charity number 1073334 Registered address: Addleshaw Booth & Co., Sovereign House, PO Box 8, Sovereign Street, Leeds LS1 1HQ Kathleen Tattersall: *Director General*

Unit 1: Foundation Physics

Notes for guidance

Letters are used to distinguish between different types of marks in the scheme.

M indicates OBLIGATORY METHOD MARK

This is usually awarded for the physical principles involved, or for a particular point in the argument or definition. It is followed by one or more accuracy marks which cannot be scored unless the M mark has already been scored.

C indicates COMPENSATION METHOD MARK

This is awarded for the correct method or physical principle. In this case the method can be seen or implied by a correct answer or other correct subsequent steps. In this way an answer might score full marks even if *some* working has been omitted.

A indicates ACCURACY MARK

These marks are awarded for correct calculation or further detail. They follow an M mark or a C mark.

B indicates INDEPENDENT MARK

This is a mark which is independent of M and C marks.

Note: Where a correct answer only (c.a.o.) is required, this means that the answer must be as in the Marking Scheme, including significant figures and units.

Where an error carried forward (e.c.f.) is allowed by the Marking Scheme for an incorrect answer, e.c.f. must be written on the script if an error has been carried forward.



Instructions to Examiners

- 1 Give due credit to alternative treatments which are correct. Give marks for what is correct; do not deduct marks because the attempt falls short of some ideal answer. Where marks are to be deducted for particular errors specific instructions are given in the marking scheme.
- 2 Do not deduct marks for poor written communication. Refer the script to the Awardsmeeting if poor presentation forbids a proper assessment. In each paper candidates may be awarded up to two marks for the Quality of Written Communication in cases of required explanation or description. However, no candidate may be awarded more than the total mark for the paper. Use the following criteria to award marks:
 - 2 marks: Candidates write with almost faultless accuracy (including grammar, spelling and appropriate punctuation); specialist terms are used confidently, accurately and with precision.
 - 1 mark: Candidates write with reasonable and generally accurate expression (including grammar, spelling and appropriate punctuation); specialist terms are used with reasonable accuracy.
 - 0 marks: Candidates who fail to reach the threshold for the award of one mark.
- **3** An arithmetical error in an answer should be marked A.E. thus causing the candidate to lose one mark. The candidate's incorrect value should be carried through all subsequent calculations for the question and, if there are no subsequent errors, the candidate can score all remaining marks (indicated by ticks). These subsequent ticks should be marked C.E. (consequential error).
- 4 With regard to incorrect use of significant figures, normally a penalty is imposed if the number of significant figures used by the candidate is one less, or two more, than the number of significant figures used in the data given in the question. Themaximum penalty for an error in significant figures is **one mark per paper**. When the penalty is imposed, indicate the error in the script by S.F. and, in addition, write S.F. opposite the mark for that question on the front cover of the paper to obviate imposing the penalty more than once per paper.
- 5 No penalties should be imposed for incorrect or omitted units at intermediate stages in a calculation or which are contained in brackets in the marking scheme. Penalties for unit errors (incorrect or omitted units) are imposed only at the stage when the final answer to a calculation is considered. The maximum penalty is **one mark per question**.
- 6 All other procedures, including the entering of marks, transferring marks to the front cover and referrals of scripts (other than those mentioned above) will be clarified at the standardising meeting of examiners.

Question 1

(a)	vector has direction, scalar has no direction / only vector has direction	B 1	1
(b)	vector: any vector except force (accept weight) scalar: any scalar	B1 B1	2
(c)	F = ma in any form maximum: 1.4 ms^{-2} minimum: 0.29 ms^{-2}	C1 A1 A1	3

Question 2

(a)	$a = \Delta v/t$	C1	
	$1.3 {\rm ms}^{-2}$	A1	2

(b)	(0,4) and (6,12) both marked (accept axes wrong way round) joined by a straight line and axes labelled with quantity or unit	M1 A1	2
(c)	distance = area under graph or average speed × time $x = \frac{v+u}{u}$, $y = \frac{1}{u} \frac{1}{u^2} $	61	

$s = \frac{v+u}{2}t / s = ut + \frac{1}{2}at^{2} / v^{2} = u^{2} + 2as$ C1 48 m (47.9 m) ecf from (a) or (b) A1 2

Question 3

(a)	$\Delta E_{\rm p} = mg\Delta h$ 47 J	C1 A1	2
(b)	location limitation e.g. meteorological or geographical	B1	

		any two suitable answers	
	damage to habitats or visual pollution	B1	max 2
	environmental damage e.g. displaced population,		
	continuous generation limit e.g. no power during drought	B1	
(0)	recurrent initiation e.g. meteororogical er geographical	D1	

Question 4

(a)	$V = IR$ seen or used (condone $R = \frac{\Delta V}{\Delta I}$ for this mark only)	C1	
	I = 1.8 A and V = 12 V	C1	
	6.7Ω	A1	3
(b)	current = 0 for negative voltages (allow no mark seen on negative voltage axis if graph drawn for positive) characteristic curve with steep rise: voltage not exceeding 1V allow higher turn on voltages if candidates specify that they have drawn graph for LED	B1 B1	2

Question 5			
(a) (i)	variable resistor / potentiometer	B1	1
(ii)	thermistor / resistance thermometer / resistance wire / thyristor	B1	1
(b) (c)	situation and reason (condone lack of detail of parameter being measured. Do not accept data logging example different situation and reason	B1 B1	2
	(medical examples acceptable providing that the observer is physically separated from what is being measured for suitable reasons)		

Total for Section A = 25

Question 6

(a) (i)	force \times distance distance (between force	B1	
	and point about which moments are taken	B1	2
(ii)	clockwise moment = anticlockwise moment sum of moments is zero (about any point) when the system is	C1	
	in <u>equilibrium</u>	A1	2
(b) (i)	any force × distance = any other force × distance $1800 \times 0.35 = F \times 2.5$	C1 C1	
	$1800 \times 0.55 - F \times 2.5$ 250 N (252 N)	A1	3
(ii)	$F + F_{\rm R} = 1800$ or correct moments equation about towbar	C1	•
	1500N (1550N) ecf from (i)	A1	2
(c)	car pulls trailer (forward) / trailer pulls back on car	B1	
	(new force is created by) air resistance or road friction air resistance or additional towbar force has moment	B1	
	(about P)	B1	3
	the use of Physics terms is accurate; the answer is fluent/ well argued with few errors in spelling, punctuation and grammar and 2 marks for		
	Physics	2	
	the use of Physics terms is accurate but the answer lacks coherence or the spelling, punctuation and grammar are poor and 1 mark for Physics	1	
	the use of Physics terms is inaccurate; the answer is disjointed with significant errors in spelling, punctuation and grammar	max 2 0	

Total for Question 6 = 14

Question 7

(a) (i)	v = s/t 19 (18.7) ms ⁻¹	C1 A1	2
(ii)	zero tolerate missing unit	B1	1
(iii)	$v^{2} = (u^{2}) + 2as$ $v = u + at$ $s = ut + 1/2at^{2}$ $v = \sqrt{(2 \times 9.8 \times 11)}$ $15 \text{ ms}^{-1} / 14.7 \text{ ms}^{-1}$	C1 C1 A1	3
(b) (i)	use of Pythagoras $18.7^2 + 14.7^2 = v^2$ OR $v^2 = \sqrt{(\text{their (a)}(i)^2 + \text{their (a)}(iii)^2)}$ 24 (237 or 23.8) ms ⁻¹ ecf	C1 C1 A1	3
	OR velocities drawn correctly to scale suitable scale used and quoted $23 - 25 \text{ ms}^{-2}$	C1 C1 A1	
(ii)	38° to 39° 37° to 40° for scale drawing ecf tan ⁻¹ their (a) (iii) their (a) (i)	B1	1
(c)	when kicked / when landing has max KE has no PE at this point / has max speed and $KE = \frac{1}{2}mv^2$ or loses energy because of (work done against) air resistance total energy greatest just after it's been kicked	B1 B1 B1 B1	2

Total for Question 7 = 12

Question 8

(a)	$(\frac{eitherR}{R_1 + R_2}) \times$ supply voltage or suitable alternative		
	OR $I = V/R_{tot}$ and $V = IR_2$	C1	
	use of $R_1 = 2\ 000\Omega$ and $R_2 = 200\Omega$	C1	
	0.54 or 0.55 V	A1	3
(b)	signal is digitised (condone use of ADC)	B1	
	sampled periodically or repeatedly but not continuously	B1	
	assigned binary code (depending on voltage)	B1	3
	the use of Physics terms is accurate; the answer is fluent/ well argued with few errors in spelling, punctuation and grammar and 2 marks for Physics	2	
	the use of Physics terms is accurate but the answer lacks coherence or the spelling, punctuation and grammar are poor and 1 mark for Physics	1	
	the use of Physics terms is inaccurate; the answer is disjointed with significant errors in spelling, punctuation and grammar	max 2 0	

Question 9

(a)	$V = IR \text{ OR } R = V/I \text{ and } 0.13 / 150 \text{ or } 8.7 \times 10^{-4} \text{ seen}$ (condone missing unit)	B1	1
(b)	R = pl/A	C1	
	$\frac{1.6 \times 10^{-8} \times 0.24}{8.7 \times 10^{-4}} \text{ OR } \frac{1.6 \times 10^{-8} \times 0.24}{9 \times 10^{-4}}$	C1	
	4.27 to $4.4 \times 10^{-6} \mathrm{m}^2$	A1	3
(c)	I = nAvq	C1	
	$\frac{150}{1.1 \times 10^{29} \times 4.4 \times 10^{-6} \times 1.6 \times 10^{-19}}$ 1.9 × 10 ⁻³ ms ⁻¹ ecf 8.5 × 10 ⁻⁹ /their (b) (2.0 × 10 ⁻³ ms ⁻¹ for those who use 9 × 10 ⁻⁴)	C1	
	(allow calculations with or without -ve sign for e)	A1	3

Total for Question 9 = 7

Question 10

(a)

$P = VI$ OR $P = \frac{V^2}{R}$ and $V = IR$ OR $P = I^2R$ and		
V = IR	C1	
I = 21/12 or 1.75 (A)	C1	
Divides 15 by their 1.75	C1	
8	A1	4

OR max power = 12×15 Max power = 180Max n = 180/218

(b)	correct equation given in symbols or words correct substitution seen (look for $144/21$ or $12^2/21$ or $12/1.75$)	B1 B1	2
(c)	$\frac{1}{R_T} = \frac{1}{R_1} + \frac{1}{R_2} + \frac{1}{R_3}$	C1	
	$(1/R_T) = 0.32$ even if they forget to invert	C1	
	3.1 or 3.2Ω	A1	3

Total for Question 10 = 9