MARK SCHEME for the May/June 2009 question paper

for the guidance of teachers

9702 PHYSICS

9702/32

Paper 32 (Advanced Practical Skills 2), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2		Mark Scheme: Teachers' version	Syllabus	Paper	
		GCE A/AS LEVEL – May/June 2009	9702	32	
1	Table				
	(b) Measure If incorre For value Help fror	ements. One mark for each set of readings for l and t . ect trend then -1 (incorrect trend is $l \uparrow t \downarrow$). es of l in specified range, if any value of time <1 s then m supervisor then -1 .	-1.	[6]	
	Repeate	d values of <i>t</i> for each length.		[1]	
	Range. i	$l_{min} \le 12 \text{cm}$ and $l_{max} \ge 48 \text{cm}$		[1]	
	Column Ignore u There m (solidus	headings – each must include a quantity and a unit wh nits in the body of the table. ust be some distinguishing mark between the quantity is expected but accept, for example, <i>t</i> (s) or <i>t</i> in s or <i>t</i> ir	ere appropriate. and the unit n sec).	[1]	
	Consiste	ency of raw readings – all values of l must be given to t	he nearest mm.	[1]	
	Significa If <i>l</i> is giv If <i>l</i> is giv If <i>l</i> is giv	nt figures. Apply to \sqrt{l} . en to 2 sf, then accept \sqrt{l} to 2 or 3 sf. en to 3 sf, then accept \sqrt{l} to 3 or 4 sf. en to 4 sf, then accept \sqrt{l} to 4 or 5 sf.		[1]	
	Check th	he value of \sqrt{l} for largest l . If incorrect, write in the corre	ct value.	[1]	

Graph

(c) (i) Axes – scales must be chosen so that the plotted points must occupy at least half the grid in both *x* and *y* directions. [1] Sensible scales must be used (not 3:10 etc). Indicate false origin with FO. Scales must be labelled with the quantity which is being plotted. Ignore units. Scale value labels must be no further apart than three large squares.
Plots – all observations must be plotted (write a ringed total on the graph). [1]

Plots – all observations must be plotted (write a ringed total on the graph). [1 Ring and check the 'worst' plot. Tick if correct. Re-plot if incorrect. Work to an accuracy of half a small square. Do not allow 'blobs' > half a small square.

Line of best fit. There must be at least five trend plots after allowing one 'rogue' point. If trend curved then allow curve but not straight line. [1] Indicate best line if candidate's line is not the best line.

Quality of results – judge by scatter of points about a straight line. Allow up to $\pm 0.25 \text{ cm}^{\frac{1}{2}}$. [1] All points must be plotted for this mark to be scored (minimum 6 points).

© UCLES 2009

Ar	Analysis				
(c)) (ii)	Calculation of gradient – the hypotenuse of the Δ must be at least half the length drawn line, and read-offs must be accurate to half a small square. Method of calculate be correct.	ו of the culation [1]		
		y-intercept correctly read from graph or calculated using correct read-offs.	[1]		
Co	onclu	sions			
(d) Me	thod: $p = \text{gradient}$ and $k = \text{intercept}$	[1]		
	Val Ch	id units (s cm ^{$-\frac{1}{2}$} or s m ^{$-\frac{1}{2} for p, and s for k).eck for and penalise power-of-ten error in unit for p.$}	[1]		
		[To	tal: 20]		
2 Fi	rst re	adings			
(b) (i)	No help from SV with setting up the apparatus.	[1]		
	(ii)	Sensible practical detail such as 'position scale close to mass holder', 'view horizo 'view at eye level', 'view perpendicular <u>to scale</u> ', 'allow for zero error', 'mea several positions', ' <u>use setsquare on bench</u> to make ruler vertical'. (Do no 'repeated readings').	ontally', sure at t allow [1]		
(c)) (ii)	New height, with unit, to nearest mm.	[1]		
		New height < previous height.	[1]		
Ur	ncerta	ainty			
(c)) (iv)	Percentage uncertainty in x, using $\Delta x = 1$ or 2 mm or half the range of readings. Correct ratio idea required.	peated [1]		
Se	econo	d readings			
(d) (i)	2 nd measurement of height with no current.	[1]		
	(ii)	Value of second $I < first I$ (but don't allow zero for second I).	[1]		
	(iii)	Measurement of height with new current $\leq h_{d(i)}$	[1]		
Ca	alcula	ation			
(d) (iii)	Correct calculation of second deflection x	[1]		
Qı	Quality of data				
(d) (iii)	Larger <i>I</i> produces larger deflection (check from raw values).	[1]		
		© UCLES 2009			

Mark Scheme: Teachers' version GCE A/AS LEVEL – May/June 2009 Syllabus

9702

Paper 32

Page 3

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE A/AS LEVEL – May/June 2009	9702	32

Analysis and conclusions

(e) Correct calculation to check proportionality (e.g. two values of *k*). [1]

Sensible comment relating to calculations and suggested relationship. [1] Use 50% permitted variation in *k* if candidate does not suggest a value.

(f) (i) (ii) Limitations and improvements

	Limitation (4 max)		Improvement (4 max)			
А	Two readings not enough	А	Take more readings and plot graph			
В	Change in height very small	B1	Use longer wire / larger current / higher voltage			
		B2	Use travelling microscope / vernier calipers (if method described)			
С	Parallax error in height measurement	С	Use setsquare from rule to mass* / use mirror			
D	Rule not vertical	D	Use setsquare on bench* / use plumbline / clamp rule			
Е	Could not achieve 1.2 A / contact Resistance / current fluctuating	Е	Use higher voltage supply / clean contacts / use continuously variable supply			
F	<u>Hard to measure <i>h</i> because</u> mass moves	F	Turn off fans / method of checking mass hasn't moved			
G	<u>Hard to measure 45 cm length</u> <u>because</u> wire not straight / croc clips move / wire slips in clamps	G	Use smaller croc clips / reduce load on clips / solder connections / tighten clamps / measure the 45 cm with the wire straight			

* do not credit here if already credited in (b)(ii)

[8]

[Total: 20]

© UCLES 2009