	ie here	
Surname		Other names
Pearson BTEC Level 3 Nationals Certificate	Centre Number Le	earner Registration Number
	lied Science Principles and Applicati	I
Tuesday 23	3 January 2018 – Morning ours	Paper Reference 31617H

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and learner registration number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You must attempt **all** three sections but you may complete them in any order.

Information

- The total mark for this paper is 90.
- The paper is comprised of three sections worth 30 marks each.
 Section A: Structure and functions of cells and tissues (Biology). Starts on page 2
 Section B: Periodicity and properties of elements (Chemistry). Starts on page 10
 Section C: Waves in communication (Physics). Starts on page 18
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- The periodic table of elements and formulae sheet can be found at the back of this paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



P51733A
©2018 Pearson Education Ltd.
1/1/1/1/1/



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Applied Science

Unit 1: Principles and Applications of Science I

Biology

SECTION A: STRUCTURE AND FUNCTIONS OF

CELLS AND TISSUES

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then put a cross in another box \boxtimes .

SECTION A - STRUCTURE AND FUNCTIONS OF CELLS AND TISSUES

1 The diagram shows a plant root hair cell.



(a) The plant root hair cell has a large surface area.

The large surface area increases the rate of absorption of water and ions from the soil.

State **two** other ways the structure of the plant root hair cell supports the absorption of water and ions from the soil.

(Total for Question 1 = 4 ma	arks)
(b) Explain why plant root hair cells do not contain chloroplasts.	(2)
2	
1	
1	(2)

DO NOT WRITE IN THIS AREA

smooth ER) are organelles found in eukaryotic co a) State one structural difference between roug		
a) State one structural difference between roug	TI EN ANG SINOUTI EN.	(1)
b) Give two functions of rough ER.		(2)
	(Total for Question	2 = 3 marks)
	(Total for Question	2 = 3 marks)
	(Total for Question	2 = 3 marks)
	(Total for Question	2 = 3 marks)
	(Total for Question	2 = 3 marks)
	(Total for Question	2 = 3 marks)
	(Total for Question	2 = 3 marks)
	(Total for Question	2 = 3 marks)
	(Total for Question	2 = 3 marks)

DO NOT WRITE IN THIS AREA


(a) State what is meant by t	the term organ .	(2)
	sed to help protect the lungs.	
Explain how goblet cells	s protect the lungs.	(2)
	obstructive pulmonary disease (COPD) of t	
Describe how damage to	o the alveoli in the lungs leads to emphyser	ma. (4)
	(Total for Que	stion 3 = 8 marks)



DO NOT WRITE IN THIS AREA

4	The width of a sperm cell head was measured as $4\mu m$.	
	The width of an egg cell was measured as 0.1 mm.	
	(a) Calculate how many times larger the egg cell is compared to the sperm cell head.	
	Show your working.	
		(2)
	(b) The egg cell contains large amounts of mitochondria.	
	Explain why an egg cell contains large amounts of mitochondria.	(2)

(c) The diagram shows an egg cell.




Explain what happens to the zona pellucida after the egg cell is fertilised.

(2)

(Total for Question 4 = 6 marks)

5 (a) Explain the role of myelin in the conduction of nerve impulses in myelinated axons.

(b) The graph shows an action potential in an axon.



Give the change in membrane potential between point A and point B.

(1)

8

/ mV



DO NOT WRITE IN THIS AREA

 sodium ions 	
 potassium ions. 	(6)
	(Total for Question 5 = 9 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Applied Science

Unit 1: Principles and Applications of Science I

Chemistry

SECTION B: PERIODICITY AND PROPERTIES OF

ELEMENTS

DO NOT WRITE IN THIS AREA

	SECTION B – PERIODICITY AND PROPERTIES OF ELEMENTS	
6	Connectors in some electrical circuits are coated in gold.	
	One property of gold is its ability to conduct electricity.	
	(a) Give one other property of gold that makes it suitable as a connector.	(1)
	(b) Explain how gold conducts electricity.	(3)
	(Total for Question 6 =	= 4 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

7 The table shows some data about three compounds.

compound	formula	relative molecular mass	boiling point (°C)
water	H ₂ O	18	100
methanol	CH ₃ OH	32	65
ethanol	C₂H₅OH		79

(a) Calculate the relative molecular mass for ethanol.

Show your working.

(2)

Relative molecular mass =

(b) Explain, in terms of intermolecular forces, the differences in the boiling points of the three compounds.

(4)



(Total for Question 7 = 6 marks)



(a) Silver bromide, AgBr, is an important chemical in the manufacture of photographic film.
 Potassium bromide reacts with silver nitrate, AgNO₃, to form silver bromide.
 Write the balanced equation for the reaction of potassium bromide with silver nitrate.

(b) Silver bromide and potassium bromide both contain strong ionic bonds.

State what is meant by the term **ionic bond**.

(1)

- (c) Potassium iodide, KI, is another ionic compound.
 - (i) Draw a dot and cross diagram to show the bonding in **potassium iodide**.Show the outer electrons only.

(3)

DO NOT WRITE IN THIS AREA

(ii) Potassium iodide is soluble in water.

A student dissolves $16.6\,\mathrm{g}$ of potassium iodide in distilled water and makes the volume of the solution up to $500\,\mathrm{cm}^3$.

Calculate the molar concentration of the solution produced.

(relative formula mass of potassium iodide = 166)

Show your working.

(4)

Concentration = mol dm⁻³

(Total for Question 8 = 10 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

9 (a) The electronic configuration of an element is

Identify the group of the periodic table that contains this element.

(1)

- **X A** 1
- **B** 2
- **区** 3
- □ D 4
- (b) (i) Write an equation to show the first electron affinity of oxygen to produce the oxygen ion, O⁻.

(2)

(ii) Complete the electronic configuration for an oxygen ion, O⁻.

(1)

1s ----- 2p -----




DO NOT WRITE IN THIS AREA

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) The graph shows the first ionisation energies of the elements lithium to magnesium.



Explain the trends in first ionisation energy from lithium to magnesium, with reference to:

- energy levels
- s and p orbitals.



DO NOT WRITE IN THIS AREA

(Total for Question 9 = 10 marks)
TOTAL FOR SECTION B = 30 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Applied Science

Unit 1: Principles and Applications of Science I

Physics

SECTION C: WAVES IN COMMUNICATION

DO NOT WRITE IN THIS AREA

	SECTION C – WAVES IN COMMUNICATION	
10 (a) Ide	entify the region of the electromagnetic spectrum with the lowest frequency.	(4)
⊠ A	microwaves	(1)
⊠ B	radio waves	
⊠ C	ultraviolet waves	
⊠ D	visible waves	
(b) (i)	Explain one advantage of using microwave radiation in mobile phone communications.	(2)
(ii)	Explain one disadvantage of using microwave radiation in mobile phone communications.	(2)
	(Total for Question 10 = 5 ma	arks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

11 (a) The picture shows a guitar.



A standing wave is produced when a guitar string is plucked.

The standing wave is represented on the graph.



(i) Give the missing label, Q, for the y-axis on the graph.

(1)

(ii) Label with the letter N the position of **one** node, on the graph.

(1)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) A guitar string is tuned by changing the tension.

The speed of a wave in the string is $16.2 \,\mathrm{m}\,\mathrm{s}^{-1}$.

The mass per unit length of the string is 0.3 kg m⁻¹.

Calculate the tension in the string.

Show your working.

(4)


Tension = N

(Total for Question 11 = 6 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- **12** Diffraction gratings allow light waves to be split into beams that travel in different directions.
 - (a) The graph shows a representation of a light wave.



Give the wavelength of the light wave in the graph.

(1)

..... nm



DO NOT WRITE IN THIS AREA

A diffraction grating is used to analyse sunlight. The pattern produced has a bright central white line.	
On either side of the white line there are bands of different colours.	
The bands of different colours become increasingly blurred the further away the are from the central white line.	у
(i) Explain why the central white line is bright.	(2)
(ii) Explain why the diffraction grating produces a pattern of coloured bands.	(4)
(Total for Question 12 = 7 m	arks)



DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

13 A digital signal has a value of 1.0V when it is on and 0.0V when it is off.

The digital signal changes every second.

(a) Draw a digital signal corresponding to 1 0 1 0

(2)



(b) Which of these processes occurs in an analogue-to-digital converter?

(1)

- A displaying data
- **B** randomising data
- C sampling data
- **D** storing data



DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

(c) An optical fibre is made of glass.

The speed of red light in air is $3.0 \times 10^8 \,\mathrm{m}\,\mathrm{s}^{-1}$.

The speed of red light in the glass is $2.0 \times 10^8 \, \text{m s}^{-1}$.

A ray of red light enters the glass from the air with an angle of incidence of 30°.



Calculate the angle of refraction, r, of the red light in the glass.

Show your working.

(3)

DO NOT WRITE IN THIS AREA

, Explain the strengths and wealth	esses of using optical fibres to supply broadband to hor (6)
	(Total for Question 13 = 12 marks)
	TOTAL EOD SECTION C = 20 MARKS
	TOTAL FOR SECTION C = 30 MARKS TOTAL FOR PAPER = 90 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

Every effort has been made to contact copyright holders to obtain their permission for the use of copyright material. Pearson Education Ltd. will, if notified, be happy to rectify any errors or omissions and include any such rectifications in future editions.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Formulae sheet

Wave speed

$$v = f\lambda$$

Speed of a transverse wave on a string

$$v = \sqrt{\frac{T}{\mu}}$$

Refractive index

$$n = \frac{c}{v} = \frac{\sin i}{\sin r}$$

Critical angle

$$\sin C = \frac{1}{n}$$

Inverse square law in relation to the intensity of a wave $I = \frac{k}{r^2}$

$$r=\frac{\kappa}{r^2}$$

The Periodic Table of Elements

0 (8)	4.0 He helium 2	20.2 Ne neon 10	39.9 Ar argon 18	83.8 Kr krypton 36	Xe xenon 54	[222] Rn radon 86	ted
7	(17)	19.0 F fluorine 9	35.5 Cl chlorine 17	79.9 Br bromine 35	126.9 	[210] At astatine 85	een repor
9	(16)	16.0 O oxygen 8	32.1 S sulfur 16	Se selenium 34	127.6 Te tellurium 52	[209] Po polonium 84	116 have b ticated
2	(15)	14.0 N nitrogen 7	31.0 P phosphorus 15	74.9 As arsenic 33	Sb antimony 51	209.0 Bi bismuth 83	tomic numbers 112-116 hav but not fully authenticated
4	(14)	12.0 C carbon 6	28.1 Si silicon P	72.6 Ge germanium 32	118.7 Sn tin 50	207.2 Pb lead 82	tomic nun but not fu
m	(13)	10.8 B boron 5	27.0 Al aluminium 13	69.7 Ga gallium	114.8 In indium 49	204.4 Tl thallium 81	Elements with atomic numbers 112-116 have been reported but not fully authenticated
	'		(12)	65.4 Zn zinc 30	112.4 Cd cadmium 48	200.6 Hg mercury 80	Elem
			(11)	63.5 Cu copper 29	_	197.0 Au gold 79	Rg entgenium 111
			(10)	58.7 Ni nickel 28	106.4 Pd palladium 46	195.1 Pt platinum 78	[268] [271] [272]
			(6)	58.9 Co cobalt 27	102.9 Rh rhodium F	192.2 Ir iridium 77	Mt Neitnerium d 109
	1.0 H hydrogen		(8)	55.8 Fe iron 26	Ru Ru ruthenium 44	190.2 Os osmium 76	Hs massium mr 108
			0	54.9 Mn nanganese 25	_	186.2 Re rhenium 75	[264] Bh bohrium 107
		nass ol imber	(9)	52.0 54.9 Cr Mn chromium manganese 24 25	95.9 [98] Mo Tc molybdenum technetium 42 43	183.8 W tungsten 74	Sg seaborgium 106
	Key	relative atomic mass atomic symbol name atomic (proton) number	(5)	50.9 V vanadium c	Nb niobium n	180.9 Ta tantalum 73	[262] Db dubnium s 105
			<i>£</i>	47.9 Ti titanium 22	91.2 Zr zirconium 40	178.5 Hf hafnium 72	[261] Rf rutherfordium 104
			(3)	Sc Scandium 21	88.9 Y yttrium z	138.9 La* lanthanum 57	[227] Ac* actinium n
2	(2)	9.0 Be beryllium 4	24.3 Mg magnesium 12	Ca calcium s	87.6 Sr strontium	137.3 Ba barium (a	[226] Ra radium 88
	(1)	6.9 Li lithium	Na Sodium n	39.1 K potassium 19	85.5 Rb rubidium s	132.9 Cs caesium 55	[223] Fr francium 87
			I	<u> </u>		<u> </u>	

* Lanthanide series

* Actinide series

175 **Lu** lutetium [257] 103 ytterbium nobelium [254] **5** 43 102 mendelevium 101 169 **Tm** thulium [256] ÞΨ 69 fermium 100 167 **Er** erbium 68 [253] Fm [254] **Es**einsteinium
99 165 **Ho** holmium 67 163 **Dy** dysprosium californiur [251] **Cf** 99 86 berkelium 97 159 **Tb** terbium [245] **Bk** 65 gadolinium **Cn** curium 96 157 **Gd** [247] 2 europium 63 americium [243] Am 152 **Eu** plutonium samarium 150 Sm [242] Pu 4 62 Np | neptunium | pu romethium [147] **Pm** [237] 61 144 Nd neodymium uranium 238 9 92 raseodymium protactinium **P** 4 [231] Pa 29 9 Ce cerium 58 232 Th Th thorium 90