

Cambridge Technicals Engineering

Unit 1: Mathematics for Engineering

Level 3 Cambridge Technical Certificate/Diploma in Engineering
05822 - 05825

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

Annotations

Annotation	Meaning
✓ and ✗	
BOD	Benefit of doubt
FT	Follow through
ISW	Ignore subsequent working
M0, M1	Method mark awarded 0, 1
DM1	Method mark dependent on previous M mark
A0, A1	Accuracy mark awarded 0, 1
B0, B1	Independent mark awarded 0, 1
DB1	Mark dependent on an earlier B mark
SC	Special case
λ	Omission sign
Other abbreviations in mark scheme	Meaning
oe	Or equivalent
Soi	Seen or implied
www	Without wrong working
ecf	Error carried forward

Subject-specific marking instructions

Annotations should be used whenever appropriate during your marking.

The A, M and B annotations must be used on your standardisation scripts for responses that are not awarded either 0 or full marks.

It is vital that you annotate standardisation scripts fully to show how the marks have been awarded. These annotations must be in the body of the work and **not** anywhere near the right hand margin of each page.

Mark in using a red pen.

Put the mark for each subquestion near to and to the right of the mark for the question. Total all marks for the question and put this total in a ring at the bottom right of each question.

Transfer these marks to the box on the front page.

Total the marks for the paper. I suggest that all unringed marks are then totalled to make sure that the final mark is correct.

An element of professional judgement is required in the marking of any written paper. Remember that the mark scheme is designed to assist in marking incorrect solutions. Correct *solutions* leading to correct answers are awarded full marks but work must not be judged on the answer alone, and answers that are given in the question, especially, must be validly obtained; key steps in the working must always be looked at and anything unfamiliar must be investigated thoroughly.

Correct but unfamiliar or unexpected methods are often signalled by a correct result following an *apparently* incorrect method. Such work must be carefully assessed. When a candidate adopts a method which does not correspond to the mark scheme, award marks according to the spirit of the basic scheme; if you are in any doubt whatsoever (especially if several marks or candidates are involved) you should contact your Team Leader.

The following types of marks are available.

M

A suitable method has been selected and *applied* in a manner which shows that the method is essentially understood. Method marks are not usually lost for numerical errors, algebraic slips or errors in units. However, it is not usually sufficient for a candidate just to indicate an intention of using some method or just to quote a formula; the formula or idea must be applied to the specific problem in hand, e.g. by substituting the relevant quantities into the formula. In some cases the nature of the errors allowed for the award of an M mark may be specified.

DM

A method mark which is dependent on a previous method mark.

A

Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. Accuracy marks cannot be given unless the associated Method mark is earned (or implied). Therefore M0 A1 cannot ever be awarded.

B

Mark for a correct result or statement independent of Method marks.

DB A B mark that is dependent on an earlier B mark

Unless otherwise indicated, marks once gained cannot subsequently be lost, eg wrong working following a correct form of answer is ignored. Sometimes this is reinforced in the mark scheme by the abbreviation isw. However, this would not apply to a case where a candidate passes through the correct answer as part of a wrong argument.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. Of course, in practice it may happen that when a candidate has once gone wrong in a part of a question, the work from there on is worthless so that no more marks can sensibly be given. On the other hand, when two or more steps are successfully run together by the candidate, the earlier marks are implied and full credit must be given.

The abbreviation ft implies that the A or B mark indicated is allowed for work correctly following on from previously incorrect results. Otherwise, A and B marks are given for correct work only — differences in notation are of course permitted. A (accuracy) marks are not given for answers obtained from incorrect working. When A or B marks are awarded for work at an intermediate stage of a solution, there may be various alternatives that are equally acceptable. In such cases, exactly what is acceptable will be detailed in the mark scheme rationale. If this is not the case please consult your Team Leader.

Sometimes the answer to one part of a question is used in a later part of the same question. In this case, A marks will often be 'follow through'. In such cases you must ensure that you refer back to the answer of the previous part question even if this is not shown within the image zone. You may find it easier to mark follow through questions candidate-by-candidate rather than question-by-question.

Wrong or missing units in an answer should not lead to the loss of a mark unless the scheme specifically indicates otherwise. Candidates are expected to give numerical answers to an appropriate degree of accuracy, with 3 significant figures often being the norm. Small variations in the degree of accuracy to which an answer is given (e.g. 2 or 4 significant figures where 3 is expected) should not normally be penalised, while answers which are grossly over- or under-specified should normally result in the loss of a mark. The situation regarding any particular cases where the accuracy of the answer may be a marking issue should be detailed in the mark scheme rationale. If in doubt, contact your Team Leader.

Rules for replaced work

If a candidate attempts a question more than once, and indicates which attempt he/she wishes to be marked, then examiners should do as the candidate requests.

If there are two or more attempts at a question which have not been crossed out, examiners should mark what appears to be the last (complete) attempt and ignore the others.

NB Follow these maths-specific instructions rather than those in the assessor handbook.

For a *genuine* misreading (of numbers or symbols) which is such that the object and the difficulty of the question remain unaltered, mark according to the scheme but following through from the candidate's data. A penalty is then applied; 1 mark is generally appropriate, though this may differ for some units. This is achieved by withholding one A mark in the question.





Note that a miscopy of the candidate's own working is not a misread but an accuracy error.

Question		Answer	Marks	Guidance
1	(a)	$= 7x$ $+ 4$	B1 B1	If B0 then one bracket correctly multiplied out SC1 i.e. $9x + 6$ seen or $-2x - 2$ or $-(2x+2)$ seen
			[2]	
	(b)	$at = v - u$ $\Rightarrow (t) = \frac{v-u}{a}$ oe	M1 A1	Correct subtraction or divide, in either order For $v - u \div a$ seen SC1 For $(t) = \frac{u-v}{a}$ seen SC1
			[2]	
	(c)	$x^2 - 4x + 7 = (x-2)^2 - 4 + 7$ $= (x-2)^2 + 3$	M1 A1	$(x-2)^2$ must be seen
			[2]	

Question		Answer	Marks	Guidance	
2	(a)	<p>Longer piece = $3x$</p> <p>$3x + x = 68$</p> <p>$x = 17$</p> <p>The length of each piece is 17 (cm) and 51 (cm)</p>	<p>M1</p> <p>A1</p> <p>A1</p>	<p>Forming an equation; $4x$ or $x+3x$ must be seen or implied by correct answer</p> <p>Ans www full marks</p> <p>Accept $x = 17$, $3x = 51$ as a correct answer</p> <p>($x =$) 17 (or 51) only seen is 2 marks</p>	
			[3]		
2	(b)	(i)	<p>$203 = 200 + 21k$</p> <p>$\Rightarrow k = \frac{1}{7}$ oe</p>	<p>M1</p> <p>A1</p>	<p>Substitute $\theta = 21$ and $R_0 = 200$ and $R = 203$</p> <p>Allow 0.14 or better</p>
			[2]		
		(ii)	<p>$205 = R_0 + 40k$</p> <p>$203 = R_0 + 20k$</p> <p>Subtract $\Rightarrow 2 = 20k \Rightarrow k = \frac{1}{10}$</p> <p>$R_0 = 201$</p>	<p>M1</p> <p>A1</p> <p>A1</p>	<p>2 equations written, at least one correct</p> <p>k</p> <p>201</p>
			[3]		

Question			Answer	Marks	Guidance
3	(a)	(i)	$\frac{\sqrt{3}}{2}$	B1	
				[1]	
		(ii)	-0.375	B1	Must be correct to 3sf
				[1]	
	(b)	(i)	$\frac{AC}{\sin 50} = \frac{6}{\sin 70}$ $\Rightarrow AC = \frac{6}{\sin 70} \times \sin 50$ $= 4.89 \text{ (cm)}$	M1 A1 A1	Sight of sin rule with correct substitutions soi Accept this when BC is being found Soi Accept 4.9 If BC found and then cosine rule to find correct answer give full marks
				[3]	
		(ii)	$\text{Area} = \frac{1}{2} AB \times (\text{their } AC) \sin A$ $A = 180 - 50 - 70 = 60$ $\Rightarrow \text{Area} = 3 \times 4.89 \times \sin 60 = 12.7 \text{ (cm}^2\text{)}$	M1 B1 A1	For using any one of the heights Seen in (i) or on diagram For using different height give full marks for correct answer.
				[3]	

Question			Answer	Marks	Guidance
4	(a)	(i)	$= \left[\frac{x^4}{4} - \frac{5x^3}{3} + \frac{7x^2}{2} - x \right]$ $\Rightarrow \left(\frac{81}{4} - 45 + \frac{63}{2} - 3 \right) - \left(\frac{1}{4} - \frac{5}{3} + \frac{7}{2} - 1 \right)$ $= \left(\frac{207}{4} - 48 \right) - \left(\frac{25}{12} - 1 \right) = \frac{15}{4} - \frac{13}{12} = \frac{8}{3} \text{m}^2$	M1 A1 DM1 A1	Integration – ignore limits (at least one power increased by 1) Result of integration (i.e. inside brackets) Dep. Apply limits in correct order and subtract Accept 2.67 or better Answer www full marks Must include units
				[4]	
		(ii)	$\text{Volume} = (\text{their area}) \times 2 = \frac{16}{3} (\text{m}^3)$	B1	FT their answer to (i) Ignore units Accept 2sf or better
				[1]	
	(b)		$v = \frac{ds}{dt} = 2 + 3t^2$ $v_3 = 2 + 3 \times 3^2$ $\Rightarrow v = 29 \text{ m s}^{-1}$	M1 M1 A1	Diffn implied by sight of $3t^2$ Substitute $t = 3$ into <i>their</i> formula for v Must include units Answer www full marks
				[3]	

Question		Answer	Marks	Guidance	
5	(a)	(i)		B1	Same shape including translation parallel to x -axis
				B1	Same shape and always above and through $(0, 4)$
			[2]		
		(ii)		B1	Same shape and through x -axis at same points
			B1	Same shape and passing through $(0, 3)$ and with higher maximum and lower minimum	
			[2]		
	(b)		B1	Parabola right way up and symmetric about y -axis	
			DB1	Dep on 1 st B mark Through negative y -axis	
			[2]		
	(c)		B1	In 1 st quadrant, straight line with constant positive gradient	
			B1	Same straight line with positive intercept on x -axis and negative intercept on y -axis	
			[2]		
	(d)	(i)	12	B1	
				[1]	
		(ii)	0	B1	
				[1]	
		(iii)	$\Rightarrow (x-1)(x^2+x-6) = 0$ $\Rightarrow (x-1)(x+3)(x-2) = 0$ $\Rightarrow x = -3, 1, 2$	M1 A1 A1 A1	$(x-1)$ seen as a factor soi by final answer Quadratic soi by final answer All 3 factors soi All three values correct www SC4 All three factors correct www SC3 If 0 earned then SC1 for $x = 1$, or SC2 for 2 correct roots
				[4]	

Question		Answer	Marks	Guidance
6	(a)	$= \log a^2 - \log b$ $= \log \left(\frac{a^2}{b} \right)$	B1	$\text{Log} a^2$ soi
			B1	Division SC $2 \log \left(\frac{a}{b} \right)$ or $\log \left(\frac{a}{b} \right)$ or $\log \left(\frac{2a}{b} \right)$ or $\log \left(\frac{a}{b} \right)^2$ B1
			[2]	
	(b)	(i)	3.2 (mm)	B1
				[1]
		(ii)	$4 = \frac{1}{10} \times 2^w \Rightarrow 2^w = 40$ $\Rightarrow w = \frac{\log 40}{\log 2}$ $= 5.32$ (kg)	M1 Take logs of original equation or transformed equation A1 Correct intermediate value. Can be any base or $w = \log_2 40 = 5.32$ kg A1 3sf or better Answer correct to 3sf with no sight of logs SC3 Accept $2^{5.32}$ Answer correct to 2sf with no sight of logs SC2 Accept $2^{5.3}$
				[3]

Question		Answer	Marks	Guidance
7	(a) (i)	$\text{Mean} = \frac{110}{15}$ $= \frac{22}{3} \text{ (hrs)}$	M1	Evidence of multiplying h by f and dividing by their sum of frequencies soi
			A1	Accept 7.3 or better Allow 7 hours, 20 minutes or 440 mins
			[2]	
	(ii)	Median = 7	B1	
			[1]	
	(iii)	Mode = 7	B1	
			[1]	
	(iv)	Mode and median will be the same, the mean will go down	B2,1	B1 for 2 correct
			[2]	
	(b) (i)	$P = (0.2)^2$ $= 0.04 \text{ oe}$	M1	Multiply
			A1	Accept 4%
			[2]	
	(ii)	$P = 1 - (0.8)^2$ <p>Or</p> $P = 0.2 \times 0.8 + 0.2 \times 0.2 + 0.8 \times 0.2$ <p>Or</p> $P(A) + P(B) - P(A \text{ and } B)$ $= 0.2 + 0.2 - 0.04$ $= 0.36 \text{ oe}$	M1	1 – P(no failures) Or 3 failure situations considered Or considering intersections
			A1	
			[2]	

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

 **Cambridge
Assessment**

