StudentBounts.com FEDERAL PUBLIC SERVICE COMMISSIO



COMPETITIVE EXAMINATION FOR RECRUITMENT TO POSTS IN BS-17 UNDER THE FEDERAL GOVERNMENT, 2012

PURE MATHEMATICS, PAPER-II

TIME ALLOWED: THREE HOURS

MAXIMUM MARKS: 100

- NOTE:(i) Candidate must write Q. No. in the Answer Book in accordance with Q. No. in the Q. Paper. Attempt **FIVE** questions in all by selecting **THREE** questions from **SECTION-A** and **TWO** (ii) questions from SECTION-B. ALL questions carry EQUAL marks.
 - (iii) Extra attempt of any question or any part of the attempted question will not be considered.
 - Use of Scientific Calculator is allowed. (iv)

SECTION-A

Q.1. (a) State and prove Taylor's theorem with Cauchy's form of remainder. (8)

(**b**) Evaluate (i)
$$\lim_{x \to 0} \left(\frac{1}{x}\right)^{\tan x}$$
 (ii) $\int e^{ax} \sin(bx+c)dx$ (6)

(c) Show that
$$\int_{0}^{\pi/2} \sin^{p} x \cos^{q} x \, dx = \frac{\Gamma\left(\frac{p+1}{2}\right)\Gamma\left(\frac{q+1}{2}\right)}{2\Gamma\left(\frac{p+q}{2}+1\right)} \tag{6}$$

Sketch the graph of the curve $r^2 = a \sin 2\theta$, a > 0. Also write pedal equation for this Q. 2. (a) (8) curve.

(b) Show that the parabola
$$\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$$
 has asymptotes $y = \frac{b}{a}x$ and $y = -\frac{b}{a}x$ (6)

- (c) Define extrema (local and global) of a function of two variables. Find three positive numbers whose sum is 48 and whose product is as large as possible.
- Find the volume of the tetrahedron bounded by the coordinate planes and the plane (8) **O.3.** (a) $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 1, \quad \text{a, } b, c > 0.$

(**b**) Evaluate
$$\int_{0}^{\pi/2} \ell n(\sin x) dx$$
 (**6**)

- Determine the values of x for which the power series $\sum_{n=2}^{\infty} \frac{x^n}{\ell n n}$ converges absolutely, (c) (6) converges conditionally and diverges.
- Define a metric on a non-empty set X. If d is a metric on X, show that if **Q.4.** (a) (5+3+2) $d'(x, y) = \frac{d(x, y)}{1 + d(x, y)}$ then d' is also a metric on X. Also write open and closed =10) balls (spheres) in the discrete metric space (X, do) with radius 1 and 1.1 centered at some $x \in X$.
 - Define limit point of a subset A of a metric space X. Show that an open sphere **(b)** (10)containing a limit point x of A contains infinitely many points of A other than x.

Page 1 of 2

(6)

www.StudentBounty.com ework Help & Pastpa

PURE MATHEMATICS, PAPER-II

Show that R^n is a complete metric space under the metric defined by 0.5. (a)

> $d(x, y) = \sqrt{\sum (\xi_i - \eta_i)^2}, \ x, y \in \mathbb{R}^n$ Where $x = (\xi_1, \xi_2, ..., \xi_n)$ and $y = (\eta_1, \eta_2, ..., \eta_n)$

- StudentBounts.com Show that a function $f: (X,d) \rightarrow (Y,d')$ is continuous if and only if for an open subset V **(b)** of Y, $f^{-1}(V)$ is an open subset of X.
- Find the radius of convergence and interval of convergence of the power series: (c) $\sum_{n=0}^{\infty} \frac{(-1)^{n+1} (x+1)^{2n}}{(n+1)^2 5^n}$

SECTION-B

O. 6. If C is a continuous curve and f(z) is defined on each point of C, then prove that (a)

$$\int_{C} f(z) dz \Big| \le ML$$

Where $M = max | f \neq |$ and L is length of curve C.

Suppose f(z) = U(x, y) + iV (x,y) is differentiable at a point z = x + iy, then at z the **(b)** (10)first order partial derivatives of U an V exist and satisfy Cauchy-Reiman equations: $\frac{\partial U}{\partial x} = \frac{\partial V}{\partial y}, \frac{\partial U}{\partial y} = -\frac{\partial V}{\partial x}.$

Verify Cauchy-Reiman equations for the function $f(z) = e^{-x} \cos y - i e^{-x} \sin y$.

- Q.7. (a) Define singularity of a function f(z). Investigate for the pole, singularities and zeros, (6) the function $f(z) = z^2$
 - Let D be simply connected domain and f(z) be analytic in D. Let f'(z) exist and is **(b)** (6) continuous at each point of D then prove that $\int f(z)dz = 0$, where C is any closed

Contuor in D.

(c) State De Moivre's theorem and hence prove that

(i)
$$Cos 5\theta = 16Cos^{3}\theta - 20Cos^{2}\theta + 5Cos\theta$$

(ii) $Sin^{n}\theta = (-1)^{\frac{n-1}{2}} \frac{1}{2^{n-1}} \left[Sin n\theta - Sin(n-2)\theta + \frac{n(n-1)}{2}Sin(n-4)\theta - \dots\right]$

- Solve the equation x^{12} -1=0 and find which of its roots satisfy the equation $x^4+x^2+1=0$. **Q. 8. (a)** (6)
 - **(b)** Show that multiplication of a vector z by $e^{i\alpha}$ where α is a real number, rotates the (6) vector z counter clockwise through an angle of measure α .
 - Sum the series (8) (c) $nSin\theta + \frac{n(n+1)}{2!}Sin2\theta + \frac{n(n+1)(n+2)}{3!}Sin3\theta + \dots$

www.StudentBounty.com

Page 2 of 2

(10)

(8)