

# Mark Scheme (Results)

Summer 2015

Pearson Edexcel International GCSE  
Mathematics A (4MA0)  
Paper 1F

Pearson Edexcel Level1/Level 2 Certificate  
Mathematics A (KMA0)  
Paper 1F

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2015

Publications Code UG042071

All the material in this publication is copyright

© Pearson Education Ltd 2015

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
  - M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
  - cao – correct answer only
  - ft – follow through
  - isw – ignore subsequent working
  - SC - special case
  - oe – or equivalent (and appropriate)
  - dep – dependent
  - indep – independent
  - eeo – each error or omission
  - awrt – answer which rounds to

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

For all questions, the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.


	Working	Answer	Mark	Notes
<b>1</b>	(a)	98 384 483 498 530	1	B1
	(b)	483	1	B1
	(c)	530	1	B1
	(d)	432	1	B1 or ft from (a) accept -432
				<b>Total 4 marks</b>
<b>2</b>	(i)	evens	3	B1
	(ii)	unlikely		B1
	(iii)	impossible		B1
				<b>Total 3 marks</b>
<b>3</b>	(a)	4800	1	B1
	(b)	6000	1	B1 accept 6 thousand(s), 1000, thousand
				<b>Total 2 marks</b>
<b>4</b>	(a)	Radius	1	B1
	(b)	Sector	1	B1
	(c)	$\frac{60}{360}$		2
		$\frac{1}{6}$	A1	
				<b>Total 4 marks</b>

<b>5</b>	(a)		(5, 1)	1	B1
	(b)		57	1	B1 55 - 59
	(c)	$\frac{1}{2} \times 4 \times 4$		2	M1 or evidence of counting squares
			8		A1 SC If M0 then B1 for $6 \leq \text{area} \leq 10$
(d)		<i>D</i> marked at (1,4)	1	B1	
					<b>Total 5 marks</b>

<b>6</b>	(a)		35	1	B1
	(b)		-15	1	B1
	(c)		24	1	B1
	(d)			2	M1 for $5x + 20$ oe
$y = 5x + 20$			A1 oe		
					<b>Total 5 marks</b>

<b>7</b>	(a)	$25 \times 17.5(0) (= 437.5(0))$ or 437 or 438		3	M1
		“437.5” $\div$ 50 (= 8.75) or 50 $\times$ 9 or 50 $\times$ 8			M1 dep
			9		A1
	(b)	“9” $\times$ 50 – “437.50” oe or 50 – (“437.5” – 400) oe		2	M1 for a complete method ; only ft from an integer answer to (a)
		12.50		A1 ft providing answer is positive. Accept 12.5	
					<b>Total 5 marks</b>

<b>8</b>	(a)		14	1	B1
	(b)		2	1	B1
	(c)	26 + 19 + 11 + 9 (at least 3 correct) <b>or</b> 14 + 12 + 12 + 7 + 4 + 7 + 4 + 5 (at least 6 correct)		2	M1
			65		A1
	(d)	$\frac{26}{"65"} \times 100$ oe		2	M1 ft from (a)
			40		A1 ft from (c) provided working seen (at least 2 sig figs)
					<b>Total 6 marks</b>

<b>9</b>	(a)		Correct drawing	1	B1
	(b)		17 21	1	B1
	(c)		29	1	B1
	(d)		37	1	B1
	(e)		10	1	B1
					<b>Total 5 marks</b>

<b>10</b>	Angle $ECB = 70$ <b>or</b> Angle $ECB = 180 - 110$ <b>or</b> Angle $CBE = 72$ <b>or</b> Angle $CBE = 110 - 38$ <b>or</b> Angle $CBE = 180 - (70 + 38)$ <b>or</b> Angle $AFB = 60$ <b>or</b> Angle $FAB = 60$ <b>or</b> Angle $FBA = 60$		3	M1 for correct method to find any angle in diagram  NB: Accept $A$ in place of $FAB$ ; accept $F$ in place of $AFB$
	eg (Angle $FBE =$ ) $180 - 60 - 72$			M1 for a complete correct method
			48	A1
<b>Total 3 marks</b>				

<b>11</b> (a)	$8 \times 4 + 15$ oe		2	M1
		47		A1
(b)	$(71 - 15) \div 8$ <b>or</b> $7 \times 8 + 15 (=71)$ oe		2	M1 condone missing brackets
		7		A1
<b>Total 4 marks</b>				



<b>12</b> (a)	$4 \times 7 - 5 \times 4$ oe <b>or</b> 28 <b>or</b> -20		2	M1
		8		A1
(b)	$100 = 4x - 110$ <b>or</b> $100 + 110 (=210)$		2	M1
		52.5		A1 or $52\frac{1}{2}$
(c)	$4 \times 6t - 5 \times 2t$ oe <b>or</b> $4 \times 6t$ oe <b>and</b> $(-5) \times 2t$ oe		2	M1
		$14t$		A1 accept $14 \times t$
				<b>Total 6 marks</b>

<b>13</b> (a)	$100 - 48 (=52)$		3	M1
	$\frac{"52"}{100} \times 34$ (0.....) oe <b>or</b> digits 1768			M1 dep
		17.68		A1 accept 17 680 000 accept 18, 18 000 000, 17.7, 17 7000 000 if M2 awarded
	<b>Alternative</b> $\frac{48}{100} \times 34$ (0.....) oe <b>or</b> digits 1632			M1 $\frac{48}{100} \times 34$ (0.....)
	34 000 000 – "16 320 000" <b>or</b> 34 – 16.32			M1 dep
		17.68		A1 accept 17 680 000 accept 18, 18 000 000, 17.7, 17 7000 000 if M2 awarded
(b)		$\frac{48}{100}$	1	B1 oe
(c)		0.48	1	B1
				<b>Total 5 marks</b>

<b>14</b>	(a)		$10\frac{1}{2}$ hrs	2	B2 for $10\frac{1}{2}$ hrs <b>or</b> 10.5 hrs <b>or</b> 630 minutes <b>or</b> 10h 30 min oe (B1 for ‘correct time’ but units incorrect, partially correct or missing Eg. $10\frac{1}{2}$ , 630, 10:30, 10:30 mins, 10.3, 10.3 hours)	
	(b)	$12 \times 16 (= 192)$ <b>or</b> $16 \times 1.852 (= 29.632)$ <b>or</b> $12 \times 1.852 (= 22.224)$		3	M1	M2 for $12 \times 16 \times 1.852$
		$192 \times \text{“1.852”}$ <b>or</b> $12 \times \text{“29.632”}$ <b>or</b> $16 \times \text{“22.224”}$			M1 dep	
			356		A1 answer in range 355 – 356	
<b>Total 5 marks</b>						

<b>15</b>		$345 \div 200 (=1.725)$ <b>or</b> $345 \times 100(=34500)$		3	M1 for a correct units conversion ( $\times 100$ ) <b>or</b> $\div 200$	
		$\text{“1.725”} \times 100$ <b>or</b> $\text{“34500”} \div 200$			M1 for a correct units conversion ( $\times 100$ ) <b>and</b> $\div 200$	
			172.5		A1 accept 173 if at least M1 awarded	
<b>Total 3 marks</b>						

<b>16</b> (a)	$4 \times 13 (=52)$ <b>or</b> $\frac{w+x+y+z}{4} = 13$ <b>or</b> $4 \times 13 - 33$		2	M1
		19		A1
(b)	$z-w = 10$ <b>or</b> $w = 9$ <b>or</b> $w = "19" - 10$ <b>or</b> $x + y = 33 - 9 = 24$		2	M1 ft from (a) (can be implied by 9, x, y, 19 <b>OR</b> w, x, y, z with $x + y = 24$ )
		12		A1 cao
				<b>Total 4 marks</b>

<b>17</b> (a)	$15960 \div 5.7 \times 4.6$ <b>or</b> $15960 \div 5.7 (=2800)$		2	M1		
		12880		A1		
(b)	$15960 \times \frac{7.5}{100}$ oe (= 1197)		3	M1	M2 for $0.925 \times 5.7 (=5.27(25))$ <b>AND</b> $\frac{5.27}{5.7} \times 15960$	M2 $15960 \times \frac{92.5}{100}$ oe
	$15960 - "1197"$			M1 (dep)	<b>NB. Accept 12880 or ans to (a) in place of 15960 for both method marks</b>	
		14763		A1		
				<b>Total 5 marks</b>		

<b>18</b>	(a)	$1.5 \times \pi$ <b>or</b> $2 \times \pi \times (1.5 \div 2)$		2	M1
			4.71		A1 4.71 - 4.72
	(b)	$1000 \div \text{“4.71”}$		2	M1 ft from (a) (accept use of rounded answer from (a) for method mark only)
			212		A1 ft from (a) provided working is shown (must round down to integer value)
					<b>Total 4 marks</b>

<b>19</b>	(a)	$450 \times 1.16$ oe		2	M1	
			522		A1	
	(b)	$850 \div 1.16$ oe (= 732.76) <b>or</b> $732 - 733$		3	M1	M1 for $3.50 \times 1.16$ (=4.06)
		“732.76” + 3.50			M1 (dep)	M1 (dep) for $(850 + \text{“4.06”}) \div 1.16$ oe
			736.26		A1	Accept 736 – 736.3
					<b>Total 5 marks</b>	

<b>20</b>	$(360 - 76 - 82 - 30) \div 2 = 86$ <b>or</b> $225.5 \div 82 (=2.75)$ <b>or</b>  $225.5 \div 82 \times a$ where $a \neq 86$ <b>or</b> $225.5 \div 82 \times (360 - 76 - 82 - 30)$ oe (=473)		3	M1 Accept digits 2255(000...) in place of 225.5 in both method marks
	$225.5 \div 82 \times "86"$ <b>or</b>  $225.5 \div 22.7.. \times 23.8...$ <b>or</b> digits 236... <b>or</b> "473" $\div 2$			M1(dep) for complete method (NB: 82 and 86 may be converted to percentage of 360 – and then these percentages used $\frac{82}{360} = 22.7..%$ or 23% ; $\frac{86}{360} = 23.8..%$ or 24% )
		236.5		A1 oe accept 236.5 million or 236 500 000
<b>Total 3 marks</b>				

<b>21</b>	(a)	$k^9$	1	B1
	(b)	$20y^3$	2	B2 (B1 for $ny^3, n \neq 20$ <b>or</b> $20y^m, m \neq 3$ )
<b>Total 3 marks</b>				

<b>22</b>	$(AB^2 =) 6.5^2 - 6.3^2 (=2.56)$		3	M1	<b>Alternative method :</b> M1 for finding a correct angle ( $A = 75.7...$ ; $C = 14.2...$ ) <b>AND</b> a correct trig statement with a correct angle eg. $\sin 14.2 = \frac{AB}{6.5}$ M1 for making AB the subject eg. $AB = 6.5 \sin 14.2$ NB. 1.6 as a rounded answer eg. from 1.594... gains A0
	$(AB =) \sqrt{6.5^2 - 6.3^2}$ <b>or</b> $\sqrt{"2.56"}$			M1 dep	
		1.6		A1	
<b>Total 3 marks</b>					

<b>23</b>	<b>NB: If it is clear that the surface area is being calculated then no marks can be awarded</b>			
	$\frac{1}{2} \times (12 + 22) \times (20 - 12)$ oe (=136)		5	M1
	$12 \times 12$ (= 144)			M1
	“136” + “144” = 280			M1 dep on at least one previous M1 scored
	$80 \times$ “280”			M1 dep on previous M1
		22400		A1
	<b>Alternative</b>			
	$\frac{1}{2} \times (12 + 22) \times (20 - 12)$ oe (=136)			M1 (may be seen within a volume calculation)
	$12 \times 12$ (= 144)			M1(may be seen within a volume calculation)
	“136” $\times$ 80 = 10880 <b>or</b> “144” $\times$ 80 = 11520			M1 dep on at least one previous M1 scored
	“10880” + “11520”			M1 dep on previous M1
		22400		A1
	<b>Special Case : Use of 10cm for height of trapezium AND 10cm for AF</b>			B3 for answer of 23200
				If not B3 then B2 for $290 \times 80$ <b>or</b> $80 \times (10 \times 12 + \frac{1}{2} \times (22 + 12) \times 10)$
				If not B2 then B1 for $10 \times 12 + \frac{1}{2} \times (22 + 12) \times 10$ (= 290) <b>or</b> $10 \times 12 \times 80$ <b>and</b> $\frac{1}{2} \times (22 + 12) \times 10 \times 80$
				<b>Total 5 marks</b>

<b>24</b>	$20 \times 151 (= 3020)$ <b>or</b> $12 \times 148 = (1776)$ <b>or</b> 4796		3	M1
	$(\text{"3020"} + \text{"1776"}) \div (12 + 20)$ <b>or</b> $(\text{"3020"} + \text{"1776"}) \div 32$			M1 dep
		149.875		A1 for 149.875 rounded or truncated to 1 or more decimal places  Accept 150 if M2 awarded
				<b>Total 3 marks</b>

