

Free-Standing Mathematics Qualification

Working with Algebraic and Graphical Techniques 6991/2 Advanced Level

Mark Scheme

2008 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2008 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

Key to mark scheme and abbreviations used in marking

М	mark is for method			
m or dM	mark is dependent on one or more M marks and is for method			
А	mark is dependent on M or m marks and is for accuracy			
В	mark is independent of M or m marks and is for method and accuracy			
Е	mark is for explanation			
$\sqrt{100}$ or ft or F	follow through from previous			
	incorrect result	MC	mis-copy	
CAO	correct answer only	MR	mis-read	
CSO	correct solution only	RA	required accuracy	
AWFW	anything which falls within	FW	further work	
AWRT	anything which rounds to	ISW	ignore subsequent work	
ACF	any correct form	FIW	from incorrect work	
AG	answer given	BOD	given benefit of doubt	
SC	special case	WR	work replaced by candidate	
OE	or equivalent	FB	formulae book	
A2,1	2 or 1 (or 0) accuracy marks	NOS	not on scheme	
–x EE	deduct <i>x</i> marks for each error	G	graph	
NMS	no method shown	с	candidate	
PI	possibly implied	sf	significant figure(s)	
SCA	substantially correct approach	dp	decimal place(s)	

No Method Shown

Where the question specifically requires a particular method to be used, we must usually see evidence of use of this method for any marks to be awarded. However, there are situations in some units where part marks would be appropriate, particularly when similar techniques are involved. Your Principal Examiner will alert you to these and details will be provided on the mark scheme.

Where the answer can be reasonably obtained without showing working and it is very unlikely that the correct answer can be obtained by using an incorrect method, we must award **full marks**. However, the obvious penalty to candidates showing no working is that incorrect answers, however close, earn **no marks**.

Where a question asks the candidate to state or write down a result, no method need be shown for full marks.

Where the permitted calculator has functions which reasonably allow the solution of the question directly, the correct answer without working earns **full marks**, unless it is given to less than the degree of accuracy accepted in the mark scheme, when it gains **no marks**.

Otherwise we require evidence of a correct method for any marks to be awarded.

Free-Standing Mathematics Qualification Advanced Level – Working with Algebraic & Graphical Techniques (6991/2) Answers and Marking Scheme June 2008

(a)	5 correct plots to ½ sq accuracy E.g. (0,0) (5,75) (10,100) (15,75) (20,0) Smooth correct curve to ½ sq accuracy	B2 B1	B1 4 correct plots From 0, 5, 10, 15, 20
(b)	100 10	B1 B1	
(c)	20	B1	
(d)(i)	$q=10$ or $(t-10)^2$ $p=q^2$ p=100	B1 M1 A1	
(ii)	q = value of t (at maximum) p= (maximum) number of tickets sold	B1 B1	O.E O.E max.value of N B0 for (q, p) is max. pt
	TOTAL	11	

(a)	.033, .025, .02(0), (.016 or .017), .014 (.012 or .013), .011	B2	B1 5 correct or values not to 3 dp ignore 0 Max B1 if 0.033 or
			0.011
(b)	Correct plots to ½ sq accuracy Line of best fit, need not cross axes	B1 B1ft	no line of best fit for graph of S against $\frac{1}{s}$
(c)	a = gradient with vertical values/horizontal values a = 2600 to 2700 b = 0 to -5	M1 A1 B1	Setting up simultaneous equations SCI if both reversed
(d)(i)	35 to 40 mpg	B1	
(ii)	1/s = .0215 to .0225 44 to 47 mph	M1 A1	correct from their equation
(e)	Attempt to reflect $y = x$ through (50,50) through (20,60) and (90,30) to $\frac{1}{2}$ sq accuracy	M1 A1 A1	
	TOTAL	13	

(a)(i)	10.2×1.0529 ⁸ 15.4 (million)	M1 A1	15.406
(ii)	$30 = 10.2 \times 1.0529^{t}$ ln30 - ln10.2 = t ln 1.0529 2011	M1 M1 dep A1	t = 20.9 (3) or 21 Allow 2010
(b)(i)	10.2×8 ^{0.2855} 18.5 (million)	M1 A1	18.4685 18.4 is M1A0
(ii)	$30 = 10.2 \times t^{0.2855}$ ln30 - ln10.2 = 0.2855 lnt 2034	M1 M1 dep A1	t = 43.7 (58) or 44 Allow 2033
(c)	Cannot use negative values of t	B1	O.E cannot use t = 0 B0 for negative number of passengers
(d)	At start 1 st model above 2 nd 1 or 2 crossovers Large t, 1 st model above 2 nd	B1 M1 A1	
	TOTAL	14	

Question 4

(a)(i)	5.85 to 5.95	B 1	
(ii)	6.8 to 7.0 11 to 11.2	B1 B1	
(iii)	Tangent drawn at t= 4 -0.5 to -0.65	M1 A1	Must see tangent drawn
(iv)	Metres/hour	B1	m/h
(b)	2.9 (2.95 – their 2.9) ÷ 2.95 x 100 1.69 (49)	B1 M1 A1	
(c)	(one way) stretch parallel x (t) axis Scale factor 1/30 (one way) stretch parallel y (h) axis Scale factor 2.2	B1 B1	
	Translation $\begin{pmatrix} 0\\4 \end{pmatrix}$	B1	Translation up 4
(d)	Maximum too big or Minimum too small	B1	O.E
	TOTAL	13	

(a)	5 integer values of t used e.g. (12,4) (15,5.79) (18,4.37) (21,2.29) (24,3.27) 5 plots to ½ sq accuracy Smooth correct curve to ½ sq accuracy	B2 B1 B1ft	Use correct overlay B1 4 correct values ft if sine curve
(b)(i)	1.8	B1	
(ii)	12.9	B1	13
(iii)	5.8	B1	
(iv)	2.2	B1	
(v)	21. (6)	B1	
	TOTAL	9	
	TOTAL MARK FOR PAPER	60	