

<b>Candidate Forename</b>		<b>Candidate Surname</b>	
-------------------------------	--	------------------------------	--

<b>Centre Number</b>						<b>Candidate Number</b>				
--------------------------	--	--	--	--	--	-----------------------------	--	--	--	--

**OXFORD CAMBRIDGE AND RSA EXAMINATIONS  
GENERAL CERTIFICATE OF SECONDARY EDUCATION**

**A216/01**

**TWENTY FIRST CENTURY SCIENCE  
ADDITIONAL SCIENCE A**

**Unit 2: Modules B5 C5 P5 (Foundation Tier)**

**WEDNESDAY 27 JANUARY 2010: Afternoon  
DURATION: 40 minutes**

**SUITABLE FOR VISUALLY IMPAIRED CANDIDATES**

**Candidates answer on the Question Paper  
A calculator may be used for this paper**

**OCR SUPPLIED MATERIALS:**

**None**

**OTHER MATERIALS REQUIRED:**

**Pencil  
Ruler (cm/mm)**

**READ INSTRUCTIONS OVERLEAF**

## **INSTRUCTIONS TO CANDIDATES**

**Write your name clearly in capital letters, your Centre Number and Candidate Number on the first page.**

- **Use black ink. Pencil may be used for graphs and diagrams only.**
- **Read each question carefully and make sure that you know what you have to do before starting your answer.**
- **Answer ALL the questions.**
- **Write your answer to each question in the space provided, however additional paper may be used if necessary.**

## **INFORMATION FOR CANDIDATES**

- **The number of marks is given in brackets [ ] at the end of each question or part question.**
- **The total number of marks for this paper is 42.**
- **A list of physics equations is printed on pages 4–5.**
- **A copy of the Periodic Table is provided.**

**BLANK PAGE**

# TWENTY FIRST CENTURY SCIENCE EQUATIONS

## USEFUL RELATIONSHIPS

### EXPLAINING MOTION

$$\text{speed} = \frac{\text{distance travelled}}{\text{time taken}}$$

$$\text{momentum} = \text{mass} \times \text{velocity}$$

$$\begin{aligned} &\text{change of momentum} \\ &= \text{resultant force} \times \text{time for which it acts} \end{aligned}$$

$$\begin{aligned} &\text{work done by a force} \\ &= \text{force} \times \text{distance moved by the force} \end{aligned}$$

$$\text{change in energy} = \text{work done}$$

$$\text{change in GPE} = \text{weight} \times \text{vertical height difference}$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times [\text{velocity}]^2$$

## ELECTRIC CIRCUITS

$$\text{resistance} = \frac{\text{voltage}}{\text{current}}$$

$$\frac{\text{voltage across primary coil}}{\text{voltage across secondary coil}} = \frac{\text{number of turns in primary coil}}{\text{number of turns in secondary coil}}$$

$$\text{energy transferred} = \text{power} \times \text{time}$$

$$\text{power} = \text{potential difference} \times \text{current}$$

$$\text{efficiency} = \frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$$

## THE WAVE MODEL OF RADIATION

$$\text{wave speed} = \text{frequency} \times \text{wavelength}$$

Answer ALL the questions.

- 1 (a) Plants remove carbon dioxide from the atmosphere.

What is the formula of carbon dioxide?

Put a **ring** around the correct answer.



[1]




- (b) Many plants contain tiny, hard lumps called plantstones.

These plants make the plantstones from silicic acid solution.

Look at the formulae below.

Put a **ring** around the correct formula of silicic acid,  $\text{H}_4\text{SiO}_4$ .

[1]



**(c) The plantstones are made of silicon dioxide.**

**They do not break down when the plant dies.**

**Suggest why the silicon dioxide does NOT break down.**

**Put a tick (✓) in the box next to the BEST answer.**

**Silicon dioxide ...**

**... forms small molecules.**

**... has a high melting point.**

**... does not conduct electricity.**

**... has a giant covalent structure.**

**[1]**

**[Total: 3]**

## 2 We use millions of tonnes of iron every year.

It is used to make an enormous number of things such as girders, chains and bridges.

(a) Iron is important because it is comparatively cheap and its properties are useful.

Draw straight lines to link each PROPERTY to WHY IT IS USEFUL.

You should draw four lines.

### PROPERTY

good electrical conductor

high melting point

malleable

strong

### WHY IT IS USEFUL

can be used to make roof supports

can be hammered into different shapes

can be used to make lightning conductors

can be used to make barbecues

can be used to make magnets

[3]



(b) Iron is extracted from iron ore.

Iron ore contains iron oxide.

There are different types of iron oxide.

Which of these formulae corresponds to the oxide with the highest PROPORTION of iron atoms?

Put a ring around the correct answer.



[1]

(c) To get iron, machines dig iron ore out of the ground.

What is iron ore made of?


- A the pure element
- B the element mixed with other minerals
- C a pure iron compound
- D an iron compound mixed with other minerals

answer \_\_\_\_\_ [1]

(d) Iron can be extracted from iron oxide by heating it in a blast furnace.

(i) A blast furnace produces melted iron and carbon dioxide.

The equation for one reaction in the blast furnace is



Carbon dioxide is a gas.

Write the state symbol, s, l, or g, in the bracket after the carbon dioxide. [1]

(ii) Carbon cannot extract some metals from their oxides.

Give a reason why.

---

---

---

[1]

(iii) Put a ring around the metal that cannot be extracted from its oxide using carbon.

IRON

COPPER


ALUMINIUM

ZINC

[1]

[Total: 8]

**3 Some metals are extracted using electrolysis in apparatus like this.**



**Electrolysis only works for liquids that contain ions.**

**Use your understanding of ions to explain how electricity can flow through a liquid, and state where the metal will appear.**

---

---

---

---


**[3]**

**[Total: 3]**

- 4 A student investigates the effect of temperature change on a thermistor.

The circuit diagram shows a battery and a thermistor.

The circuit diagram is not finished.



- (a) A voltmeter and ammeter are missing from the diagram.

Draw them in the correct places. Use the correct circuit symbols. [2]

- (b) Complete the sentence. Choose words from this list.

DECREASES      INCREASES      STAYS THE SAME

When the temperature of the thermistor is INCREASED

the resistance of the thermistor

\_\_\_\_\_ and the reading of the ammeter

\_\_\_\_\_ . [1]

(c) Put a **ring** around the words that correctly complete the sentence.


The ammeter measures the flow  
of CHARGE / POWER in the thermistor  
in units of AMPERES / JOULES / VOLTS.

[1]

[Total: 4]

5 The diagram shows a magnet close to a coil of wire.

The magnet can spin on the shaft so that it moves in and out of the coil.



(a) What is the name of this arrangement?

Put a ring around the answer.

ELECTROMAGNET

GENERATOR

TRANSFORMER

[1]

(b) When the magnet spins on the shaft, a voltage appears across the terminals of the coil.

Describe TWO things that you could do to increase the voltage.

---


---

---


[2]

(c) The magnet spins round.


Which of these voltage-time graphs, A, B or C, is correct for the coil?



A




B



C

answer \_\_\_\_\_ [1]

**(d) A lamp is connected to the terminals of the coil.**



**What effect does this have on the coil of wire?**

**Put a tick (✓) in the box next to the correct answer.**

**There is now a current in the coil.**

**There is no voltage across the coil.**

**There is no magnetic field in the coil.**

**[1]**

**[Total: 5]**



6 A mains lamp connected to a 230V supply has a current of 0.5 A.

(a) Calculate the power of the lamp.

power = \_\_\_\_\_ W [1]

(b) Draw straight lines to join each ELECTRICAL QUANTITY with its correct DESCRIPTION.

ELECTRICAL QUANTITY

power

voltage

current

DESCRIPTION

the push on the electrons in the lamp

the rate of energy transfer to the lamp

the amount of charge moving through the lamp every second

[2]

(c) Another lamp is left on for 10 hours. If its power is 0.12 kW, how much energy is transferred to the lamp?

energy transferred = \_\_\_\_\_ kWh [1]

(d) A domestic electricity meter measures energy transfer in units of kilowatt-hours instead of joules.

Which person has the BEST reason for this?

ALAN

The joule is a very small unit of energy.

BESS

A kilowatt is a hundred watts.

CARLOS

The joule is not a unit of energy transfer.

DAVINA

Few appliances stay switched on for more than an hour.

answer \_\_\_\_\_ [1]

[Total: 5]

**7 (a) Cells can divide by mitosis or by meiosis.**

**Here are some statements about cell division.**

**Put a tick (✓) in the correct box for each statement.**

	<u><b>TRUE</b></u>	<u><b>FALSE</b></u>
<b>Meiosis produces cells with the same number of chromosomes as the parent cell.</b>		
<b>Meiosis is used in sexual reproduction to produce gametes (sex cells).</b>		
<b>Mitosis produces cells that are identical to the parent cell.</b>		
<b>Mitosis produces cells that have different numbers of chromosomes.</b>		

**[2]**

**(b) (i) Neil and Julie want to have children.**

**One of Neil's sperm fertilises one of Julie's eggs.**

**This makes a zygote.**

**The sentences explain how the cells develop after fertilisation.**

**Complete the sentences. Use words from this list.**

**BODY CELL**

**EMBRYO**

**EGG**

**FUSION**

**MEIOSIS**

**MITOSIS**

**IMPLANT**

**Each sperm and egg cell has half the number of chromosomes of a \_\_\_\_\_ .**

**A zygote divides by \_\_\_\_\_ .**

**This forms an \_\_\_\_\_ . [3]**

- (ii) After the zygote divides a number of times, the cells start to specialise.**

**At what stage does this happen?**

**Put a tick (✓) in the box next to the correct answer.**

**after the two cell stage**

**after the four cell stage**

**after the eight cell stage**

**after the sixteen cell stage**

**[1]**

**[Total: 6]**

**8 (a) All cells in a plant originate from the same cell.**

**Leaf cells contain chlorophyll, but root cells do not.**

**Explain why leaf and root cells in the same plant can develop differently.**

**Use ideas about genes in your answer.**

---

---

---

**[2]**

**(b) New plants can be made by taking cuttings.**

**Andrew takes a cutting of a plant stem.**

**There are no roots on the cutting.**

**State**

- how to make a cutting produce roots**
- which cells of the cutting develop into roots.**

---


---

---

**[2]**

**[Total: 4]**

**9 This is a diagram of an animal cell.**



**(a) Where in the cell is the genetic code stored?**

\_\_\_\_\_ [1]

**(b) Where in the cell are proteins produced?**

\_\_\_\_\_ [1]

(c) Put a **ring** around the correct word to complete these sentences.

The structure of DNA is  
a SINGLE / DOUBLE / TRIPLE helix.

The DNA molecule is made up  
of TWO / FOUR / EIGHT strands.

The DNA molecule contains up  
to TWO / THREE / FOUR different bases.  
[2]

[Total: 4]

**END OF QUESTION PAPER**



**BLANK PAGE**

**BLANK PAGE**



## **Copyright Information**

**OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations, is given to all schools that receive assessment material and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.**

**If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.**

**For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.**

**OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.**

# The Periodic Table of the Elements

		1		2		0																							
												<table border="1"> <tr> <td>1</td> <td>H</td> <td>hydrogen</td> <td>1</td> </tr> </table>		1	H	hydrogen	1												
1	H	hydrogen	1																										
												<table border="1"> <tr> <td>relative atomic mass</td> <td>atomic symbol</td> <td>name</td> <td>atomic (proton) number</td> </tr> </table>		relative atomic mass	atomic symbol	name	atomic (proton) number												
relative atomic mass	atomic symbol	name	atomic (proton) number																										
7	Li	lithium	3	9	Be	beryllium	4	19	F	fluorine	9	20	Ne	neon	10														
23	Na	sodium	11	24	Mg	magnesium	12	11	B	boron	5	12	C	carbon	6														
39	K	potassium	19	40	Ca	calcium	20	27	Co	cobalt	27	59	Ni	nickel	28														
85	Rb	rubidium	37	88	Sr	strontium	38	101	Ru	ruthenium	44	103	Rh	rhodium	45														
133	Cs	caesium	55	137	Ba	barium	56	190	Os	osmium	76	192	Ir	iridium	77														
[223]	Fr	francium	87	[226]	Ra	radium	88	264	Bh	bohrium	107	[268]	Mt	meitnerium	109														
								277	Hs	hassium	108	[271]	Ds	darmstadtium	110														
								186	Re	rhenium	75	188	W	tungsten	74														
								96	Mo	molybdenum	42	98	Tc	technetium	43														
								178	Hf	hafnium	72	181	Ta	tantalum	73														
								139	La*	lanthanum	57	141	Ce	cerium	58														
								261	Rf	rutherfordium	104	[262]	Db	dubnium	105														
								48	Ti	titanium	22	50	Ga	gallium	31														
								55	Mn	manganese	25	59	Co	cobalt	27														
								52	Cr	chromium	24	59	Ni	nickel	28														
								63.5	Cu	copper	29	65	Zn	zinc	30														
								108	Ag	silver	47	112	Cd	cadmium	48														
								119	In	indium	49	122	Sb	antimony	51														
								128	Te	tellurium	52	128	Te	tellurium	52														
								127	I	iodine	53	127	I	iodine	53														
								131	Xe	xenon	54	131	Xe	xenon	54														
								204	Tl	thallium	81	204	Tl	thallium	81														
								207	Pb	lead	82	207	Pb	lead	82														
								209	Bi	bismuth	83	209	Bi	bismuth	83														
								[209]	Po	polonium	84	[209]	Po	polonium	84														
								[210]	At	astatine	85	[210]	At	astatine	85														
								[222]	Rn	radon	86	[222]	Rn	radon	86														
												Elements with atomic numbers 112-116 have been reported but not fully authenticated																	
								[272]	Rg	roentgenium	111	[272]	Rg	roentgenium	111														

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.