

Mark scheme June 2003

GCSE

Biology

3411

Foundation

Copyright © 2003 AQA and its licensors. All rights reserved.

GCSE BIOLOGY FOUNDATION TIER 3411/F

INFORMATION FOR EXAMINERS

1. General

The mark scheme for each question shows:

- the marks available for each part of the question;
- the total marks available for the question;
- the typical answer or answers which are expected;
- extra information to help the Examiner make his or her judgement and help to delineate what is
 acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in
 which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- 2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2 A bold and is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a /; e.g. allow smooth / free movement.)

3. Marking points

3.1 Marking of Quality of Written Communication

Examiners are reminded of the need to assess QoWC by the following statement appearing in the appropriate parts of the mark scheme:

The answer to this question requires ideas in good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.

The maximum marks available to a candidate whose answer is not well expressed will be (the number of marks available -1).

3.2 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red* 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.3 Use of chemical symbols/formulae

If a candidate writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.4 The marking of quantitative relationships

Full credit can be given for a correct quantitative relationship expressed in:

- named units;
- physical quantities;
- standard symbols;
- a combination of physical quantities and units.

No credit can be given for any quantitative relationship expressed in terms of:

- a combination of physical quantities, units and symbols;
- a diagram, e.g. the ohm's law triangle, unless the rest of the answer shows clearly that the candidate understands the relationships involved.

3.5 Marking procedure for calculations

3.5.1 Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column.

AQA/

3.5.2 Where calculations are based on incorrectly recalled relationships, neither the incorrectly recalled relationship, nor the resulting calculation based on the incorrect relationship, will be credited.

3.6 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.7 Errors carried forward

There should be no error carried forward from a previous answer which has been based on wrong science. Any error in the answers to a structured question should be penalised once only.

Examples

- (a) A candidate who calculates average speed using speed = time/distance **and** then proceeds to use this incorrect answer to calculate an acceleration based on the correct quantitative relationship should be given credit for the use of the correct acceleration relationship but none for either numerical answer.
- (b) A candidate who incorrectly calculates average speed using speed = distance/time and then proceeds to use this incorrect value to calculate an acceleration based on the correct quantitative relationship, should be given credit for the use of both correct quantitative relationships **and** for the correct substitution and use of the incorrect value in the calculation of the rate of acceleration.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.8 Phonetic spelling


The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.9 Brackets

(.....) is used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.10 Unexpected Correct Answers not in the Mark Scheme

The Examiner should use professional judgement to award credit where a candidate has given an unexpected correct answer which is not covered by the mark scheme. The Examiner should consult with the Team Leader to confirm the judgement. The Team Leader should pass this answer on to the Principal Examiner with a view to informing all examiners.



GCSE Biology Foundation Tier 3411/F

3411/F Q1

question	answers	extra information	mark
	red (blood cell)		1
	platelet		1
	white (blood cell)		1
	plasma		1
total			4

question	answers	extra information	mark
(a)	correctly labelled on diagram		
	(i) 'X' on an alveolus	centre of X on the alveolus wall or inside the alveolus	1
		not if the centre is outside	
	(ii) arrow pointing downwards	accept anywhere but must point down	1
(b)	in sequence		1
	1 trachea 2 bronchi 3 bronchioles 4 alveoli		
(c)	diffusion	accept positive indicator	1
total			4



question	answers	extra information	mark
	in the correct order		
	DNA		1
	23		1
	XX		1
	XY		1
	recessive		1
	dominant		1
total			6

question	answers	extra information	mark
(a)	in sequence	must go with starch	
	starch		1
	sugar		1
	protein		1
	amino acids		1
(b)	(too) large or insoluble	do not accept "breaking up" do not accept complex	1
		accept 'need to make molecules smaller / soluble' – reverse argument	
	cannot be absorbed or cannot enter blood or cannot pass through wall / lining of intestine / gut or villi	"body" not enough not large intestine	1
(c)	mouth	accept positive indication	1
(d)	enzymes	allow catalysts do not accept <u>catalase</u>	1
total			8



3411/F Q5

question	answers	extra information	mark
(a)	points plotted accurately	$\pm \frac{1}{2}$ square deduct 1 mark per error ignore the line	2
(b)	30 or correct from candidate's graph	accept 30,000 lynx do not accept 30,000	1
(c)(i)	fall	mark (i) and (ii) separately	1
(ii)	fewer hares or lack of food	do not accept <u>no</u> hares or food	1
(d)	kills / preys / preys on / hunts / catches and eats / for food (other) animals	must have the eat and kill for the point	1
total			6

question	answers	extra information	mark
(a)	drawing shows		
	stem longer	stem longer but pointing down gets 1 mark	1
	stem bending upwards		1
(b)	drawing shows		
	two bends in stem, bends to the <u>left</u> then towards vertical		1
	stem tip vertical	ignore the leaves	1
(c)	so light has <u>no effect</u> or so only effect of gravity	do not accept so it grows longer	1
total			5

question	answers	extra information	mark
(a)	94.8		1
(b)(i)	to cool (the body) / maintain (body) temperature	do not accept let out heat	1
(ii)	water and ions		1
(iii)	water	ignore CO ₂ and vapour	1
(c)	any two from:		2
	used in respiration		
	provides energy		
	(energy) needed for movement / running / muscle action		
total			6



question	answers	extra information	mark
(a)(i)	62		1
(ii)	60	accept 31 times	1
(b)	() cancer / heart disease / atherosclerosis	accept circulatory disease do not accept passive smoking effects eg asthma, heart problems, clots, strokes, blood pressure lung disease too vague	1
(c)(i)	reduces it / less	do not accept stops	1
(ii)	reduced	the answer must refer to mass of babies accept 'it is smaller' accept 'it is lighter' do not accept smaller (size of) / lighter baby must use it / mass	1
total			5



question		answers	extra information	mark
	Quality of written communication The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.		maximum of 4 marks if ideas not well expressed	
	Polar bear has		accept converse points re sun bear	
	white fur -	camouflage or not seen by prey		1
	thick(er) fur -	insulation or keeps heat in	number must be comparative numbers given must be explained do not accept keeps warm / keeps out the cold	1
	thick(er) fat -	insulation or keeps heat in		1
	-	energy reserve or can release heat		1
	lower SA -	slower / less heat loss		1
	(re body size)			
total				5



question	answ	ers	extra information	mark
	List A	List B	cancel mark if > 1 line from items in List A	3
	Zig-zag arrangement of muscles	Pushes against the water		
	A tail with a fin providing a large area	Produces wave- like body movements		
	Streamlined body shape	Reduces resistance		
total				3

question	answers	extra information	mark
(a)	dirty clothes/equipment/hands passed bacteria	allow bacteria from any sensible source e.g. surgeon, floor	1
	OR	do not accept germs	
	ease of entry of <u>bacteria</u> (during operations)		
(b)	fewer died		1
	indication of reduced number or proportion	e.g. $3000 \rightarrow 600$ down by 2400 20% of previous deaths	1
(c)(i)	dialysis (machine) or kidney machine		1
(ii)	(specially chosen kidney) similar tissue type	accept same blood group	1
	(irradiation of bone marrow) to stop white cell <u>production</u>	allow any named white blood cell	1
	(treated with drugs) suppress immune system		1
	(sterile conditions) avoid exposure to pathogens / infection		1
total			8



question	answers	extra information	mark
(a)	any two from: bite / tear (off pieces of food)		2
	chew / crush / crunch / grind (food into smaller pieces)		
	kill / stab / grip / defend from predators		
(b)	incisor		1
(c)	sharp / pointed		1
	any one from:		1
	to grip prey	allow hold / catch prey	
	to tear meat / prey		
	kill / stab		
(d)	grind / shear / crush meat / bones	do not allow chew	1
total			6



question	answers	extra information	mark
(a)	bacteria		1
	moulds or yeast	answers in 2 nd and 3 rd spaces may be in either order	1
	yeast or moulds		1
	moulds		1
	yeast		1
(b)(i)	cytoplasm	award 2 marks for all three correct	max 2
	wall or cell wall	award 1 mark if one or two are correct	
	nucleus		
(ii)	asexual		1
total			8



question	answers	extra information	mark
(a)(i)	L.H.S. – water / H ₂ O	accept H ² O	1
	R.H.S. – oxygen / O ₂	accept O ² / O	1
(ii)	chlorophyll	must make it clear that it is the chlorophyll do not credit chloroplast on its own do not accept chloroplast / chlorophyll without indication that it is chlorophyll	1
(b)(i)	light intensity / temperature is high enough for higher rate or light / temperature is not limiting low CO ₂ available or not enough CO ₂		1
	available or rate would be higher with more CO_2		
(ii)	temperature	allow water / rain allow (too) cold / hot as a minimum allow wave length / frequency / colour	1
		ignore ions ignore heat	
total			6



question	answers	extra information	mark
(a)	A = cornea		1
	B = suspensory ligament		1
(b)	Н	extra letters cancel ignore any names	1
(c)	carries impulses / electrical signal / electrical messages / electrical pulses (to the brain)	do not accept "messages" or "the image" or "signal" or pulses unqualified not electronic	1
total			4



question	answers	extra information	mark
(a)	any two from:	accept converse as long as specified	2
	no nucleus or DNA / chromosome / genetic material free in cytoplasm		
	(only) has one chromosome	not a chromosome	
	circular DNA / chromosome		
	no mitochondria		
	has cell wall	ignore shape	
(b)	any two from:	must be feature and what it does allow alternatives to bacteria, germs etc	2
	skin – barrier (to entry)		
	(blood) <u>clotting</u> – barrier to (entry)	accept scab	
	tears – kill bacteria (antiseptic / lysozyme)		
	mucus – traps bacteria		
	<u>cilia</u> – <u>remove</u> bacteria	ignore hairs	
	stomach acid – kills bacteria / denatures protein / denatures enzyme		
	w.b.c.s. / phagocytes – (involved in) phagocytosis	accept 'engulfs' bacteria ignore 'eats' / 'destroys' bacteria	
	w.b.c.s. / lymphocytes / T or B cells – antibody / antitoxin production		
(c)(i)	kills / destroys <u>bacteria</u> or prevents growth of <u>bacteria</u>	do not allow germs do not allow fights or gets rid of	1
(ii)	any two from:		2
	bacteria may be resistant / immune (treatment futile) or bacteria would not	accept descriptions from table accept 'fights' here	
	be killed	do not accept people resistant	
	may select for resistant type		
	may cause increased incidence of resistance or Penicillin less effective in future		
	sore throat might be due to a virus – Penicillin would not work		
total			7



question	answers	extra information	mark
(a)	burning/combustion <u>fossil</u> fuels / burning <u>wood</u>	accept named fossil fuel accept driving cars / any vehicles	1
		do not accept burning / combustion unqualified do not accept factories	
		ignore factory chimneys unqualified ignore respiration	
	deforestation		1
(b)(i)	(overall) increase		1
	fluctuations	highs are higher <u>and</u> lows are not as low = 2 marks	1
(ii)	no – could be due to some other factor or could be coincidence or fluctuations ± same size as the overall rise or large fluctuations or sometimes when CO ₂ rises temperature doesn't		1
(c)	any one biotic or abiotic effect eg:	do not credit just "climate / weather change" allow <u>extreme</u> climate / weather change	1
	changes in rainfall	accept drought, desert formation	
	ice-caps melting / rise in sea level	accept flooding	
	changed pattern of winds		
	changed pattern of migration		
	changed species survival		
	changed growth		
total			6



question	answers	extra information	mark
(a)(i)	(need new roots) to take in water	ignore minerals / anchorage	1
(ii)	create humid atmosphere or reduce water loss/transpiration or prevent wilting	ignore warmth	1
(b)	Quality of written communication The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.	maximum of 2 marks if ideas not well expressed	
	seed because (no mark) sexual reproduction or fusion of gametes / pollination / fertilisation	accept converse points re cuttings e.g. asexual or no fusion or only cell division / by mitosis do not accept breeding for sexual	1
		reproduction	
	2 sets of (different) genes / chromosomes / DNA combined	genetically identical / is a clone	1
	causes variation in (appearance of) offspring / causes new variety	no variation / all identical (in appearance)	1
total			5



question	answers	extra information	mark
(a)(i)	6		1
(ii)	4		1
(b)(i)	pancreas	ignore islets of langerhans	1
(ii)	'X' anywhere between >1 and ≤2 hours	anywhere in that column	1
(c)	any four from:		4
	water movement	do not accept solution	
	out of cells		
	dilute to concentrated solution	accept reference to correct gradient - high Ψ to low Ψ or high to low 'water concentration'	
		must be unambiguous – i.e. not 'high to low concentration' accept low to high concentration	
	reference to partially / selectively permeable membranes or described		
	cells shrink / get smaller	allow crenated ignore plasmolysed / flaccid / floppy etc	
total			8



question	answers	extra information	mark
(a)	0.1	ignore working or lack of working	2
		$\frac{88 \times 100}{88000}$ for 1 mark	
(b)	shape: pyramid with 4 tiers	or A	1
	labels: Plants + Herbivores + Carnivores + Top carnivores (in sequence – largest to smallest)	allow suitable named examples	1
		inverted pyramid correctly labelled = 1 mark	
(c)	more energy / biomass / materials / matter available or less energy lost or energy used up (by herbivores)	not just plants	1
total			5



question	answers	extra information	mark
(a)(i)	downstroke:		max 3
	X contracts;	if stroke direction is not identified or incorrect award 2 marks maximum	
	Y relaxes	nicorrect a ward 2 marks maximum	
	<u>upstroke</u> :	accept 'antagonism' for max 2 marks	
	X relaxes;	X pulls wing down AND Y pulls	
	Y contracts	wing up = max 1 mark	
(ii)	generates <u>more</u> force (for downstroke) or does <u>more</u> work (for downstroke)	accept reasonable descriptions of this idea e.g. wings push hard <u>er</u> or muscle pulls hard <u>er</u> i.e. a comparison must be made	1
(b)	reduced mass		1
	strong or retain strength		1
total			6

question	answers	extra information	mark
(a)	measles	ignore mumps	1
	rubella	accept German measles	1
(b)	viruses are 'dead'	accept other viral treatments accept 'non-virulent' 'mild' must be qualified	1
		do not accept 'small dose'	
(c)	Quality of written communication The answer to this question requires good English in a sensible order with correct use of scientific terms. Quality of written communication should be considered in crediting points in the mark scheme.	maximum of 4 marks if ideas not well expressed	
	any five from:		max 5
	contains antigens or proteins		
		accept reference to immunological memory or 'memory cells'	
	white cells (accept lymphocytes)	do not accept phagocytes	
	idea of specificity in antibodies or antigens		
	antibody <u>production</u>	ignore engulfing	
	antigens destroyed / virus destroyed		
	rapid antibody production if infected		
(d)	antibiotics do not kill / affect viruses		1
total			9



question	answers	extra information	mark
(a)	enzymes	accept correctly named carbohydrases	1
	break down / digest starch		1
(b)	any two from: anaerobic respiration (converted into) carbon dioxide alcohol		2
(c)	different flavours (for beer) / tastes / bitterness	ignore 'strengths'	1
total			5