



General Certificate of Secondary Education

**Additional Science 4463 /
Chemistry 4421**

CHY2H Unit Chemistry 2

Mark Scheme

2010 examination - January series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2010 **Error! Bookmark not defined.** AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

MARK SCHEME

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- 2.1** In a list of acceptable answers where more than one mark is available ‘any **two** from’ is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. (Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that ‘right + wrong = wrong’.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling


The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

CHY2H

Question 1

question	answers	extra information	mark
1(a)		<p>accept dots / crosses / e</p> <p>must be drawn on diagram</p> <p>electrons do not need to be paired</p> <p>ignore brackets or + or –charges</p> <p>ignore 2,8,7</p>	1
1(b)	<p>(one) electron</p> <p>lost / given away / transferred from sodium / transferred to chlorine owtte</p>	<p>recognition that electrons are involved</p> <p>must be linked to electrons</p> <p>accept loses electron(s) for 2 marks</p> <p>NB loses 2 or more electrons gains 1 mark</p> <p>reference to sharing / covalent max 1 mark</p> <p>ignore charges on ions formed</p>	1 1
1(c)(i)	<p>any one from:</p> <ul style="list-style-type: none"> ions / atoms / they are / it is negatively charged / anions opposite (charges) attract 	<p>accept they are negative</p> <p>accept they are <u>attracted</u> or it is oppositely charged</p> <p>ignore opposite forces attract</p>	1
1(c)(ii)	hydrogen	<p>accept H₂</p> <p>ignore H or H⁺</p>	1

Question 1 continues on next page

CHY2H**Question 1 continued**

question	answers	extra information	mark
1(d)(i)	poisons released into environment (owtte)	accept any sensible idea of harm / harmful / poisons / poisonous / pollution / damaging do not accept answers such as global warming / ozone layer etc. ignore safety unless qualified	1
1(d)(ii)	any one sensible idea eg <ul style="list-style-type: none"> • loss of work / unemployment or company goes out of business • any adverse effect on local economy (owtte) • any adverse effect on paper production / cost of paper / cost of water (treatment) • chlorine (compounds) have been used (for many years) without causing harm owtte • only a tiny amount of chlorine is released so it would not cause harm 	eg shops / house prices etc. allow less expensive to use chlorine or converse ignore uses of chlorine to treat drinking water unless qualified	1
1(d)(iii)	ideas related to bias	accept more reliable or valid or fair ignore more accurate / fair test	1
Total			8

CHY2H**Question 2**

question	answers	extra information	mark
2(a)	gas / g	accept low density / low boiling point or weak intermolecular forces or small molecules or simple molecules or simple molecular (structure) accept volatile or easy to evaporate ignore very light ignore incorrect name of gas	1
2(b)	filter / filtration	accept filter paper accept decant / centrifuge ignore filter funnel / sieving / drained off / funnelling ignore names of compounds ignore evaporation / heating if after filtration do not accept crystallisation	1
2(c)	evaporation / crystallisation	accept heating / boiling accept 'leave for a few days' owtte allow cool do not allow freeze ignore filtration	1

Question 2 continues on next page

CHY2H**Question 2 continued**

question	answers	extra information	mark
2(d)	candidates can gain marks from any two of the three linked pairs		
	hydrogen chloride escaped / released (into atmosphere) or (hydrogen chloride) damaged vegetation / harmful	to get both of these 2 marks hydrogen chloride must be mentioned ignore HCl formed / produced / made	1
	used to make chlorine / bleach		1
	unpleasant smell (of calcium sulfide) or waste of calcium (sulfide)	ignore calcium sulphide alone allow calcium / calcium sulfate for calcium sulphide	1
	converted to sulfur or used to make sulfuric acid	to get both of these 2 marks calcium (sulfide) must be mentioned ignore sale of calcium sulfide	1
	unreacted coal (1)	must be linked to first coal point	
recycled / burnt / used / sold (1)			
Total			7

CHY2H**Question 3**

question	answers	extra information	mark
3(a)	$\begin{array}{c} 2 \\ \text{H} \\ 1 \end{array}$	<p>2 and 1 must be on the left</p> <p>2 must be above half-way on the H and the 1 below half-way</p> <p>accept diagram with 2 <u>different</u> particles in centre and 1 particle on circle</p>	1
3(b)(i)	18	<p>ignore working</p> <p>ignore units</p>	1
3(b)(ii)	<p>forces (of attraction) between molecules or bonding between molecules or intermolecular forces /intermolecular bonds</p> <p>are weak or not much energy needed to break them or easily overcome</p>	<p>must be linked to first mark</p> <p>if no other mark awarded allow <u>small</u> molecules / small M_r for 1 mark</p> <p>allow forces / bonds are weak for 1 mark</p> <p>do not allow covalent bonding is weak</p>	<p>1</p> <p>1</p>

Question 3 continues on next page

CHY2H**Question 3 contd**

3(c)	<p>H-2 atoms have 1 proton and 1 neutron</p> <p>H-1 atoms have one proton</p> <p>or</p> <p>H-2 atom has one neutron (1)</p> <p>H-1 atom has no neutrons (1)</p>	<p>any reference to <u>more</u> protons = 0 marks</p> <p>allow H-2 has more neutrons / particles for 1 mark</p> <p>allow H-2 has two particles and H-1 has one particle for 1 mark</p> <p>allow H-2 atom has one more neutron for 2 marks</p> <p>NB heavy water (molecule) has 2 <u>more</u> neutrons = 2 marks</p> <p>heavy water (molecule) has more neutrons / particles = 1 mark</p> <p>if no other mark awarded then heavy water molecule has M_r of 20 = 1 mark</p> <p>ignore reference to electrons</p>	<p>1</p> <p>1</p>
Total			6

CHY2H**Question 4**

question	answers	extra information	mark
4(a)	any four from: <ul style="list-style-type: none"> • giant structure / lattice • <u>positive</u> ions • sea of electrons or delocalised / free electrons • awareness of <u>outer shell</u> / highest energy level electrons are involved • (electrostatic) attractions / bonds between electrons and <u>positive</u> ions • bonds / attractions (between atoms/ ions) are strong • a lot of energy / heat is needed to break these bonds / attractions 	max 3 marks if any reference made to covalent / ionic bonding / molecules or intermolecular forces or graphite / diamond or forces of attraction between electrons and then ignore throughout ignore layers ignore electrons can move allow hard to break for strong ignore forces unqualified ignore high temperature	4

Question 4 continues on next page

CHY2H**Question 4 continued**

question	answers	extra information	mark
4(b)(i)	that they are <u>very</u> small or 1–100 nanometres or a few (hundred) atoms	accept tiny / really small / a <u>lot</u> smaller / any indication of very small eg microscopic, smaller than the eye can see ignore incorrect numerical values if very small is given	1
4(b)(ii)	any 2 from: • one (non-bonded) electron from each atom • delocalised / free electrons • electron carry / form / pass current / charge	allow sea of electrons ignore electrons can move ignore carry electricity	2
Total			7

CHY2H**Question 5**

question	answers	extra information	mark
5(a)(i)	0.2	correct answer gains 2 marks with or without working accept answer in table if answer incorrect 5/25 gains 1 mark	2
5(a)(ii)	any one from: <ul style="list-style-type: none"> wider range of temperatures (owtte) (repeat at the same temperature) to improve accuracy / reliability reveal anomalous results (owtte) so you can get an average / better average 	allow to make it reliable / accurate allow to eliminate random / human errors / to check results owtte ignore to make it a fair test / to get better results ignore precision and validity	1
5(b)	any two from: <ul style="list-style-type: none"> particles gain energy / have more energy particles move faster particles collide more more of the particles have the activation energy or more of the collisions are successful (owtte) or particles <u>collide</u> with more force / harder / more energy 	allow atoms / molecules / they instead of particles throughout ignore increases particles activation energy ignore move more / vibrate more ignore increases / decreases activation energy allow more successful collisions alone for 1 mark	2
Total			5

CHY2H**Question 6**

question	answers	extra information	mark
6(a)	any two from: <ul style="list-style-type: none"> • heat water / make steam / boil water or heat / steam used in stage 1 • carbon dioxide from stage 3 used in stage 7 / to make urea • nitrogen and / or hydrogen recycled (owtte) • ammonia and / or carbon dioxide <u>recycled</u> (owtte) 	allow reused instead of recycled in correct context allow unreacted material / gas recycled from stage 5 (to 4) allow unreacted material / gas recycled from stage 8 (to 7) NB if neither of the last two points are awarded unreacted material recycled = 1 mark	2
6(b)	any one from: <ul style="list-style-type: none"> • fertiliser / fertilise / fertile • provide nitrogen • any idea of faster / better / helps growth of crop • greater yield of crop • helps proteins / amino acids to form in plants owtte 	ignore cost ignore neutralisation / minerals / to treat plants / photosynthesis allow give plants nutrients allow provides nitrate	1
6(c)	3	allow correct multiples eg $2\text{CH}_4 + 2\text{H}_2\text{O} \rightarrow 2\text{CO} + 6\text{H}_2$	1
6(d)(i)	(forward reaction is) exothermic / gives out heat	accept Le Chatelier based answers accept reverse argument eg because at high temperature the ammonia would decompose	1

Question 6 continues on the next page...

CHY2H**Question 6 continued**

question	answers	extra information	mark
6(d)(ii)	reaction is too slow / takes too long or to make the reaction fast(er)	allow answers that imply increased rate eg more collisions / particles have more energy allow catalyst works better ignore optimum condition / compromise type answers ignore yield	1
6(e)	sulfuric / H_2SO_4	accept sulphuric	1
6(f)(i)	3400	correct answer gains all 3 marks with or without working if answer incorrect: 1700 with or without working or $6000 \times (34/60)$ gains 2 marks or 6800 gains 2 marks with or without working or moles of urea = $6000/60 = 100$ gains 1 mark moles of ammonia needed = 200 gains 1 mark or $6000 \times (17/60)$ gains 1 mark or $(2 \times 17) \rightarrow 60$ gains 1 mark or 34 \rightarrow 60 gains 1 mark	3

Question 6 continues on the next page

CHY2H**Question 6 continued**

question	answers	extra information	mark
6(f)(ii)	76.9	<p>correct answer gains 2 marks with or without working. allow 77 or 76.923...</p> <p>allow 76 or 0.77 or 0.76923 for 1 mark</p> <p>if answer incorrect allow 1 mark for either identifying the mass of the useful product or the total M_r of reactants – this can be awarded from the numbers in the calculation:</p> <p>M_r of useful product = 60</p> <p>M_r of reactants = 78 or $(2 \times 17) + 44$ or $60 + 18$</p> <p>$60/78 \times 100$ gains 1 mark</p>	2
Total			12