

Centre Number						Candidate Number				
Surname										
Other Names										
Candidate Signature										

For Examiner's Use	
Examiner's Initials	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
TOTAL	



General Certificate of Secondary Education  
Higher Tier  
June 2011

## Additional Science

Unit Chemistry C2

CHY2H

## Chemistry

Unit Chemistry C2

H

Wednesday 25 May 2011 9.00 am to 9.45 am

**For this paper you must have:**

- the Data Sheet (enclosed).
- You may use a calculator.

**Time allowed**

- 45 minutes

**Instructions**

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.

**Information**

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 45.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

**Advice**

- In all calculations, show clearly how you work out your answer.



J U N 1 1 C H Y 2 H 0 1

Answer **all** questions in the spaces provided.

- 1** Read the article and then answer the questions.

### TOXIC SOCKS?

Silver nanoparticles are added to the fibres used to make some socks. Silver has the special property that it can kill bacteria. As a result there are no unpleasant smells when wearing these socks.



Some scientists are concerned about the use of silver nanoparticles in socks.

The silver can be released from the socks when they are washed. This silver may end up in rivers. Silver in rivers may kill fish.

Scientists found that some makes of socks release the silver more easily than others. Socks in which the silver nanoparticles are trapped in the fibres released very little silver when washed.

- 1 (a)** Suggest why silver stops unpleasant smells when wearing the socks.

.....  
 .....  
 (1 mark)

- 1 (b)** How is the size of silver nanoparticles different from normal sized silver particles?

.....  
 (1 mark)



**1 (c)** The silver nanoparticles are more effective at preventing unpleasant smells than normal sized silver particles.

Suggest why.

.....  
.....

(1 mark)

**1 (d)** The silver nanoparticles should be trapped in the sock fibres.

Use the information in the article to explain why.

.....  
.....  
.....  
.....

(2 marks)


5

**Turn over for the next question**


**Turn over ►**



- 2 An experiment was done on the reaction of copper oxide (CuO) with methane (CH<sub>4</sub>).



- 2 (a) The equation for this reaction is shown below.



The water and carbon dioxide produced escapes from the test tube.

Use information from the equation to explain why.

.....  
(1 mark)

- 2 (b) (i) Calculate the relative formula mass ( $M_r$ ) of copper oxide (CuO).

Relative atomic masses ( $A_r$ ): O = 16; Cu = 64.

.....  
.....  
.....

Relative formula mass ( $M_r$ ) = .....  
(2 marks)

- 2 (b) (ii) Calculate the percentage of copper in copper oxide.

.....  
.....  
.....

Percentage of copper = ..... %  
(2 marks)



2 (b) (iii) Calculate the mass of copper that could be made from 4.0 g of copper oxide.

.....  
.....

Mass of copper = ..... g  
(1 mark)

2 (c) The experiment was done three times.  
The mass of copper oxide used and the mass of copper made was measured each time.  
The results are shown in the table.

	Experiment		
	1	2	3
Mass of copper oxide used in g	4.0	4.0	4.0
Mass of copper made in g	3.3	3.5	3.2

2 (c) (i) Calculate the mean mass of copper made in these experiments.

.....  
.....

Mean mass of copper made = ..... g  
(1 mark)

2 (c) (ii) Suggest how the results of these experiments could be made more precise.

.....  
.....

(1 mark)

2 (c) (iii) The three experiments gave slightly different results for the mass of copper made.  
This was caused by experimental error.

Suggest **two** causes of experimental error in these experiments.

1 .....  
.....

2 .....  
.....

(2 marks)

10
----

Turn over ►



**There are no questions printed on this page**

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**



3 The picture shows lumps of phosphate rock.



Phosphoric acid is made by adding sulfuric acid to phosphate rock.

3 (a) The rate of reaction between sulfuric acid and phosphate rock can be increased if the mixture is heated to a higher temperature.

Explain, in terms of particles, why an increase in temperature increases the rate of reaction.

.....  
.....  
.....  
.....  
.....  
.....

(2 marks)

3 (b) State **one** other way in which the rate of reaction between sulfuric acid and phosphate rock can be increased.

.....  
.....

(1 mark)


3
---

Turn over ►



- 4 Read the information in the box.

Flash powder is used to produce special effects at pop concerts.



Flash powder contains aluminium. The powder burns with a bright white flame and gives out lots of heat and light. It also produces white smoke.

The flash powder is placed on stage in a special container. At the bottom of the container there is a thin piece of wire. When the flash is needed, electricity is passed through the wire. The wire gets hot and starts the aluminium burning.

- 4 (a) When aluminium burns the reaction is *exothermic*.

What is the meaning of *exothermic*?

.....  
.....

(1 mark)

- 4 (b) The hot wire provides energy to start the aluminium burning.

What is the name given to the heat energy needed to start a chemical reaction?

..... energy  
(1 mark)






**4 (c)** The white smoke produced is aluminium oxide.

Aluminium oxide contains aluminium ions ( $\text{Al}^{3+}$ ) and oxide ions ( $\text{O}^{2-}$ ).

**4 (c) (i)** Complete the diagram to show the electronic structure of an oxide ion.

The atomic number of oxygen = 8

Use crosses (x) to represent the electrons.



(1 mark)

**4 (c) (ii)** The bonding in aluminium oxide is ionic.

What causes the aluminium ions and oxide ions to be held together strongly?

.....

.....

(1 mark)


4
---

**Turn over for the next question**

**Turn over ►**



- 5 The diagram shows apparatus used by a student to investigate electrolysis.



The student was given a solution by the teacher. The solution contained a mixture of ionic compounds.

- 5 (a) Name the particles which carry the electric current through:

5 (a) (i) the metal wires.....  
(1 mark)

5 (a) (ii) the solution. ....  
(1 mark)

- 5 (b) The table shows the ions in the solution.

Positive ions in the solution	Negative ions in the solution
Zinc ion ( $\text{Zn}^{2+}$ )	Chloride ion ( $\text{Cl}^-$ )
Iron(III) ion ( $\text{Fe}^{3+}$ )	Hydroxide ion ( $\text{OH}^-$ )
Hydrogen ion ( $\text{H}^+$ )	Nitrate ion ( $\text{NO}_3^-$ )
Copper(II) ion ( $\text{Cu}^{2+}$ )	Sulfate ion ( $\text{SO}_4^{2-}$ )

The reactivity series on the Data Sheet may help you to answer this question.

- 5 (b) (i) Which element is most likely to be formed at the negative electrode?

.....  
(1 mark)



**5 (b) (ii)** Explain, as fully as you can, why you have chosen this element.

.....

.....

.....

.....

(2 marks)

**5 (c)** The electrolysis of sodium chloride solution is an industrial process.

**5 (c) (i)** The reaction at one of the electrodes can be represented by the equation shown below.



The chloride ions ( $\text{Cl}^-$ ) are oxidised.

Explain why.

.....

.....

(1 mark)

**5 (c) (ii)** The reaction at the other electrode can be represented by an equation.

Complete and balance the equation for the reaction at the other electrode.



(1 mark)

7
---

**Turn over for the next question**

**Turn over ►**



- 6 Lead compounds have been used for thousands of years as colours in paint.



- 6 (a) A sample of a red oxide used in paint was found to contain 6.21 g of lead and 0.64 g of oxygen.

Calculate the empirical (simplest) formula of this compound.

You **must** show all your working to gain full marks.

Relative atomic masses: O = 16; Pb = 207.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(4 marks)



- 6 (b)** A problem with lead compounds is that they slowly react with hydrogen sulfide in the air. This produces lead sulfide which is black.
- 6 (b) (i)** Hydrogen sulfide has the formula  $\text{H}_2\text{S}$ . The bonding in a molecule of hydrogen sulfide can be represented as:




Complete the diagram below to show the arrangement of the outer electrons of the hydrogen and sulfur atoms in hydrogen sulfide.

Use dots (•) and crosses (x) to represent the electrons.

You need only show the outer shell electrons.

(Atomic numbers: H = 1; S = 16.)



(1 mark)

- 6 (b) (ii)** Hydrogen sulfide has a low boiling point.

Explain why.

.....

.....

.....


.....

(2 marks)

- 6 (b) (iii)** Lead white is also used in paint. The white colour slowly darkens when lead sulfide is produced.

The painting can be restored with hydrogen peroxide. This converts the black lead sulfide into white lead sulfate.

Balance the equation for the reaction between lead sulfide and hydrogen peroxide ( $\text{H}_2\text{O}_2$ ).



(1 mark)

8
---

Turn over ►



7 Humberstone was a town in the desert of Northern Chile in South America. It was built for the people who worked in the nearby sodium nitrate mines.

The sodium nitrate was used as a fertiliser.


The sodium nitrate was exported by ship to countries all around the world.

Today the mines have closed and nobody lives in Humberstone.

One of the reasons for the mines closing was the invention of the Haber process.



7 (a) The Haber process is used to make ammonia ( $\text{NH}_3$ ).



The forward reaction is exothermic.

7 (a) (i) Name the raw materials that are used to supply the nitrogen and hydrogen.

Nitrogen .....

Hydrogen .....

(2 marks)



7 (a) (ii) The Haber process uses a temperature of 450 °C.

Explain, as fully as you can, why a temperature of 450 °C is used rather than a much higher temperature or a much lower temperature.

.....

.....

.....

.....

.....

.....

.....

.....

(3 marks)

7 (a) (iii) Ammonia can be converted to ammonium nitrate by adding an acid.

Name this acid.

.....

(1 mark)

7 (b) Suggest and explain why the invention of the Haber process caused the closure of the Humberstone mines in Chile.

.....

.....

.....

.....

.....

(2 marks)

8

**END OF QUESTIONS**



**There are no questions printed on this page**

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

**ACKNOWLEDGEMENT OF COPYRIGHT-HOLDERS AND PUBLISHERS**

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright holders have been unsuccessful and AQA will be happy to rectify any omissions or acknowledgements in future papers if notified.

Question 1 Photograph © Thinkstock  
Question 3 Photograph © PT. Brata Utama Mandiri  
Question 4 Photograph © KJE Technical  
Question 6 Photograph © Dee Lovell  
Question 7 Photograph © Thinkstock

Copyright © 2011 AQA and its licensors. All rights reserved.

